

REFERENCES

1. Stuge B, Holm I, Vøllestad N. To treat or not to treat postpartum pelvic girdle pain with stabilizing exercises? *Manual Therapy*. Published online 2006. doi:10.1016/j.math.2005.07.004
2. Candido G, Lo T, PA J. Risk factors for diastasis of the recti abdominis. *Journal of the Association of Chartered Physiotherapists in Women's Health*. 2005;(97):49-54. <http://search.ebscohost.com/login.aspx?direct=true&db=cin20&AN=106429740&site=ehost-live>
3. Mota PGF da, Pascoal AGBA, Carita AIAD, Bø K. Prevalence and risk factors of diastasis recti abdominis from late pregnancy to 6 months postpartum, and relationship with lumbo-pelvic pain. *Manual Therapy*. 2015;20(1):200-205. doi:10.1016/j.math.2014.09.002
4. Faries MD, Greenwood M. Core training: Stabilizing the confusion. *Strength and Conditioning Journal*. 2007;29(2). doi:10.1519/00126548-200704000-00001
5. Olsson A, Kiwanuka O, Sandblom G, Stackelberg O. Evaluation of functional outcomes following rectus diastasis repair—an up-to-date literature review. *Hernia*. Published online 2021. doi:10.1007/s10029-021-02462-0
6. Chankhunaphas W, Charoenkwan K. Effect of elastic abdominal binder on pain and functional recovery after caesarean delivery: a randomised controlled trial. *Journal of Obstetrics and Gynaecology*. 2020;40(4). doi:10.1080/01443615.2019.1631768
7. Belavý DL, Gast U, Felsenberg D. Exercise and Transversus Abdominis Muscle Atrophy after 60-d Bed Rest. *Medicine and Science in Sports and Exercise*. Published online 2017. doi:10.1249/MSS.0000000000001096
8. Belavý DL, Richardson CA, Wilson SJ, Rittweger J, Felsenberg D. Superficial lumbopelvic muscle overactivity and decreased cocontraction after 8 weeks of bed rest. *Spine*. Published online 2007. doi:10.1097/01.brs.0000250170.53746.27
9. Sarabon N, Rosker J. Effects of Fourteen-Day Bed Rest on Trunk Stabilizing Functions in Aging Adults. *BioMed Research International*. Published online 2015. doi:10.1155/2015/309386
10. Belavý DL, Gast U, Felsenberg D. Exercise and Transversus Abdominis Muscle Atrophy after 60-d Bed Rest. *Medicine and Science in Sports and Exercise*. Published online 2017. doi:10.1249/MSS.0000000000001096
11. Gilleard WL, Brown JMM. Structure and function of the abdominal muscles in primigravid subjects during pregnancy and the immediate postbirth period. *Physical Therapy*. 1996;76(7):750-762. doi:10.1093/ptj/76.7.750
12. Gilleard WL, Brown JMM. Structure and function of the abdominal muscles in primigravid subjects during pregnancy and the immediate postbirth period. *Physical Therapy*. 1996;76(7):750-762. doi:10.1093/ptj/76.7.750
13. Hodges PW, Cresswell AG, Daggfeldt K, Thorstensson A. In vivo measurement of the effect of intra-abdominal pressure on the human spine. *Journal of Biomechanics*. Published online 2001. doi:10.1016/S0021-9290(00)00206-2
14. Candido G, Lo T, PA J. Risk factors for diastasis of the recti abdominis. *Journal of the Association of Chartered Physiotherapists in Women's Health*. 2005;(97):49-54.
15. Emanuelsson P, Gunnarsson U, Dahlstrand U, Strigård K, Stark B. Operative correction of abdominal rectus diastasis (ARD) reduces pain and improves abdominal wall muscle strength: A randomized, prospective trial comparing retromuscular mesh repair to double-row, self-retaining sutures. *Surgery (United States)*. Published online 2016. doi:10.1016/j.surg.2016.05.035
16. Jessen ML, Öberg S, Rosenberg J. Treatment Options for Abdominal Rectus Diastasis. *Frontiers in Surgery*. Published online 2019. doi:10.3389/fsurg.2019.00065
17. Litos K. Progressive Therapeutic Exercise Program for Successful Treatment of a Postpartum Woman With a Severe Diastasis Recti Abdominis. *Journal of Women's Health Physical Therapy*. 2014;38(2). doi:10.1097/jwh.0000000000000013
18. Liaw L-J, Hsu M-J, Liao C-F, Liu M-F, Hsu A-T. The Relationships Between Inter-recti Distance Measured by Ultrasound Imaging and Abdominal Muscle Function in Postpartum Women: A 6-Month Follow-up Study. *Journal of Orthopaedic & Sports Physical Therapy*. 2011;41(6):435-443. doi:10.2519/jospt.2011.3507
19. Liaw L-J, Hsu M-J, Liao C-F, Liu M-F, Hsu A-T. The Relationships Between Inter-recti Distance Measured by Ultrasound Imaging and Abdominal Muscle Function in Postpartum Women: A 6-Month Follow-up Study. *Journal of Orthopaedic & Sports Physical Therapy*. 2011;41(6):435-443. doi:10.2519/jospt.2011.3507
20. Mota PGF da, Pascoal AGBA, Carita AIAD, Bø K. Prevalence and risk factors of diastasis recti abdominis from late pregnancy to 6 months postpartum, and relationship with lumbo-pelvic pain. *Manual Therapy*. 2015;20(1):200-205. doi:10.1016/j.math.2014.09.002
21. Lee DG, Lee LJ, McLaughlin L. Stability, continence and breathing: The role of fascia following pregnancy and delivery. *Journal of Bodywork and Movement Therapies*. 2008;12(4):333-348. doi:10.1016/j.jbmt.2008.05.003
22. Kolár P, Šulc J, Kyncl M, et al. Postural function of the diaphragm in persons with and without chronic low back pain. *Journal of Orthopaedic and Sports Physical Therapy*. Published online 2012. doi:10.2519/jospt.2012.3830
23. Stromberg SE, Russell ME, Carlson CR. Diaphragmatic breathing and its effectiveness for the management of motion sickness. *Aerospace Medicine and Human Performance*. Published online 2015. doi:10.3357/AMHP.4152.2015

24. Russo MA, Santarelli DM, O'Rourke D. The physiological effects of slow breathing in the healthy human. *Breathe*. Published online 2017. doi:10.1183/20734735.009817
25. Lundberg JON, Settergren G, Gelinder S, Lundberg JM, Alving K, Weitzberg E. Inhalation of nasally derived nitric oxide modulates pulmonary function in humans. *Acta Physiologica Scandinavica*. Published online 1996. doi:10.1046/j.1365-201X.1996.557321000.x
26. Lee SY, Chien DK, Huang CH, Shih SC, Lee WC, Chang WH. Dyspnea in pregnancy. *Taiwanese Journal of Obstetrics and Gynecology*. Published online 2017. doi:10.1016/j.tjog.2017.04.035
27. S D, S B, B M-D, Graham N. Establishing best practise principles for the conservative management of pregnancy-related diastasis rectus abdominis: results from phase 1 of a consensus study. Accessed May 9, 2018. <https://www.ics.org/2017/abstract/507>
28. LoMauro A, Aliverti A. Respiratory physiology of pregnancy. *Breathe*. 2015;11(4). doi:10.1183/20734735.008615
29. LoMauro A, Aliverti A, Frykholm P, et al. Adaptation of lung, chest wall, and respiratory muscles during pregnancy: Preparing for birth. *Journal of Applied Physiology*. 2019;127(6). doi:10.1152/jappphysiol.00035.2019
30. Jensen D, Duffin J, Lam YM, et al. Physiological mechanisms of hyperventilation during human pregnancy. *Respiratory Physiology and Neurobiology*. 2008;161(1). doi:10.1016/j.resp.2008.01.001
31. Hodges PW. Core stability exercise in chronic low back pain. *Orthopedic Clinics of North America*. 2003;34(2). doi:10.1016/S0030-5898(03)00003-8
32. Urquhart DM, Hodges PW, Allen TJ, Story IH. Abdominal muscle recruitment during a range of voluntary exercises. *Manual Therapy*. 2005;10(2):144-153. doi:10.1016/j.math.2004.08.011
33. Urquhart DM, Hodges PW, Allen TJ, Story IH. Abdominal muscle recruitment during a range of voluntary exercises. *Manual Therapy*. 2005;10(2):144-153. doi:10.1016/j.math.2004.08.011
34. Unsgaard-Tøndel M, Vasseljen O, Woodhouse A, Morkved S. Exercises for Women with Persistent Pelvic and Low Back Pain after Pregnancy. *Global Journal of Health Science*. 2016;8(9):107. doi:10.5539/gjhs.v8n9p107
35. Vleeming A, Schuenke MD, Masi AT, Carreiro JE, Danneels L, Willard FH. The sacroiliac joint: an overview of its anatomy, function and potential clinical implications. *J Anat*. 2012;221(6):537-567. doi:10.1111/j.1469-7580.2012.01564.x
36. Richardson CA, Snijders CJ, Hides JA, Damen L, Pas MS, Storm J. The relation between the transversus abdominis muscles, sacroiliac joint mechanics, and low back pain. *Spine*. 2002;27(4):399-405. doi:10.1097/00007632-200202150-00015
37. Unsgaard-Tøndel M, Vasseljen O, Woodhouse A, Morkved S. Exercises for Women with Persistent Pelvic and Low Back Pain after Pregnancy. *Global Journal of Health Science*. 2016;8(9):107. doi:10.5539/gjhs.v8n9p107
38. Saragiotto BT, Maher CG, Yamato TP, et al. Motor control exercise for chronic non-specific low-back pain. *Cochrane Database of Systematic Reviews*. 2016;2016(1). doi:10.1002/14651858.CD012004
39. Hodges PW. Is there a role for transversus abdominis in lumbo-pelvic stability? *Manual Therapy*. 1999;4(2). doi:10.1054/math.1999.0169
40. Wong AYL, Parent EC, Funabashi M, Kawchuk GN. Do changes in transversus abdominis and lumbar multifidus during conservative treatment explain changes in clinical outcomes related to nonspecific low back pain? A systematic review. *Journal of Pain*. 2014;15(4). doi:10.1016/j.jpain.2013.10.008
41. Gubler D, Mannion AF, Schenk P, et al. Ultrasound tissue doppler imaging reveals no delay in abdominal muscle feed-forward activity during rapid arm movements in patients with chronic low back pain. *Spine*. 2010;35(16). doi:10.1097/BRS.0b013e3181c3ed41
42. Koumantakis GA, Oldham JA, Winstanley J. Intermittent isometric fatigue study of the lumbar multifidus muscle in four-point kneeling: An intra-rater reliability investigation. *Manual Therapy*. 2001;6(2). doi:10.1054/math.2001.0392
43. van Dieën JH, Selen LPJ, Cholewicki J. Trunk muscle activation in low-back pain patients, an analysis of the literature. *Journal of Electromyography and Kinesiology*. 2003;13(4). doi:10.1016/S1050-6411(03)00041-5
44. Shamsi MB, Sarrafzadeh J, Jamshidi A, Arjmand N, Ghezlbash F. Comparison of spinal stability following motor control and general exercises in nonspecific chronic low back pain patients. *Clinical Biomechanics*. 2017;48. doi:10.1016/j.clinbiomech.2017.07.006
45. Kuligowski T, Cieslik B, Kuciel N, Debiec-Bak A, Skrzek A. Effect of core stabilizing training on young individuals presenting different stages of degenerative disc disease—preliminary report. *International Journal of Environmental Research and Public Health*. 2021;18(7). doi:10.3390/ijerph18073499
46. Pennick V, Liddle SD. Interventions for preventing and treating pelvic and back pain in pregnancy. *Cochrane Database of Systematic Reviews*. 2013;2013(8). doi:10.1002/14651858.CD001139.pub3
47. Dehghan F, Haerian BS, Muniandy S, Yusof A, Dragoo JL, Salleh N. The effect of relaxin on the musculoskeletal system. *Scandinavian Journal of Medicine and Science in Sports*. Published online 2014. doi:10.1111/sms.12149
48. Mota P, Pascoal AG, Carita AI, Kari B. The immediate effects on inter-rectus distance of abdominal crunch and drawing-in exercises during pregnancy and the postpartum period. *Journal of Orthopaedic and Sports Physical Therapy*.

Published online 2015. doi:10.2519/jospt.2015.5459

49. Pascoal AG, Dionisio S, Cordeiro F, Mota P. Inter-rectus distance in postpartum women can be reduced by isometric contraction of the abdominal muscles: A preliminary case-control study. *Physiotherapy (United Kingdom)*. Published online 2014. doi:10.1016/j.physio.2013.11.006

50. Gluppe SB, Engh ME, Bø K. Immediate effect of abdominal and pelvic floor muscle exercises on interrecti distance in women with diastasis recti abdominis who were parous. *Physical Therapy*. 2020;100(8). doi:10.1093/ptj/pzaa070

51. Gluppe S, Engh ME, Bø K. What is the evidence for abdominal and pelvic floor muscle training to treat diastasis recti abdominis postpartum? A systematic review with meta-analysis. *Brazilian Journal of Physical Therapy*. Published online 2021. doi:10.1016/j.bjpt.2021.06.006

52. Beer GM, Schuster A, Seifert B, Manestar M, Mihic-Probst D, Weber SA. The normal width of the linea alba in nulliparous women. *Clinical Anatomy*. Published online 2009. doi:10.1002/ca.20836

53. Critchley D. Instructing pelvic floor contraction facilitates transversus abdominis thickness increase during low-abdominal hollowing. *Physiotherapy research international : the journal for researchers and clinicians in physical therapy*. 2002;7(2):65-75. doi:10.1002/pri.243

54. Beer GM, Schuster A, Seifert B, Manestar M, Mihic-Probst D, Weber SA. The normal width of the linea alba in nulliparous women. *Clinical Anatomy*. Published online 2009. doi:10.1002/ca.20836

55. Thabet AA, Alshehri MA. Efficacy of deep core stability exercise program in postpartum women with diastasis recti abdominis: A randomised controlled trial. *Journal of Musculoskeletal Neuronal Interactions*. Published online 2019.

56. Benjamin DR, van de Water ATM, Peiris CL. Effects of exercise on diastasis of the rectus abdominis muscle in the antenatal and postnatal periods: A systematic review. *Physiotherapy (United Kingdom)*. Published online 2014. doi:10.1016/j.physio.2013.08.005

57. Tabary JC, Tabary C, Tardieu C, Tardieu G, Goldspink G. Physiological and structural changes in the cat's soleus muscle due to immobilization at different lengths by plaster casts. *The Journal of Physiology*. Published online 1972. doi:10.1113/jphysiol.1972.sp009891

58. Michalska A, Rokita W, Wolder D, Pogorzelska J, Kaczmarczyk K. Diastasis recti abdominis — a review of treatment methods. *Ginekologia Polska*. 2018;89(2):97-101. doi:10.5603/GP.a2018.0016

59. Rath AM, Attali P, Dumas JL, Goldlust D, Zhang J, Chevrel JP. The abdominal linea alba: An anatomico-radiologic and biomechanical study. *Surgical and Radiologic Anatomy*. Published online 1996. doi:10.1007/BF01627606

60. Michalska A, Rokita W, Wolder D, Pogorzelska J, Kaczmarczyk K. Diastasis recti abdominis — a review of treatment methods. *Ginekologia Polska*. 2018;89(2):97-101. doi:10.5603/GP.a2018.0016

61. Blotta RM, Costa S dos S, Trindade EN, Meurer L, Maciel-Trindade MR. Collagen I and III in women with diastasis recti. *Clinics*. Published online 2018. doi:10.6061/clinics/2018/e319

62. Chiarello CM, Zellers JA, Sage-King FM. Predictors of Inter-recti Distance in Cadavers. *Journal of Women's Health Physical Therapy*. 2012;36(3):125-130. doi:10.1097/JWH.0b013e318276f60e

63. Chiarello CM, Zellers JA, Sage-King FM. Predictors of Inter-recti Distance in Cadavers. *Journal of Women's Health Physical Therapy*. 2012;36(3):125-130. doi:10.1097/JWH.0b013e318276f60e

64. Rath AM, Attali P, Dumas JL, Goldlust D, Zhang J, Chevrel JP. The abdominal linea alba: An anatomico-radiologic and biomechanical study. *Surgical and Radiologic Anatomy*. Published online 1996. doi:10.1007/BF01627606

65. Blotta RM, Costa S dos S, Trindade EN, Meurer L, Maciel-Trindade MR. Collagen I and III in women with diastasis recti. *Clinics*. Published online 2018. doi:10.6061/clinics/2018/e319

66. Brauman D. Diastasis recti: Clinical anatomy. *Plastic and Reconstructive Surgery*. Published online 2008. doi:10.1097/PRS.0b013e3181882493

67. Brauman D. Diastasis recti: Clinical anatomy. *Plastic and Reconstructive Surgery*. Published online 2008. doi:10.1097/PRS.0b013e3181882493

68. Keeler J, Albrecht M, Eberhardt L, Horn L, Donnelly C, Lowe D. Diastasis Recti Abdominis: A Survey of Women's Health Specialists for Current Physical Therapy Clinical Practise for Postpartum Women. *Journal of Women's Health Physical Therapy*. 2012;36(3):131-142. doi:10.1097/JWH.0b013e318276f35f

69. Lo T, Candido G, Janssen P. Diastasis of the Recti Abdominis in pregnancy: Risk Factors and Treatment. *Physiotherapy Canada*. Published online 1999:32-36.

70. Bursch SG. Interrater reliability of diastasis recti abdominis measurement. *Physical Therapy*. 1987;67(7):1077-1079. doi:10.1093/ptj/67.7.1077

71. Sheppard S. The role of transversus abdominis in post partum correction of gross divarication recti. *Manual Therapy*. 1996;1(4):214-216. doi:10.1054/math.1996.0272

72. Coldron Y, Stokes MJ, Newham DJ, Cook K. Postpartum characteristics of rectus abdominis on ultrasound imaging. *Manual Therapy*. 2008;13(2):112-121. doi:10.1016/j.math.2006.10.001

73. Thabet AA, Alshehri MA. Efficacy of deep core stability exercise program in postpartum women with diastasis recti abdominis: A randomised controlled trial. *Journal of Musculoskeletal Neuronal Interactions*. Published online 2019.

74. Lee DG, Lee LJ, McLaughlin L. Stability, continence and breathing: The role of fascia following pregnancy and delivery. *Journal of Bodywork and Movement Therapies*. 2008;12(4):333-348. doi:10.1016/j.jbmt.2008.05.003

75. Spitznagle TM, Leong FC, van Dillen LR. Prevalence

of diastasis recti abdominis in a urogynecological patient population. *International Urogynecology Journal*. Published online 2007. doi:10.1007/s00192-006-0143-5

76. Achary N, Kutty RK. Abdominal exercise with bracing, a therapeutic efficacy in reducing diastasis-recti among postpartal females. *International Journal of Physiotherapy and Research*. Published online 2015. doi:10.16965/ijpr.2015.122

77. Aguirre DA, Santosa AC, Casola G, Sirlin CB. Abdominal wall hernias: Imaging features, complications, and diagnostic pitfalls at multi-detector row CT. In: *Radiographics*. ; 2005. doi:10.1148/rg.256055018

78. Mendes DDA, Nahas FX, Veiga DF, et al. Ultrasonography for measuring rectus abdominis muscles diastasis. *Acta Cirurgica Brasileira*. Published online 2007. doi:10.1590/S0102-86502007000300005

79. Garshasbi A, Faghieh Zadeh S. The effect of exercise on the intensity of low back pain in pregnant women. *International Journal of Gynecology and Obstetrics*. 2005;88(3). doi:10.1016/j.ijgo.2004.12.001

80. RNV D, P P, VPR S. Does Sitting Pelvic Tilt Influence Quality of Pain in Low Back Pain and Quality of Sleep among Primigravida Indian Mothers. *Journal of Women's Health Care*. 2016;05(05). doi:10.4172/2167-0420.1000333

81. Dehghan F, Haerian BS, Muniandy S, Yusof A, Dragoo JL, Salleh N. The effect of relaxin on the musculoskeletal system. *Scandinavian Journal of Medicine and Science in Sports*. Published online 2014. doi:10.1111/sms.12149

82. Mota P, Pascoal AG, Carita AI, Kari B. The immediate effects on inter-rectus distance of abdominal crunch and drawing-in exercises during pregnancy and the postpartum period. *Journal of Orthopaedic and Sports Physical Therapy*. Published online 2015. doi:10.2519/jospt.2015.5459

83. Pascoal AG, Dionisio S, Cordeiro F, Mota P. Inter-rectus distance in postpartum women can be reduced by isometric contraction of the abdominal muscles: A preliminary case-control study. *Physiotherapy (United Kingdom)*. Published online 2014. doi:10.1016/j.physio.2013.11.006

84. Lee D, Hodges PW. Behavior of the Linea Alba During a Curl-up Task in Diastasis Rectus Abdominis: An Observational Study. *Journal of Orthopaedic & Sports Physical Therapy*. 2016;46(7):580-589. doi:10.2519/jospt.2016.6536

85. Lee D, Hodges PW. Behavior of the Linea Alba During a Curl-up Task in Diastasis Rectus Abdominis: An Observational Study. *Journal of Orthopaedic & Sports Physical Therapy*. 2016;46(7):580-589. doi:10.2519/jospt.2016.6536

86. Deering RE, Cruz M, Senefeld JW, Pashibin T, Eickmeyer S, Hunter SK. Impaired trunk flexor strength, fatigability, and steadiness in postpartum women. *Medicine and Science in Sports and Exercise*. 2018;50(8). doi:10.1249/MSS.0000000000001609

87. Chiarello CM, Falzone LA, McCaslin KE, Patel MN, Ulery KR. The Effects of an Exercise Program on Diastasis Recti Abdominis in Pregnant Women. *Journal of Women's Health Physical Therapy*. Published online 2005. doi:10.1097/01274882-200529010-00003

88. Walton LM, Costa A, LaVanture D, McIlrath S, Stebbins B. The effects of a 6 week dynamic core stability plank exercise program compared to a traditional supine core stability strengthening program on diastasis recti abdominis closure, pain, oswestry disability index (ODI) and pelvic floor disability index score. *Physical Therapy and Rehabilitation*. Published online 2016. doi:10.7243/2055-2386-3-3

89. Escamilla RF, Lewis C, Pecson A, Imamura R, Andrews JR. Muscle Activation Among Supine, Prone, and Side Position Exercises With and Without a Swiss Ball. *Sports Health*. 2016;8(4). doi:10.1177/1941738116653931

90. McGill SM. The biomechanics of low back injury: Implications on current practise in industry and the clinic. *Journal of Biomechanics*. 1997;30(5). doi:10.1016/S0021-9290(96)00172-8

91. Cortell-Tormo JM, García-Jaén M, Chulvi-Medrano I, Hernández-Sánchez S, Lucas-Cuevas ÁG, Tortosa-Martínez J. Influence of scapular position on the core musculature activation in the prone plank exercise. *Journal of Strength and Conditioning Research*. 2017;31(8). doi:10.1519/JSC.0000000000001689

92. Deering RE, Senefeld J, Pashibin T, Neumann DA, Cruz M, Hunter SK. Fatigability of the Lumbopelvic Stabilizing Muscles in Women 8 and 26 Weeks Postpartum. *Journal of Women's Health Physical Therapy*. 2018;42(3). doi:10.1097/jwh.000000000000109

93. Gürsen C, Inanoglu D, Kaya S, Akbayrak T, Baltacı G. Effects of exercise and Kinesio taping on abdominal recovery in women with cesarean section: a pilot randomized controlled trial. *Archives of Gynecology and Obstetrics*. 2016;293(3). doi:10.1007/s00404-015-3862-3

94. Mady M. Effect of Kinesio taping therapy on waist circumferences in postpartum women. *Journal of Medicine in Scientific Research*. 2018;1(1). doi:10.4103/jmisr.jmisr_12_18

95. Depledge J, McNair P, Ellis R. Exercises, Tubigrip and taping: can they reduce rectus abdominis diastasis measured three weeks post-partum? *Musculoskeletal Science and Practice*. 2021;53. doi:10.1016/j.msksp.2021.102381

REFERENCES

1. Wang C, Wei Y, Zhang X, et al. A randomized clinical trial of exercise during pregnancy to prevent gestational diabetes mellitus and improve pregnancy outcome in overweight and obese pregnant women. *Am J Obstet Gynecol.* 2017; 216(4):340-351.
2. Berghella V, Saccone G. Exercise in pregnancy! *Am J Obstet Gynecol.* 2017; 216(4):335-337.
3. Nobles C, Marcus BH, Stanek EJ, et al. The Effect of an Exercise Intervention on Gestational Weight Gain: The Behaviors Affecting Baby and You (B.A.B.Y.) Study: A Randomized Controlled Trial. *Am J Heal Promot.* 2018; 32(3):736-744.
4. Fieril KP, Olsén MF, Glantz A, Larsson M. Experiences of exercise during pregnancy among women who perform regular resistance training: A qualitative study. *Phys Ther.* 2014; 94(8):1135-43.
5. Pearson D, Kaur M, San P, Lawson N, Baker P, Hosking D. Recovery of pregnancy mediated bone loss during lactation. *Bone.* 2004; 34(3):570-8
6. Rabea MM. Effect of Walking Intervention Program on Varicose Veins among Pregnant Women. *World J Sport Sci.* 2010;(3) S 942-946,
7. Barakat R, Perales M, Garatachea N, Ruiz JR, Lucia A. Exercise during pregnancy. A narrative review asking: What do we know? *Br J Sports Med.* 2015; 49(21):1377-1381.
8. Ekelin M, Langeland Iversen M, Grønbaek Backhausen M, Hegaard HK. Not now but later - A qualitative study of non-exercising pregnant women's views and experiences of exercise. *BMC Pregnancy Childbirth.* 2018; 18(1):399.
9. Di Mascio D, Magro-Malosso ER, Saccone G, Marhefka GD, Berghella V. Exercise during pregnancy in normal-weight women and risk of preterm birth: a systematic review and meta-analysis of randomized controlled trials. *Am J Obstet Gynecol.* 2016; 215(5):561-571.
10. Barakat R, Pelaez M, Cordero Y, et al. Exercise during pregnancy protects against hypertension and macrosomia: Randomized clinical trial. *Am J Obstet Gynecol.* 2016; 214(5):649.e1-8.
11. Bauer PW, Broman CL, Pivarnik JM. Exercise and pregnancy knowledge among healthcare providers. *J Womens Health (Larchmt).* 2010; 19(2):335-41.
12. Committee opinion no. 650: Physical activity and exercise during pregnancy and the postpartum period. *Obstet Gynecol.* 2015; 126(6):e135-e142.
13. Salvesen KA, Hem E, Sundgot-Borgen J. Foetal wellbeing may be compromised during strenuous exercise among pregnant elite athletes. *Br J Sports Med.* 2012; 46(4):279-83.
14. Szymanski LM, Satin AJ. Strenuous exercise during pregnancy: Is there a limit? *Am J Obstet Gynecol.* 2012; 207(3):179.e1-6.
15. Zemet R, Orvieto R, Watad H, et al. The association between physical activity level and pregnancy rate following embryo transfer: A prospective study. *Reprod Biomed Online.* January 2021.
16. Kuo C, Jamieson DJ, McPheeters ML, Meikle SF, Posner SF. Injury hospitalizations of pregnant women in the United States, 2002. *Am J Obstet Gynecol.* 2007; 196(2):161.e1-6.
17. Kocic IS, Ivanisevic M, Uremovic M, Kocic T, Pisot R, Simunic B. Effect of therapeutic exercises on pregnancy-related low back pain and pelvic girdle pain: Secondary analysis of a randomized controlled trial. *J Rehabil Med.* 2017; 49(3):251-257.
18. Ravanelli N, Casasola W, English T, Edwards KM, Jay O. Heat stress and foetal risk. Environmental limits for exercise and passive heat stress during pregnancy: A systematic review with best evidence synthesis. *Br J Sports Med.* 2019; 53(13):799-805.
19. Koop LK, Tadi P. Physiology, Heat Loss. *StatPearls Publishing; 2020.* <http://www.ncbi.nlm.nih.gov/pubmed/31082151>. Accessed November 18, 2020.
20. Soultanakis-Aligianni HN. Thermoregulation during exercise in pregnancy. *Clin Obstet Gynecol.* 2003. 46(2):442-55
21. McMurray RG, Mottola MF, Wolfe LA, Artal R, Millar L, Pivarnik JM. Recent advances in understanding maternal and foetal responses to exercise. *Med Sci Sports Exerc.* 1993; 25(12):1305-21.
22. Laburn HP, Faurie A, Goelst K, Mitchell D. Effects on foetal and maternal body temperatures of exposure of pregnant ewes to heat, cold, and exercise. *J Appl Physiol.* 2002; 92(2):802-8.
23. Wibowo AWA, Wijayanto T, Widyastuti W, Herliansyah MK. The effect of clothing fit and material of women's Islamic sportswear on physiological and subjective responses during exercise in warm and humid environment. *In: MATEC Web of Conferences.*2018:154:01074
24. Abdallah SJ, Krug R, Jensen D. Does wearing clothing made of a synthetic "cooling" fabric improve indoor cycle exercise endurance in trained athletes? *Physiol Rep.* 2015; 3(8):e12505..
25. Sperlich B, Born DP, Lefter MD, Holmberg HC. Exercising in a hot environment: Which T-shirt to wear? *Wilderness Environ Med.* 2013; 24(3):211-20.
26. Armstrong LE. Assessing Hydration Status: The Elusive Gold Standard. *J Am Coll Nutr.* 2007; 26(5 Suppl):575S-584S.
27. Hew-Butler T, Rosner MH, Fowkes-Godek S, et al. Statement of the 3rd international exercise-associated hyponatremia consensus development conference, Carlsbad, California, 2015. *Br J Sports Med.* 2015; 25(4):303-20.

28. Evenson KR, Wen F. National trends in self-reported physical activity and sedentary behaviors among pregnant women: NHANES 1999-2006. *Prev Med (Baltim)*. 2010; 50(3):123-8.
29. Connolly CP, Conger SA, Montoyo AHK, et al. Walking for health during pregnancy: A literature review and considerations for future research. *J Sport Heal Sci*. 2019; 8(5):401-411.
30. Aune D, Sen A, Henriksen T, Saugstad OD, Tonstad S. Physical activity and the risk of gestational diabetes mellitus: a systematic review and dose-response meta-analysis of epidemiological studies. *Eur J Epidemiol*. 2016; 31(10):967-997.
31. Aune D, Saugstad OD, Henriksen T, Tonstad S. Physical activity and the risk of pre-eclampsia: A systematic review and meta-analysis. *Epidemiology*. 2014; 25(3):331-43.
32. Kong KL, Campbell CG, Foster RC, Peterson AD, Lanningham-Foster L. A pilot walking program promotes moderate-intensity physical activity during pregnancy. *Med Sci Sports Exerc*. 2014; 46(3):462-71.
33. Owe KM, Nystad W, Bø K. Association between regular exercise and excessive newborn birth weight. *Obstet Gynecol*. 2009; 114(4):770-776.
34. Takito MY, Benicio MHDA. Physical activity during pregnancy and foetal outcomes: A case-control study. *Rev Saude Publica*. 2010; 44(1):90-101.
35. Sealy-Jefferson S, Hegner K, Misra DP. Linking nontraditional physical activity and preterm delivery in urban african-american women. *Women's Heal Issues*. 2014; 24(4):e389-95.
36. Facco FL, Kramer J, Ho KH, Zee PC, Grobman WA. Sleep disturbances in pregnancy. *Obstet Gynecol*. 2010; 115(1):77-83.
37. Mindell JA, Cook RA, Nikolovski J. Sleep patterns and sleep disturbances across pregnancy. *Sleep Med*. 2015; 16(4):483-8.
38. Amezcua-Prieto C, Naveiro-Fuentes M, Arco-Jiménez N, et al. Walking in pregnancy and prevention of insomnia in third trimester using pedometers: Study protocol of Walking-Preg project (WPP). A randomized controlled trial. *BMC Pregnancy Childbirth*. 2020; 20(1):521.
39. Loprinzi PD, Loprinzi KL, Cardinal BJ. The relationship between physical activity and sleep among pregnant women. *Ment Health Phys Act*. 2012.
40. Mourady D, Richa S, Karam R, et al. Associations between quality of life, physical activity, worry, depression and insomnia: A cross-sectional designed study in healthy pregnant women. *PLoS One*. 2017; 12(5):e0178181.
41. HERNON S (National U of IG. The Effect of Structured Exercise on Chronic Venous Insufficiency: A Feasibility Trial. *J Chem Inf Model*. 2019;clinical trial
42. Piazza G. Varicose veins. *Circulation*. 2014; 130(7):582-7.
43. Shingler S, Robertson L, Boghossian S, Stewart M. Compression stockings for the initial treatment of varicose veins in patients without venous ulceration. *Cochrane Database Syst Rev*. 2013; (11):CD008819.
44. Clapp JF, Capeless E. Cardiovascular function before, during, and after the first and subsequent pregnancies. *Am J Cardiol*. 1997;80(11):1469-1473.
45. Duvekot JJ, Cheriex EC, Pieters FAA, Menheere PPCA, Peeters LLH. Early pregnancy changes in hemodynamics and volume homeostasis are consecutive adjustments triggered by a primary fall in systemic vascular tone. *Am J Obstet Gynecol*. 1993;169(6):1382-1392.
46. Witvrouwen I, Mannaerts D, Van Berendoncks AM, Jacquemyn Y, Van Craenenbroeck EM. The Effect of Exercise Training During Pregnancy to Improve Maternal Vascular Health: Focus on Gestational Hypertensive Disorders. *Front Physiol*. 2020; 11:450.
47. Mannaerts D, Faes E, Cornette J, et al. Low-flow mediated constriction as a marker of endothelial function in healthy pregnancy and pre-eclampsia: A pilot study. *Pregnancy Hypertens*. 2019; 17:75-81.
48. Lane-Cordova AD, Khan SS, Grobman WA, Greenland P, Shah SJ. Long-Term Cardiovascular Risks Associated With Adverse Pregnancy Outcomes: JACC Review Topic of the Week. *J Am Coll Cardiol*. 2019; 73(16):2106-2116.
49. Sorensen TK, Williams MA, Lee I-M, Dashow EE, Thompson M Lou, Luthy DA. Recreational physical activity during pregnancy and risk of pre-eclampsia. *Hypertension*. 2003;41(6):1273-1280.
50. Marcoux S, Brisson J, Fabia J. The effect of leisure time physical activity on the risk of pre-eclampsia and gestational hypertension. *J Epidemiol Community Health*. 1989; 43(2):147-152.
51. Scholten RR, Hopman MTE, Lotgering FK, Spaanderman MEA. Aerobic exercise training in formerly preeclamptic women: Effects on venous reserve. *Hypertension*. 2015; 66(5):1058-65.
52. Moyer C, Reoyo OR, May L. The Influence of Prenatal Exercise on Offspring Health: A Review. *Clin Med Insights Women's Heal*. 2016; 9:37-42.
53. Alexander BT, Dasinger JH, Intapad S. Foetal programming and cardiovascular pathology. *Compr Physiol*. 2015; 5(2):997-1025.
54. Raya MA, Gailey RS, Gaunaud IA, et al. Comparison of three agility tests with male servicemembers: Edgren Side Step Test, T-Test, and Illinois Agility Test. *J Rehabil Res Dev*. 2013; 50(7):951-60.
55. Streuling I, Beyerlein A, Rosenfeld E, Hofmann H, Schulz T, Von Kries R. Physical activity and gestational weight gain: A meta-analysis of intervention trials. *BJOG An Int J Obstet Gynaecol*. 2011; 118(3):278-84.
56. Clapp JF. Morphometric and neurodevelopmental outcome at age five years of the offspring of women who continued to exercise regularly throughout pregnancy. *J Pediatr*. 1996; 129(6):856-63.

57. Brewin D, Naninni A. Women's perspectives on falls and fall prevention during pregnancy. *MCN Am J Matern Nurs.* 2014; 39(5):300-5.
58. Lee K, Lee YW. Efficacy of ankle control balance training on postural balance and gait ability in community-dwelling older adults: A single-blinded, randomized clinical trial. *J Phys Ther Sci.* 2017. 29(9):1590–1595.
59. Chu SR, Boyer EH, Beynonn B, Segal NA. Pregnancy Results in Lasting Changes in Knee Joint Laxity. *PM R.* 2019; 11(2):117-124.
60. Butler EE, Colón I, Druzin ML, Rose J. Postural equilibrium during pregnancy: Decreased stability with an increased reliance on visual cues. *Am J Obstet Gynecol.* 2006;195(4):1104-8.
61. McCrory JL, Chambers AJ, Daftary A, Redfern MS. Dynamic postural stability in pregnant fallers and non-fallers. *BJOG An Int J Obstet Gynaecol.* 2010; 117(8):954-62.
62. Malliaropoulos N, Panagiotis T, Jurdan M, et al. Muscle and intensity based hamstring exercise classification in elite female track and field athletes: implications for exercise selection during rehabilitation. *Open Access J Sport Med.* 2015; 6:209-17.
63. Van Wingerden JP, Vleeming A, Buyruk HM, Raissadat K. Stabilization of the sacroiliac joint in vivo: Verification of muscular contribution to force closure of the pelvis. *Eur Spine J.* 2004.13(3): 199–205.
64. Embaby H, Elsayed E, Fawzy M. Insulin Sensitivity and Plasma Glucose Response to Aerobic Exercise in Pregnant Women at Risk for Gestational Diabetes Mellitus. *Ethiop J Health Sci.* 2016; 26(5):409-414.
65. Guelfi KJ, Ong MJ, Crisp NA, et al. Regular Exercise to Prevent the Recurrence of Gestational Diabetes Mellitus: A Randomized Controlled Trial. *In: Obstetrics and Gynecology.* ; 2016; 128(4):819-827.
66. Cordero Y, Mottola MF, Vargas J, Blanco M, Barakat R. Exercise is associated with a reduction in gestational diabetes mellitus. *Med Sci Sports Exerc.* 2015; 47(7):1328-33.
67. Cordero L, Oza-Frank R, Landon MB, Nankervis CA. Breastfeeding Initiation among Macrosomic Infants Born to Obese Nondiabetic Mothers. *Breastfeed Med.* 2015; 10(5):239-45.
68. Fairbrother N, Hutton EK, Stoll K, Hall W, Kluka S. Psychometric Evaluation of the Multidimensional Assessment of Fatigue Scale for Use With Pregnant and Postpartum Women. *Psychol Assess.* 2008; 20(2):150-8.
69. Kuhrt K, Harmon M, Hezelgrave NL, Seed PT, Shennan AH. Is recreational running associated with earlier delivery and lower birth weight in women who continue to run during pregnancy? An international retrospective cohort study of running habits of 1293 female runners during pregnancy. *BMJ Open Sport Exerc Med.* 2018; 4(1):e000296.
70. Ringdahl EN. Promoting postpartum exercise: An opportune time for change. *Phys Sportsmed.* 2002; 30(2):31-6.
71. Weir Z, Bush J, Robson SC, McParlin C, Rankin J, Bell R. Physical activity in pregnancy: A qualitative study of the beliefs of overweight and obese pregnant women. *BMC Pregnancy Childbirth.* 2010; 10:18.
72. Newton ER, May L. Adaptation of Maternal-Foetal Physiology to Exercise in Pregnancy: The Basis of Guidelines for Physical Activity in Pregnancy. *Clin Med Insights Women's Heal.* 2017; 10:1179562X17693224.
73. Cramp AG, Bray SR. A prospective examination of exercise and barrier self-efficacy to engage in leisure-time physical activity during pregnancy. *Ann Behav Med.* 2009; 37(3):325-34.
74. Marquez DX, Bustamante EE, Bock BC, Markenson G, Tovar A, Chasan-Taber L. Perspectives of Latina and non-Latina white women on barriers and facilitators to exercise in pregnancy. *Women Heal.* 2009; 49(6):505-21.
75. Soultanakis HN. Aquatic exercise and thermoregulation in pregnancy. *In: Clinical Obstetrics and Gynecology.* ; 2016; 59(3):576-90.
76. Clapp JF, Wesley M, Sleamaker RH. Thermoregulatory and metabolic responses to jogging prior to and during pregnancy. *Med Sci Sports Exerc.* 1987; 19(2):124-30.
77. Clapp JF. The changing thermal response to endurance exercise during pregnancy. *Am J Obstet Gynecol.* 1991; 165(6 Pt 1):1684-9.
78. Barakat R, Perales M, Bacchi M, Coteron J, Refoyo I. A program of exercise throughout pregnancy. is it safe to mother and newborn? *Am J Heal Promot.* 2014; 29(1):2-8.
79. Downs DS, Devlin CA, Rhodes RE. The Power of Believing: Salient Belief Predictors of Exercise Behavior in Normal Weight, Overweight, and Obese Pregnant Women. *J Phys Act Health.* 2015; 12(8):1168-1176.
80. Sui Z, Turnbull DA, Dodd JM. Overweight and obese women's perceptions about making healthy change during pregnancy: A mixed method study. *Matern Child Health J.* 2013; 17(10):1879-1887.
81. Hausenblas HA, Downs DS. Prospective examination of the Theory of Planned Behavior applied to exercise behavior during women's first trimester of pregnancy. *J Reprod Infant Psychol.* 2004; 22(3):199-210.
82. Kuo YL, Tully EA, Galea MP. Lumbofemoral rhythm during active hip flexion in standing in healthy older adults. *Man Ther.* 2010; 15(1):88-92.
83. Tully EA, Wagh P, Galea MP. Lumbofemoral rhythm during hip flexion in young adults and children. *Spine (Phila Pa 1976).* 2002; 27(20):E432-40.
84. Goldenberg RL, Cliver SP, Bronstein J, Cutter GR, Andrews WW, Mennemeyer ST. Bed rest in pregnancy. *Obstet Gynecol.* 1994; 84(1):131-6.

85. Fox NS, Gelber SE, Kalish RB, Chasen ST. The recommendation for bed rest in the setting of arrested preterm labour and premature rupture of membranes. *Am J Obstet Gynecol.* 2009; 200(2):165.e1-6.
86. Matenchuk B, Khurana R, Cai C, Boulé NG, Slater L, Davenport MH. Prenatal bed rest in developed and developing regions: a systematic review and meta-analysis. *C Open.* 2019; 7(3):E435-E445.
87. Sosa CG, Althabe F, Belizán JM, Bergel E. Bed rest in singleton pregnancies for preventing preterm birth. *Cochrane Database Syst Rev.* 2015; 2015(3):CD003581.
88. Kovacevich GJ, Gaich SA, Lavin JP, et al. The prevalence of thromboembolic events among women with extended bed rest prescribed as part of the treatment for premature labour or preterm premature rupture of membranes. *Am J Obstet Gynecol.* 2000; 182(5):1089-92.
89. Maloni JA, Kane JH, Suen LJ, Wang KK. Dysphoria among high-risk pregnant hospitalized women on bed rest: A longitudinal study. *Nurs Res.* 2002; 51(2):92-9.
90. Gupton A, Heaman M, Ashcroft T. Bed rest from the perspective of the high-risk pregnant woman. *J Obstet Gynecol Neonatal Nurs.* 1997; 26(4):423-30.
91. Maloni JA, Alexander GR, Schluchter MD, Shah DM, Park S. Antepartum bed rest: maternal weight change and infant birth weight. *Biol Res Nurs.* 2004; 5(3):177-86.
92. Maloni JA, Margevicius SP, Damato EG. Multiple gestation: Side effects of antepartum bed rest. *Biol Res Nurs.* 2006; 8(2):115-28.
93. Spinnewijn WEM, Lotgering FK, Struijk PC, Wallenburg HCS. Foetal heart rate and uterine contractility during maternal exercise at term. *Am J Obstet Gynecol.* 1996; 174(1 Pt 1):43-8.
94. Tsai SY, Lin JW, Kuo LT, Thomas KA. Daily sleep and fatigue characteristics in nulliparous women during the third trimester of pregnancy. *Sleep.* 2012; 35(2):257-62.
95. Gjestland K, Bø K, Owe KM, Eberhard-Gran M. Do pregnant women follow exercise guidelines? Prevalence data among 3482 women, and prediction of low-back pain, pelvic girdle pain and depression. *Br J Sports Med.* 2013; 47(8):515-20.
96. Evenson KR, Barakat R, Brown WJ, et al. Guidelines for Physical Activity During Pregnancy: Comparisons From Around the World. *Am J Lifestyle Med.* 2014;8 (2):102-121.

REFERENCES

1. Clapp JF, Little KD. Effect of recreational exercise on pregnancy weight gain and subcutaneous fat deposition. *Medicine and Science in Sports and Exercise*. 1995;27(2). doi:10.1249/00005768-199502000-00004
2. Barakat R, Lucia A, Ruiz JR. Resistance exercise training during pregnancy and newborn's birth size: A randomised controlled trial. *International Journal of Obesity*. 2009;33(9). doi:10.1038/ijo.2009.150
3. Brankston GN, Mitchell BF, Ryan EA, Okun NB. Resistance exercise decreases the need for insulin in overweight women with gestational diabetes mellitus. *American Journal of Obstetrics and Gynecology*. Published online 2004. doi:10.1016/S0002-9378(03)00951-7
4. Boscaglia N, Skouteris H, Wertheim EH. Changes in body image satisfaction during pregnancy: A comparison of high exercising and low exercising women. *Australian and New Zealand Journal of Obstetrics and Gynaecology*. 2003;43(1). doi:10.1046/j.0004-8666.2003.00016.x
5. Marquez-Sterling S, Perry AC, Kaplan TA, Halberstein RA, Signorile JF. Physical and psychological changes with vigorous exercise in sedentary primigravidae. *Medicine and Science in Sports and Exercise*. 2000;32(1). doi:10.1097/00005768-200001000-00010
6. Wallace AM, Boyer DB, Dan A, Holm K. Aerobic exercise, maternal self-esteem, and physical discomforts during pregnancy. *Journal of Nurse-Midwifery*. 1986;31(6). doi:10.1016/0091-2182(86)90034-0
7. Paluska SA, Schwenk TL. Physical activity and mental health: Current concepts. *Sports Medicine*. 2000;29(3). doi:10.2165/00007256-200029030-00003
8. da Costa D, Rippen N, Dritsa M, Ring A. Self-reported leisure-time physical activity during pregnancy and relationship to psychological well-being. *Journal of Psychosomatic Obstetrics and Gynecology*. 2003;24(2). doi:10.3109/01674820309042808
9. Kocic IS, Ivanisevic M, Uremovic M, Kocic T, Pisot R, Simunic B. Effect of therapeutic exercises on pregnancy-related low back pain and pelvic girdle pain: Secondary analysis of a randomized controlled trial. *Journal of Rehabilitation Medicine*. Published online 2017. doi:10.2340/16501977-2196
10. O'Connor PJ, Poudevigne MS, Cress ME, Motl RW, Clapp JF. Safety and efficacy of supervised strength training adopted in pregnancy. *Journal of physical activity & health*. 2011;8(3):309-320. doi:10.1016/j.biotechadv.2011.08.021. Secreted
11. Bgeginski R, Almada BP, Martins Krueh LF. Cardiorespiratory responses of pregnant and nonpregnant women during resistance exercise. *Journal of Strength and Conditioning Research*. 2015;29(3). doi:10.1519/JSC.0000000000000671
12. Zemet R, Orvieto R, Watad H, et al. The association between physical activity level and pregnancy rate following embryo transfer: A prospective study. *Reproductive BioMedicine Online*. Published online January 28, 2021. doi:10.1016/J.RBMO.2021.01.013
13. Kuo C, Jamieson DJ, McPheeters ML, Meikle SF, Posner SF. Injury hospitalizations of pregnant women in the United States, 2002. *American Journal of Obstetrics and Gynecology*. Published online 2007. doi:10.1016/j.ajog.2006.09.015
14. Schauburger CW, Rooney BL, Goldsmith L, Shenton D, Silva PD, Schaper A. Peripheral joint laxity increases in pregnancy but does not correlate with serum relaxin levels. *American Journal of Obstetrics and Gynecology*. 1996;174(2). doi:10.1016/S0002-9378(96)70447-7
15. Calguneri M, Bird HA, Wright V. Changes in joint laxity occurring during pregnancy. *Annals of the Rheumatic Diseases*. Published online 1982. doi:10.1136/ard.41.2.126
16. Garras DN, Carothers JT, Olson SA. Single-leg-stance (flamingo) radiographs to assess pelvic instability: How much motion is normal? *Journal of Bone and Joint Surgery - Series A*. 2008;90(10). doi:10.2106/JBJS.G.00277
17. Fieril KP, Olsén MF, Glantz A, Larsson M. Experiences of exercise during pregnancy among women who perform regular resistance training: A qualitative study. *Physical Therapy*. Published online 2014. doi:10.2522/ptj.20120432
18. Ward-Ritacco C, Poudevigne MS, Oconnor PJ. Muscle strengthening exercises during pregnancy are associated with increased energy and reduced fatigue. *Journal of Psychosomatic Obstetrics and Gynecology*. Published online 2016. doi:10.3109/0167482X.2016.1155552
19. Kinnunen TI, Pasanen M, Aittasalo M, et al. Preventing excessive weight gain during pregnancy - A controlled trial in primary health care. *European Journal of Clinical Nutrition*. 2007;61(7). doi:10.1038/sj.ejcn.1602602
20. Schoenfeld B. Resistance training during pregnancy: Safe and effective program design. *Strength and Conditioning Journal*. 2011;33(5). doi:10.1519/SSC.0b013e31822ec2d8
21. Tian T, Budgett S, Smallbridge J, Hayward L, Stinear J, Kruger J. Assessing exercises recommended for women at risk of pelvic floor disorders using multivariate statistical techniques. *International Urogynecology Journal*. 2018;29(10). doi:10.1007/s00192-017-3473-6
22. Kalliokoski P, Rodhe N, Bergqvist Y, Löfvander M. Long-term adherence and effects on grip strength and upper leg performance of prescribed supplemental vitamin D in pregnant and recently pregnant women of Somali and Swedish birth with 25-hydroxyvitamin D deficiency: a before-and-after treatment study. *BMC pregnancy and childbirth*. 2016;16(1):353. doi:10.1186/s12884-016-1117-3

23. Gloviczki P, Comerota AJ, Dalsing MC, et al. The care of patients with varicose veins and associated chronic venous diseases: Clinical practice guidelines of the Society for Vascular Surgery and the American Venous Forum. *Journal of Vascular Surgery*. Published online 2011. doi:10.1016/j.jvs.2011.01.079
24. Zhang S, Dumas G, Hemmerich A. Measurement of pubic symphysis width in different birthing positions using ultrasound. *Journal of Biomechanics*. 2020;113. doi:10.1016/j.jbiomech.2020.110114
25. Valiani M, Rezaie M, Shahshahan Z. Comparative study on the influence of three delivery positions on pain intensity during the second stage of labor. *Iranian Journal of Nursing and Midwifery Research*. 2016;21(4). doi:10.4103/1735-9066.185578
26. Moraloglu O, Kansu-Celik H, Tasci Y, et al. The influence of different maternal pushing positions on birth outcomes at the second stage of labor in nulliparous women. *Journal of Maternal-Fetal and Neonatal Medicine*. 2017;30(2). doi:10.3109/14767058.2016.1169525
27. Dokmak F, Michalek IM, Boulvain M, Desseauve D. Squatting position in the second stage of labor: A systematic review and meta-analysis. *European Journal of Obstetrics and Gynecology and Reproductive Biology*. 2020;254. doi:10.1016/j.ejogrb.2020.09.015
28. Takeda K, Yoshikata H, Imura M. Do squat exercises with weight shift during pregnancy improve postural control? *International Journal of Women's Health and Reproduction Sciences*. 2019;7(1). doi:10.15296/ijwhr.2019.02
29. T T MY. Dynamic standing balance ability accompanying sensory disturbance of the elderly. *Journal of the Society of Biomechanisms*. 2015;39(4):205-210.
30. Preszner-Domjan A, Nagy E, Sziver E, Feher-Kiss A, Horvath G, Kranicz J. When does mechanical plantar stimulation promote sensory re-weighting: Standing on a firm or compliant surface? *European Journal of Applied Physiology*. 2012;112(8). doi:10.1007/s00421-011-2277-5
31. OHSUGI H, MOTOZUKA T, SAKUMA T, YOKOYAMA S, MURATA S. Effect of the mechanical plantar stimulation for plantar cutaneous sensitivity and the toe gripping strength. *Japanese Journal of Health Promotion and Physical Therapy*. 2013;3(3). doi:10.9759/hppt.3.129
32. S K TKIM. Effects of foot sole stimulation on body sway. *Bulletin of Aino Gakuin*. 2006;20:37-40.
33. Ikezoe T INMT. Electromyographic Analysis of the Lower Extremities During Squatting : Effects of Changes in Sagittal Plane Center of Foot Pressure on Muscle Activity. *The Journal of Japanese Physical Therapy Association*. 2003;3(1).
34. Treuth MS, Butte NF, Puyau M. Pregnancy-related changes in physical activity, fitness, and strength. *Medicine and Science in Sports and Exercise*. 2005;37(5). doi:10.1249/01.MSS.0000161749.38453.02
35. Ebert JR, Edwards PK, Fick DP, Janes GC. Systematic review of rehabilitation exercises to progressively load the Gluteus Medius. *Journal of Sport Rehabilitation*. Published online 2017. doi:10.1123/jsr.2016-0088
36. Boren K, Conrey C, Le Coguic J, Paprocki L, Voight M, Robinson TK. Electromyographic analysis of gluteus medius and gluteus maximus during rehabilitation exercises. *International journal of sports physical therapy*. 2011;6(3).
37. Ronchetti I, Vleeming A, van Wingerden JP. Physical characteristics of women with severe pelvic girdle pain after pregnancy: a descriptive cohort study. *Spine*. 2008;33(5):E145-51. doi:10.1097/BRS.0b013e3181657f03
38. Mens JMA, Vleeming A, Snijders CJ, Ronchetti I, Stam HJ. Reliability and validity of hip adduction strength to measure disease severity in posterior pelvic pain since pregnancy. *Spine*. 2002;27(15). doi:10.1097/00007632-200208010-00017
39. Kahn SR, Shrier I, Kearon C. Physical activity in patients with deep venous thrombosis: A systematic review. *Thrombosis Research*. 2008;122(6). doi:10.1016/j.thromres.2007.10.011
40. Fuchs S, Heyse T, Rudofsky G, Gosheger G, Chylarecki C. Continuous passive motion in the prevention of deep-vein thrombosis. A randomised comparison in trauma patients. *Journal of Bone and Joint Surgery - Series B*. 2005;87(8). doi:10.1302/0301-620X.87B8.15680
41. Devis P, Knuttinen MG. Deep venous thrombosis in pregnancy: Incidence, pathogenesis and endovascular management. *Cardiovascular Diagnosis and Therapy*. 2017;7. doi:10.21037/cdt.2017.10.08
42. James AH, Jamison MG, Brancazio LR, Myers ER. Venous thromboembolism during pregnancy and the postpartum period: Incidence, risk factors, and mortality. *American Journal of Obstetrics and Gynecology*. 2006;194(5). doi:10.1016/j.ajog.2005.11.008
43. Jacobsen AF, Skjeldestad FE, Sandset PM. Incidence and risk patterns of venous thromboembolism in pregnancy and puerperium-a register-based case-control study. *American Journal of Obstetrics and Gynecology*. 2008;198(2). doi:10.1016/j.ajog.2007.08.041
44. Kujovich JL. Hormones and pregnancy: Thromboembolic risks for women. *British Journal of Haematology*. 2004;126(4). doi:10.1111/j.1365-2141.2004.05041.x
45. Bagaria SJ, Bagaria VB. Strategies for diagnosis and prevention of venous thromboembolism during pregnancy. *Journal of pregnancy*. 2011;2011. doi:10.1155/2011/206858
46. James AH, Tapson VF, Goldhaber SZ. Thrombosis during pregnancy and the postpartum period. *American Journal of Obstetrics and Gynecology*. 2005;193(1). doi:10.1016/j.ajog.2004.11.037
47. McBeth JM, Earl-Boehm JE, Cobb SC, Huddleston WE. Hip muscle activity during 3 side-lying hip-strengthening exercises in distance runners. *Journal of Athletic Training*. 2012;47(1). doi:10.4085/1062-6050-47.1.15
48. Lee J hyun, Cynn H seock, Choi S ah, Yoon T im, Jeong H jung. Effects of different hip rotations on gluteus medius and tensor fasciae latae muscle activity during isometric side-lying hip abduction. *Journal of Sport Rehabilitation*. 2013;22(4). doi:10.1123/jsr.22.4.301

49. Bewyer KJ, Bewyer DC, Messenger D, Kennedy CM. Pilot data: association between gluteus medius weakness and low back pain during pregnancy. *The Iowa orthopaedic journal*. 2009;29:97-99. <http://www.ncbi.nlm.nih.gov/pubmed/19742094> <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC2723701>
50. Mueller MJ, Maluf KS. Tissue adaptation to physical stress: A proposed "Physical Stress Theory" to guide physical therapist practice, education, and research. *Physical Therapy*. Published online 2002. doi:10.1093/ptj/82.4.383
51. Foti T, Davids JR, Bagley A. A biomechanical analysis of gait during pregnancy. *Journal of Bone and Joint Surgery - Series A*. Published online 2000. doi:10.2106/00004623-200005000-00003
52. Kalliokoski P, Bergqvist Y, Löfvander M. Physical performance and 25-hydroxyvitamin D: a cross-sectional study of pregnant Swedish and Somali immigrant women and new mothers. *BMC pregnancy and childbirth*. 2013;13:237. doi:10.1186/1471-2393-13-237
53. Visser M, Deeg DJH, Lips P. Low Vitamin D and High Parathyroid Hormone Levels as Determinants of Loss of Muscle Strength and Muscle Mass (Sarcopenia): The Longitudinal Aging Study Amsterdam. *Journal of Clinical Endocrinology and Metabolism*. 2003;88(12):5766-5772. doi:10.1210/jc.2003-030604
54. Kalliokoski P, Rodhe N, Bergqvist Y, Löfvander M. Long-term adherence and effects on grip strength and upper leg performance of prescribed supplemental vitamin D in pregnant and recently pregnant women of Somali and Swedish birth with 25-hydroxyvitamin D deficiency: a before-and-after treatment study. *BMC pregnancy and childbirth*. 2016;16(1):353. doi:10.1186/s12884-016-1117-3
55. To WWK, Wong MWN. Bone mineral density changes during pregnancy in actively exercising women as measured by quantitative ultrasound. *Archives of Gynecology and Obstetrics*. Published online 2012. doi:10.1007/s00404-012-2315-5
56. To WWK, Wong MWN, Leung TW. Relationship between bone mineral density changes in pregnancy and maternal and pregnancy characteristics: A longitudinal study. *Acta Obstetrica et Gynecologica Scandinavica*. Published online 2003. doi:10.1034/j.1600-0412.2003.00227.x
57. Pearson D, Kaur M, San P, Lawson N, Baker P, Hosking D. Recovery of pregnancy mediated bone loss during lactation. *Bone*. Published online 2004. doi:10.1016/j.bone.2003.11.005
58. Hegaard HK, Petersson K, Hedegaard M, et al. Sports and leisure-time physical activity in pregnancy and birth weight: A population-based study. *Scandinavian Journal of Medicine and Science in Sports*. Published online 2010. doi:10.1111/j.1600-0838.2009.00918.x
59. Serner A, Jakobsen MD, Andersen LL, Hölmich P, Sundstrup E, Thorborg K. EMG evaluation of hip adduction exercises for soccer players: Implications for exercise selection in prevention and treatment of groin injuries. *British Journal of Sports Medicine*. 2014;48(14). doi:10.1136/bjsports-2012-091746
60. Mens JMA, Vleeming A, Snijders CJ, Ronchetti I, Stam HJ. Reliability and validity of hip adduction strength to measure disease severity in posterior pelvic pain since pregnancy. *Spine*. 2002;27(15):1674-1679. doi:10.1097/00007632-200208010-00017
61. Mens JM a, Vleeming A, Snijders CJ, Ronchetti I, Ginai AZ, Stam HJ. Responsiveness of outcome measurements in rehabilitation of patients with posterior pelvic pain since pregnancy. *Spine*. 2002;27(10):1110-1115. doi:10.1097/00007632-200205150-00019
62. Hungerford B, Gilleard W, Hodges P. Evidence of altered lumbopelvic muscle recruitment in the presence of sacroiliac joint pain. *Spine*. 2003;28(14):1593-1600. doi:10.1097/01.BRS.0000076821.41875.1C
63. Delmore RJ, Laudner KG, Torry MR. Adductor longus activation during common hip exercises. *Journal of Sport Rehabilitation*. Published online 2014. doi:10.1123/JSR.2012-0046
64. Dwyer MK, Boudreau SN, Mattacola CG, Uhl TL, Lattermann C. Comparison of lower extremity kinematics and hip muscle activation during rehabilitation tasks between sexes. *Journal of Athletic Training*. 2010;45(2). doi:10.4085/1062-6050-45.2.181
65. Hides JA, Beall P, Franettovich Smith MM, Stanton W, Miokovic T, Richardson C. Activation of the hip adductor muscles varies during a simulated weight-bearing task. *Physical Therapy in Sport*. 2016;17. doi:10.1016/j.ptsp.2015.06.001
66. McClay IS LMCP. *Biomechanics of Distance Running*. Vol Human Kinetics Books. (Cavanagh PR, ed.); 1990.
67. Takizawa M, Suzuki D, Ito H, Fujimiya M, Uchiyama E. Why adductor magnus muscle is large: The function based on muscle morphology in cadavers. *Scandinavian Journal of Medicine and Science in Sports*. 2014;24(1). doi:10.1111/j.1600-0838.2012.01466.x
68. Evenson KR, Barakat R, Brown WJ, et al. Guidelines for Physical Activity During Pregnancy: Comparisons From Around the World. *American Journal of Lifestyle Medicine*. Published online 2014. doi:10.1177/1559827613498204

REFERENCES

1. Jundt K, Scheer I, Schiessl B, Karl K, Friese K, Peschers UM. Incontinence, bladder neck mobility, and sphincter ruptures in primiparous women. *European Journal of Medical Research*. Published online 2010. doi:10.1186/2047-783x-15-6-246
2. Wijma J, Weis Potters AE, Van Der Mark TW, Tinga DJ, Aarnoudse JG. Displacement and recovery of the vesical neck position during pregnancy and after childbirth. *Neurourology and Urodynamics*. Published online 2007. doi:10.1002/nau.20354
3. Altman D, Ekström Å, Forsgren C, Nordenstam J, Zetterström J. Symptoms of anal and urinary incontinence following cesarean section or spontaneous vaginal delivery. *American Journal of Obstetrics and Gynecology*. Published online 2007. doi:10.1016/j.ajog.2007.03.083
4. Dietz HP, Wilson PD. Childbirth and pelvic floor trauma. *Best Practice and Research: Clinical Obstetrics and Gynaecology*. Published online 2005. doi:10.1016/j.bpobgyn.2005.08.009
5. Weber MA, Kleijn MH, Langendam M, Limpens J, Heineman MJ, Roovers JP. Local oestrogen for pelvic floor disorders: A systematic review. *PLoS ONE*. Published online 2015. doi:10.1371/journal.pone.0136265
6. Vergeldt TFM, Weemhoff M, Int'Hout J, Kluivers KB. Risk factors for pelvic organ prolapse and its recurrence: a systematic review. *International Urogynecology Journal*. 2015;26(11). doi:10.1007/s00192-015-2695-8
7. Gillor M, Saens P, Dietz HP. Demographic risk factors for pelvic organ prolapse: Do smoking, asthma, heavy lifting or family history matter? *European Journal of Obstetrics and Gynecology and Reproductive Biology*. 2021;261. doi:10.1016/j.ejogrb.2021.04.006
8. Ruiz de Vinaspre Hernández R, Rubio Aranda E, Tomás Aznar C. Urinary incontinence and weight changes during pregnancy and post partum: A pending challenge. *Midwifery*. Published online 2013. doi:10.1016/j.midw.2012.12.004
9. Wesnes SL, Hunskaar S, Bø K, Rortveit G. Urinary incontinence and weight change during pregnancy and postpartum: A cohort study. *American Journal of Epidemiology*. Published online 2010. doi:10.1093/aje/kwq240
10. Button BM, Holland AE, Sherburn MS, Chase J, Wilson JW, Burge AT. Prevalence, impact and specialised treatment of urinary incontinence in women with chronic lung disease. *Physiotherapy (United Kingdom)*. 2019;105(1). doi:10.1016/j.physio.2018.07.006
11. Singh P, Seo Y, Ballou S, et al. Pelvic floor symptom related distress in chronic constipation correlates with a diagnosis of irritable bowel syndrome with constipation and constipation severity but not pelvic floor dyssynergia. *Journal of Neurogastroenterology and Motility*. 2019;25(1). doi:10.5056/jnm17139
12. Gleason JL, Richter HE, Redden DT, Goode PS, Burgio KL, Markland AD. Caffeine and urinary incontinence in US women. *International Urogynecology Journal and Pelvic Floor Dysfunction*. 2013;24(2). doi:10.1007/s00192-012-1829-5
13. Tennfjord MK, Engh ME, Bø K. The Influence of Early Exercise Postpartum on Pelvic Floor Muscle Function and Prevalence of Pelvic Floor Dysfunction 12 Months Postpartum. *Physical therapy*. Published online 2020. doi:10.1093/ptj/pzaa084
14. Middlekauff ML, Egger MJ, Nygaard IE, Shaw JM. The impact of acute and chronic strenuous exercise on pelvic floor muscle strength and support in nulliparous healthy women. *American Journal of Obstetrics and Gynecology*. Published online 2016. doi:10.1016/j.ajog.2016.02.031
15. Bø K, Bratland-Sanda S, Sundgot-Borgen J. Urinary incontinence among group fitness instructors including yoga and pilates teachers. *Neurourology and Urodynamics*. Published online 2011. doi:10.1002/nau.21006
16. Bø K. Urinary incontinence, pelvic floor dysfunction, exercise and sport. *Sports Medicine*. Published online 2004. doi:10.2165/00007256-200434070-00004
17. Skaug KL, Engh ME, Frawley H, Bø K. Urinary and anal incontinence among female gymnasts and cheerleaders—both and associated factors. A cross-sectional study. *International Urogynecology Journal*. Published online 2021. doi:10.1007/s00192-021-04696-z
18. Woodley SJ, Boyle R, Cody JD, Mørkved S, Hay-Smith EJC. Pelvic floor muscle training for prevention and treatment of urinary and faecal incontinence in antenatal and postnatal women. *Cochrane Database of Systematic Reviews*. Published online 2017. doi:10.1002/14651858.CD007471.pub3
19. Guarisi T, Pinto-Neto AM, Osis MJ, Pedro AO, Costa-Paiva LHS, Faúndes A. Procura de Serviço Médico por Mulheres com Incontinência Urinária (The search of medical care by women with urinary incontinence). *Revista Brasileira de Ginecologia e Obstetrícia*. 2001;23(7):439-443. doi:10.1590/S0100-72032001000700005
20. Ree ML, Nygaard I, Bø K. Muscular fatigue in the pelvic floor muscles after strenuous physical activity. *Acta Obstetrica et Gynecologica Scandinavica*. Published online 2007. doi:10.1080/00016340701417281
21. van Brummen HJ, Bruinse HW, van der Bom JG, Heintz APM, van der Vaart CH. How do the prevalences of urogenital symptoms change during pregnancy? *Neurourology and Urodynamics*. Published online 2006. doi:10.1002/nau.20149
22. Abrams P, Cardozo L, Fall M, et al. The standardisation of terminology in lower urinary tract function: Report from the standardisation sub-committee of the International Continence Society. *Urology*. Published online 2003. doi:10.1016/S0090-4295(02)02243-4

1. Jundt K, Scheer I, Schiessl B, Karl K, Friese K, Peschers UM. Incontinence, bladder neck mobility, and sphincter ruptures in primiparous women. *European Journal of Medical Research*. Published online 2010. doi:10.1186/2047-783x-15-6-246
2. Wijma J, Weis Potters AE, Van Der Mark TW, Tinga DJ, Aarnoudse JG. Displacement and recovery of the vesical neck position during pregnancy and after childbirth. *Neurourology and Urodynamics*. Published online 2007. doi:10.1002/nau.20354
3. Altman D, Ekström Å, Forsgren C, Nordenstam J, Zetterström J. Symptoms of anal and urinary incontinence following cesarean section or spontaneous vaginal delivery. *American Journal of Obstetrics and Gynecology*. Published online 2007. doi:10.1016/j.ajog.2007.03.083
4. Dietz HP, Wilson PD. Childbirth and pelvic floor trauma. *Best Practice and Research: Clinical Obstetrics and Gynaecology*. Published online 2005. doi:10.1016/j.bpobgyn.2005.08.009
5. Weber MA, Kleijn MH, Langendam M, Limpens J, Heineman MJ, Roovers JP. Local oestrogen for pelvic floor disorders: A systematic review. *PLoS ONE*. Published online 2015. doi:10.1371/journal.pone.0136265
6. Vergeldt TFM, Weemhoff M, Int'Hout J, Kluivers KB. Risk factors for pelvic organ prolapse and its recurrence: a systematic review. *International Urogynecology Journal*. 2015;26(11). doi:10.1007/s00192-015-2695-8
7. Gillor M, Saens P, Dietz HP. Demographic risk factors for pelvic organ prolapse: Do smoking, asthma, heavy lifting or family history matter? *European Journal of Obstetrics and Gynecology and Reproductive Biology*. 2021;261. doi:10.1016/j.ejogrb.2021.04.006
8. Ruiz de Vinaspre Hernández R, Rubio Aranda E, Tomás Aznar C. Urinary incontinence and weight changes during pregnancy and post partum: A pending challenge. *Midwifery*. Published online 2013. doi:10.1016/j.midw.2012.12.004
9. Wesnes SL, Hunskaar S, Bø K, Rortveit G. Urinary incontinence and weight change during pregnancy and postpartum: A cohort study. *American Journal of Epidemiology*. Published online 2010. doi:10.1093/aje/kwq240
10. Button BM, Holland AE, Sherburn MS, Chase J, Wilson JW, Burge AT. Prevalence, impact and specialised treatment of urinary incontinence in women with chronic lung disease. *Physiotherapy (United Kingdom)*. 2019;105(1). doi:10.1016/j.physio.2018.07.006
11. Singh P, Seo Y, Ballou S, et al. Pelvic floor symptom related distress in chronic constipation correlates with a diagnosis of irritable bowel syndrome with constipation and constipation severity but not pelvic floor dyssynergia. *Journal of Neurogastroenterology and Motility*. 2019;25(1). doi:10.5056/jnm17139
12. Gleason JL, Richter HE, Redden DT, Goode PS, Burgio KL, Markland AD. Caffeine and urinary incontinence in US women. *International Urogynecology Journal and Pelvic Floor Dysfunction*. 2013;24(2). doi:10.1007/s00192-012-1829-5
13. Tennfjord MK, Engh ME, Bø K. The Influence of Early Exercise Postpartum on Pelvic Floor Muscle Function and Prevalence of Pelvic Floor Dysfunction 12 Months Postpartum. *Physical therapy*. Published online 2020. doi:10.1093/ptj/pzaa084
14. Middlekauff ML, Egger MJ, Nygaard IE, Shaw JM. The impact of acute and chronic strenuous exercise on pelvic floor muscle strength and support in nulliparous healthy women. *American Journal of Obstetrics and Gynecology*. Published online 2016. doi:10.1016/j.ajog.2016.02.031
15. Bø K, Bratland-Sanda S, Sundgot-Borgen J. Urinary incontinence among group fitness instructors including yoga and pilates teachers. *Neurourology and Urodynamics*. Published online 2011. doi:10.1002/nau.21006
16. Bø K. Urinary incontinence, pelvic floor dysfunction, exercise and sport. *Sports Medicine*. Published online 2004. doi:10.2165/00007256-200434070-00004
17. Skaug KL, Engh ME, Frawley H, Bø K. Urinary and anal incontinence among female gymnasts and cheerleaders—both and associated factors. A cross-sectional study. *International Urogynecology Journal*. Published online 2021. doi:10.1007/s00192-021-04696-z
18. Woodley SJ, Boyle R, Cody JD, Mørkved S, Hay-Smith EJC. Pelvic floor muscle training for prevention and treatment of urinary and faecal incontinence in antenatal and postnatal women. *Cochrane Database of Systematic Reviews*. Published online 2017. doi:10.1002/14651858.CD007471.pub3
19. Guarisi T, Pinto-Neto AM, Osis MJ, Pedro AO, Costa-Paiva LHS, Faúndes A. Procura de Serviço Médico por Mulheres com Incontinência Urinária (The search of medical care by women with urinary incontinence). *Revista Brasileira de Ginecologia e Obstetrícia*. 2001;23(7):439-443. doi:10.1590/S0100-72032001000700005
20. Ree ML, Nygaard I, Bø K. Muscular fatigue in the pelvic floor muscles after strenuous physical activity. *Acta Obstetrica et Gynecologica Scandinavica*. Published online 2007. doi:10.1080/00016340701417281
21. van Brummen HJ, Bruinse HW, van der Bom JG, Heintz APM, van der Vaart CH. How do the prevalences of urogenital symptoms change during pregnancy? *Neurourology and Urodynamics*. Published online 2006. doi:10.1002/nau.20149
22. Abrams P, Cardozo L, Fall M, et al. The standardisation of terminology in lower urinary tract function: Report from the standardisation sub-committee of the International Continence Society. *Urology*. Published online 2003. doi:10.1016/S0090-4295(02)02243-4
23. Drake MJ. Do we need a new definition of the overactive bladder syndrome? ICI-RS 2013. *Neurourology and Urodynamics*. Published online 2014. doi:10.1002/nau.22609
24. Lohsiriwat S, Hirunsai M, Chaiyaprasithi B. Effect of caffeine on bladder function in patients with overactive

- bladder symptoms. *Urology Annals*. Published online 2011. doi:10.4103/0974-7796.75862
25. Swithinbank L, Hashim H, Abrams P. The effect of fluid intake on urinary symptoms in women. *Journal of Urology*. Published online 2005. doi:10.1097/01.ju.0000162020.10447.31
26. Callan L, Thompson DL, Netsch D. Does increasing or decreasing the daily intake of water/fluid by adults affect overactive bladder symptoms? *Journal of Wound, Ostomy and Continence Nursing*. Published online 2015. doi:10.1097/WON.0000000000000183
27. Fitz F, Sartori M, Girão MJ, Castro R. Pelvic floor muscle training for overactive bladder symptoms – A prospective study. *Revista da Associação Médica Brasileira*. Published online 2017. doi:10.1590/1806-9282.63.12.1032
28. Godec C, Cass AS, Ayala GF. Bladder inhibition with functional electrical stimulation. *Urology*. Published online 1975. doi:10.1016/0090-4295(75)90791-8
29. Dumoulin C, Hay-Smith EJC, MacHabée-Séguin G. Pelvic floor muscle training versus no treatment, or inactive control treatments, for urinary incontinence in women. *Cochrane Database of Systematic Reviews*. Published online 2014. doi:10.1002/14651858.CD005654.pub3
30. Gillard S, Shamley D. Factors motivating women to commence and adhere to pelvic floor muscle exercises following a perineal tear at delivery: the influence of experience. *Journal of the Association of Chartered Physiotherapists in Women's Health*. Published online 2010.
31. Mason L, Glenn S, Walton I, Hughes C. Do women practise pelvic floor exercises during pregnancy or following delivery? *Physiotherapy*. Published online 2001. doi:10.1016/S0031-9406(05)61112-1
32. Nygaard IE, Clark E, Clark L, et al. Physical and cultural determinants of postpartum pelvic floor support and symptoms following vaginal delivery: A protocol for a mixed-methods prospective cohort study. *BMJ Open*. Published online 2017. doi:10.1136/bmjopen-2016-014252
33. M. T, M. EE, K. B. Does early onset of exercise training postpartum negatively affect pelvic floor muscle function and prevalence of pelvic floor dysfunction 12 months postpartum? *Neurourology and Urodynamics*. Published online 2019.
34. Bø K, Talseth T, Holme I. Single blind, randomised controlled trial of pelvic floor exercises, electrical stimulation, vaginal cones, and no treatment in management of genuine stress incontinence in women. *British Medical Journal*. Published online 1999. doi:10.1136/bmj.318.7182.487
35. Borello-France DF, Zyczynski HM, Downey PA, Rause CR, Wister JA. Effect of pelvic-floor muscle exercise position on continence and quality-of-life outcomes in women with stress urinary incontinence. *Physical Therapy*. 2006;86(7). doi:10.1093/ptj/86.7.974
36. DeLancey JOL. Stress urinary incontinence: Where are we now, where should we go? In: *American Journal of Obstetrics and Gynecology*. Vol 175. ; 1996. doi:10.1016/S0002-9378(96)70140-0
37. Miller J, Kasper C, Sampsel C. Review of muscle physiology with application to pelvic muscle exercise. *Urologic nursing : official journal of the American Urological Association Allied*. 1994;14(3).
38. Wallace K. Female pelvic floor functions, dysfunctions, and behavioral approaches to treatment. *Clinics in Sports Medicine*. 1994;13(2). doi:10.1016/s0278-5919(20)30341-0
39. Laycock J. Clinical evaluation of the pelvic floor. In: Schussler B, Laycock J, Norton P, Stanton SL, eds. *Pelvic Floor Re-Education*. 1994th ed. Springer-Verlag.
40. dos Santos KM, da Roza T, Mochizuki L, Arbieto ERM, Tonon da Luz SC. Assessment of abdominal and pelvic floor muscle function among continent and incontinent athletes. *International Urogynecology Journal*. 2019;30(5). doi:10.1007/s00192-018-3701-8
41. Henderson JW, Wang S, Egger MJ, Masters M, Nygaard I. Can women correctly contract their pelvic floor muscles without formal instruction? *Female Pelvic Medicine and Reconstructive Surgery*. Published online 2013. doi:10.1097/SPV.0b013e31827ab9d0
42. Hagen S, Elders A, Stratton S, et al. Effectiveness of pelvic floor muscle training with and without electromyographic biofeedback for urinary incontinence in women: Multicentre randomised controlled trial. *The BMJ*. Published online 2020. doi:10.1136/bmj.m3719
43. Dougherty M, Bishop K, Mooney R, Gimotty P, Williams B. Graded pelvic muscle exercise: Effect on stress urinary incontinence. In: *Journal of Reproductive Medicine for the Obstetrician and Gynecologist*. Vol 38. ; 1993.
44. Ben Ami N, Dar G. What is the most effective verbal instruction for correctly contracting the pelvic floor muscles? *Neurourology and Urodynamics*. Published online 2018. doi:10.1002/nau.23810
45. Talasz H, Kofler M, Kalchschmid E, Pretterklieber M, Lechleitner M. Breathing with the pelvic floor? Correlation of pelvic floor muscle function and expiratory flows in healthy young nulliparous women. *International Urogynecology Journal*. Published online 2010. doi:10.1007/s00192-009-1060-1
46. Peschers UM, Voduek DB, Fanger G, Schaer GN, Delancey JOL, Schuessler B. Pelvic muscle activity in nulliparous volunteers. *Neurourology and Urodynamics*. Published online 2001. doi:10.1002/nau.1004
47. Schimpf M, Tulikangas P. Evolution of the female pelvis and relationships to pelvic organ prolapse. *International Urogynecology Journal and Pelvic Floor Dysfunction*. 2005;16(4):315-320. doi:10.1007/s00192-004-1258-1
48. Abitbol MM. Evolution of the ischial spine and of the pelvic floor in the hominoidea. *American Journal of Physical Anthropology*. 1988;75(1):53-67. doi:10.1002/ajpa.1330750107
49. Gibbons A. In search of the first hominids. *Science*. 2002;295(5558):1214-1219. doi:10.1126/science.295.5558.1214
50. Rosenberg K, Trevathan W. Birth, obstetrics and human evolution. *BJOG: An International Journal of Obstetrics and*

- Gynaecology*. 2002;109(11):1199-1206. doi:10.1046/j.1471-0528.2002.00010.x
51. Stewart DB. The pelvis as a passageway. I. Evolution and adaptations. *BJOG: An International Journal of Obstetrics & Gynaecology*. 1984;91(7):611-617. doi:10.1111/j.1471-0528.1984.tb04818.x
52. Maurice Abitbol M. Evolution of the lumbosacral angle. *American Journal of Physical Anthropology*. 1987;72(3):361-372. doi:10.1002/ajpa.1330720309
53. DeLancey JOL. Anatomy and physiology of urinary continence. In: *Clinical Obstetrics and Gynecology*. Vol 33. ; 1990. doi:10.1097/00003081-199006000-00014
54. Parks AG, Porter NH, Melzak J. Experimental study of the reflex mechanism controlling the muscles of the pelvic floor. *Diseases of the Colon & Rectum*. 1962;5(6). doi:10.1007/BF02616644
55. Burti J, Hacad C, Almeida FG. Pd33-06 Is There Any Difference in the Pelvic Floor Muscle Behavior Between Continent and Incontinent Women Submitted To an Intense Pelvic Floor Training? *The Journal of Urology*. 2014;191(4):e843. doi:10.1016/j.juro.2014.02.2289
56. Sindhwani N, Bamberg C, Famaey N, et al. In vivo evidence of significant levator ani muscle stretch on MR images of a live childbirth. *American Journal of Obstetrics and Gynecology*. Published online 2017. doi:10.1016/j.ajog.2017.04.014
57. Hoyte L, Damaser MS, Warfield SK, et al. Quantity and distribution of levator ani stretch during simulated vaginal childbirth. *American Journal of Obstetrics and Gynecology*. Published online 2008. doi:10.1016/j.ajog.2008.04.027
58. Soave I, Scarani S, Mallozzi M, Nobili F, Marci R, Caserta D. Pelvic floor muscle training for prevention and treatment of urinary incontinence during pregnancy and after childbirth and its effect on urinary system and supportive structures assessed by objective measurement techniques. *Archives of Gynecology and Obstetrics*. Published online 2019. doi:10.1007/s00404-018-5036-6
59. DeLancey JOL, Kearney R, Chou Q, Speights S, Binno S. The appearance of levator ani muscle abnormalities in magnetic resonance images after vaginal delivery. *Obstetrics and Gynecology*. Published online 2003. doi:10.1016/S0029-7844(02)02465-1
60. Dimpfl T, Jaeger C, Mueller-Felber W, et al. Myogenic changes of the levator ani muscle in premenopausal women: The impact of vaginal delivery and age. *Neurourology and Urodynamics*. Published online 1998. doi:10.1002/(SICI)1520-6777(1998)17:3<197::AID-NAU4>3.0.CO;2-8
61. Hilde G, Stær-Jensen J, Siafarikas F, Ellström Engh M, Bø K. Postpartum pelvic floor muscle training and urinary incontinence: A randomized controlled trial. *Obstetrics and Gynecology*. Published online 2013. doi:10.1097/AOG.0000000000000012
62. Woodley SJ, Boyle R, Cody JD, Mørkved S, Hay-Smith EJC. Pelvic floor muscle training for prevention and treatment of urinary and faecal incontinence in antenatal and postnatal women. *Cochrane Database of Systematic Reviews*. Published online 2017. doi:10.1002/14651858.CD007471.pub3
63. Stuge B, Sætre K, Brækken IH. The association between pelvic floor muscle function and pelvic girdle pain - A matched case control 3D ultrasound study. *Manual Therapy*. Published online 2012. doi:10.1016/j.math.2011.12.004
64. Rejano-Campo M, Desvergée A, Pizzoferrato AC. Relationship between perineal characteristics and symptoms and pelvic girdle pain: A literature review. *Progres en urologie : journal de l'Association française d'urologie et de la Société française d'urologie*. Published online 2018. doi:10.1016/j.purol.2017.12.007
65. Chen LP, Murad MH, Paras ML, et al. Sexual abuse and lifetime diagnosis of psychiatric disorders: Systematic review and meta-analysis. *Mayo Clinic Proceedings*. Published online 2010. doi:10.4065/mcp.2009.0583
66. Faubion SS, Shuster LT, Bharucha AE. Recognition and management of nonrelaxing pelvic floor dysfunction. *Mayo Clinic Proceedings*. Published online 2012. doi:10.1016/j.mayocp.2011.09.004
67. Zachovajeviene B, Siupsinskas L, Zachovajevas P, Venclovas Z, Milonas D. Effect of diaphragm and abdominal muscle training on pelvic floor strength and endurance: results of a prospective randomized trial. *Scientific Reports*. Published online 2019. doi:10.1038/s41598-019-55724-4
68. Smith MD, Coppieters MW, Hodges PW. Postural response of the pelvic floor and abdominal muscles in women with and without incontinence. *Neurourology and Urodynamics*. Published online 2007. doi:10.1002/nau.20336
69. Delancey JOL. Structural aspects of urethrovesical function in the female. *Neurourology and Urodynamics*. Published online 1988. doi:10.1002/nau.1930070602
70. Bø K. Pelvic floor muscle training is effective in treatment of female stress urinary incontinence, but how does it work? *International Urogynecology Journal*. Published online 2004. doi:10.1007/s00192-004-1125-0
71. Pontbriand-Drolet S, Tang A, Madill S, Bergeron J, Dumoulin C. An MRI study: Do pelvic floor morphological and functional deficit differ in women with stress compared to mixed urinary incontinence? *Neurourology and Urodynamics*. Published online 2012.
72. Dumoulin C, Peng Q, Stodkilde-Jorgensen H, Shishido K, Constantinou C. Changes in Levator Ani Anatomical Configuration Following Physiotherapy in Women With Stress Urinary Incontinence. *Journal of Urology*. Published online 2007. doi:10.1016/j.juro.2007.05.023
- myostatin in adult mice increases skeletal muscle mass and strength. *Biochemical and Biophysical Research Communications*. Published online 2003. doi:10.1016/S0006-291X(02)02953-4

73. Radziminska A, Weber-Rajek M, Straczynska A, et al. The impact of pelvic floor muscle training on the myostatin concentration and severity of urinary incontinence in elderly women with stress urinary incontinence – A pilot study. *Clinical Interventions in Aging*. Published online 2018. doi:10.2147/CIA.S177730
74. Casas E, Shackelford SD, Keele JW, Stone RT, Kappes SM, Koohmaraie M. Quantitative trait loci affecting growth and carcass composition of cattle segregating alternate forms of myostatin. *Journal of Animal Science*. Published online 2000. doi:10.2527/2000.783560x
75. Dominique JE, Gérard C. Myostatin regulation of muscle development: Molecular basis, natural mutations, physiopathological aspects. *Experimental Cell Research*. Published online 2006. doi:10.1016/j.yexcr.2006.04.012
76. Whittemore LA, Song K, Li X, et al. Inhibition of myostatin in adult mice increases skeletal muscle mass and strength. *Biochemical and Biophysical Research Communications*. Published online 2003. doi:10.1016/S0006-291X(02)02953-4

REFERENCES

1. Stuge B, Holm I, Vøllestad N. To treat or not to treat postpartum pelvic girdle pain with stabilizing exercises? *Man Ther.* 2006;11(4):337-43.
2. Stuge B, Garratt A, Jenssen HK, Grotle M. The pelvic girdle questionnaire: A condition-specific instrument for assessing activity limitations and symptoms in people with pelvic girdle pain. *Phys Ther.* 2011;91(7):1096-108.
3. Andersen LK, Backhausen M, Hegaard HK, Juhl M. Physical exercise and pelvic girdle pain in pregnancy: A nested case-control study within the Danish National Birth Cohort. *Sex Reprod Healthc.* 2015;6(4):198-203.
4. Stuge B, Lærum E, Kirkesola G, Vøllestad N. The Efficacy of a Treatment Program Focusing on Specific Stabilizing Exercises for Pelvic Girdle Pain after Pregnancy: A Randomized Controlled Trial. *Spine (Phila Pa 1976).* 2004;29(4):351-9.
5. Pennick V, Liddle SD. Interventions for preventing and treating pelvic and back pain in pregnancy. Cochrane database *Syst Rev.* 2013;8(January)
6. Stafne SN, Salvesen KÅ, Romundstad PR, Stuge B, Mørkved S. Does regular exercise during pregnancy influence lumbopelvic pain? A randomized controlled trial. *Acta Obstet Gynecol Scand.* 2012;91(5):552-9
7. Kuciel N, Sutkowska E, Cienska A, Markowska D, Wrzosek Z. Impact of Kinesio Taping application on pregnant women suffering from pregnancy-related pelvic girdle pain - preliminary study. *Ginekol Pol.* 2017;88(11):620-625
8. Kihlstrand M, Stenman B, Nilsson S, Axelsson O. Water-gymnastics reduced the intensity of back/low back pain in pregnant women. *Acta Obstet Gynecol Scand.* 1999;78(3):180-185
9. Granath AB, Hellgren MSE, Gunnarsson RK. Water aerobics reduces sick leave due to low back pain during pregnancy. *JOGNN - J Obstet Gynecol Neonatal Nurs.* 2006;35(4):465-71.
10. Damen L, Spoor CW, Snijders CJ, Stam HJ. Does a pelvic belt influence sacroiliac joint laxity? *Clin Biomech.* 2002;17(7):495-498.
11. Oswald C, Higgins CC, Assimakopoulos D. Optimizing pain relief during pregnancy using manual therapy. *Can Fam Physician.* 2013;59(8):841-2.
12. Hall H, Cramer H, Sundberg T, et al. The effectiveness of complementary manual therapies for pregnancy-related back and pelvic pain: A systematic review with meta-analysis. *Med (United States).* 2016;95(38):e4723.
13. Licciardone JC, Buchanan S, Hensel KL, King HH, Fulda KG, Stoll ST. Osteopathic manipulative treatment of back pain and related symptoms during pregnancy: a randomized controlled trial. *Am J Obstet Gynecol.* 2010;202(1):43.e1-8
14. Van Benten E, Pool J, Mens J, Pool-Goudzwaard A. Recommendations for physical therapists on the treatment of lumbopelvic pain during pregnancy: A systematic review. *J Orthop Sports Phys Ther.* 2014;44(7):464-73, A1-15.
15. Tahereh Mirmolaei S, Nakhostin Ansari N, Mahmoudi M, Ranjbar F. Efficacy of a Physical Training Program on Pregnancy Related Lumbopelvic Pain. *Aras Part Med Int Press.* 2018;6:161-166.
16. Jain S, Eedarapalli P, Jamjute P, Sawdy R. Symphysis pubis dysfunction: a practical approach to management. *Obstet Gynaecol.* 2006;8(3):153-158.
17. Mukkannavar P, Desai BR, Mohanty U, Parvatikar V, Karwa D, Daiwajina S. Pelvic girdle pain after childbirth: The impact of mode of delivery. *J Back Musculoskelet Rehabil.* 2013;26(3):281-290.
18. Bjelland EK, Owe KM, Stuge B, Vangen S, Eberhard-Gran M. Breastfeeding and pelvic girdle pain: A follow-up study of 10 603 women 18 months after delivery. *BJOG An Int J Obstet Gynaecol.* 2015;122(13):1765-71.
19. McGill SM, Brown S. Creep response of the lumbar spine to prolonged full flexion. *Clin Biomech.* 1992;7(1):43-6.
20. Solomonow M, Zhou BH, Baratta R V., Lu Y, Harris M. Biomechanics of increased exposure to lumbar injury caused by cyclic loading: Part 1. Loss of reflexive muscular stabilization. *Spine (Phila Pa 1976).* 1999;24(23):2426-34
21. Dolan P, Adams MA. Recent advances in lumbar spinal mechanics and their significance for modelling. *Clin Biomech.* 2006;16 Suppl 1:S8-S16.
22. Snijders CJ, Hermans PFG, Niesing R, Jan Kleinrensink G, Pool-Goudzwaard A. Effects of slouching and muscle contraction on the strain of the iliolumbar ligament. *Man Ther.* 2008;13(4):325-33.
23. Zitnay JL, Weiss JA. Load transfer, damage, and failure in ligaments and tendons. *J Orthop Res.* 2018;36(12):3093-3104.
24. Clark CJ, Carr ECJ, Way S. Pregnancy-related lumbopelvic pain: Prevalence, persistence, risk factors and management implications. *Br J Midwifery.* 2013;21(5):236-243
25. Larsen EC, Wilken-Jensen C, Hansen A, et al. Symptom-giving pelvic girdle relaxation in pregnancy. I: Prevalence and risk factors. *Acta Obstet Gynecol Scand.* 1999;78(2):105-10.
26. Nilsson-Wikmar L, Holm K, Öjierstedt R, Harms-Ringdahl K. Effect of three different physical therapy treatments on pain and activity in pregnant women with pelvic girdle pain: A randomized clinical trial with 3, 6, and 12 months follow-up postpartum. *Spine (Phila Pa 1976).* 2005;30(8):850-6.
27. George SZ, Bialosky JE, Fritz JM. Physical therapist management of a patient with acute low back pain and elevated fear-avoidance beliefs. *Phys Ther.* 2004;84(6):538-49.
28. Kocic IS, Ivanisevic M, Uremovic M, Kocic T, Pisot R, Simunic B. Effect of therapeutic exercises on pregnancy-related low back pain and pelvic girdle pain: Secondary analysis of a randomized controlled trial. *J Rehabil Med.* 2017;49(3):251-257.

29. O'Connor PJ, Poudevigne MS, Cress ME, Motl RW, Clapp JF. Safety and efficacy of supervised strength training adopted in pregnancy. *J Phys Act Health*. 2011;8(3):309-320.
30. Stuge B, Veierød MB, Laerum E, Vøllestad N. The efficacy of a treatment program focusing on specific stabilizing exercises for pelvic girdle pain after pregnancy: a two-year follow-up of a randomized clinical trial. *Spine (Phila Pa 1976)*. 2004;29(4):351-9.
31. Unsgaard-Tøndel M, Vasseljen O, Woodhouse A, Morkved S. Exercises for Women with Persistent Pelvic and Low Back Pain after Pregnancy. *Glob J Health Sci*. 2016;8(9):107.
32. Owe KM, Nystad W, Stigum H, Vangen S, Bø K. Exercise during pregnancy and risk of cesarean delivery in nulliparous women: a large population-based cohort study. *In: American Journal of Obstetrics and Gynecology*. 2016; 215(6):791.e1-791.e13.
33. Davenport MH, Marchand AA, Mottola MF, et al. Exercise for the prevention and treatment of low back, pelvic girdle and lumbopelvic pain during pregnancy: A systematic review and meta-analysis. *Br J Sports Med*. 2019; 53(2):90-98.
34. Gutke A, Östgaard HC, Öberg B. Association between muscle function and low back pain in relation to pregnancy. *J Rehabil Med*. 2008;40(4):304-11.
35. Rainville J, Hartigan C, Martinez E, Limke J, Jouve C, Finno M. Exercise as a treatment for chronic low back pain. *Spine J*. 2004;4(1):106-15
36. Burton AK, Balagué F, Cardon G, et al. Chapter 2: European guidelines for prevention in low back pain November 2004. *Eur Spine J*. 2006;15(Suppl 2): s136–s168.
37. Mørkved S, Salvesen KÅ, Schei B, Lydersen S, Bø K. Does group training during pregnancy prevent lumbopelvic pain? A randomized clinical trial. *Acta Obstet Gynecol Scand*. 2007;86(3):276-82..
38. Evenson KR, Wen F. National trends in self-reported physical activity and sedentary behaviors among pregnant women: NHANES 1999-2006. *Prev Med (Baltim)*. 2010;50(3):123-8.
39. Currie S, Sinclair M, Murphy MH, Madden E, Dunwoody L, Liddle D. Reducing the Decline in Physical Activity during Pregnancy: A Systematic Review of Behaviour Change Interventions. *PLoS One*. 2013;8(6):e66385.
40. Pearce EE, Evenson KR, Downs DS, Steckler A. Strategies to Promote Physical Activity During Pregnancy. *Am J Lifestyle Med*. 2013;7(1):10.1177/1559827612446416.
41. Connolly CP, Conger SA, Montoye AHK, et al. Walking for health during pregnancy: A literature review and considerations for future research. *J Sport Heal Sci*. 2019;8(5):401-411.
42. Lamothe CJC, Meijer OG, Daffertshofer A, Wuisman PIJM, Beek PJ. Effects of chronic low back pain on trunk coordination and back muscle activity during walking: Changes in motor control. *Eur Spine J*. 2006;15(1):23-40.
43. Taylor NF, Evans OM, Goldie PA. The effect of walking faster on people with acute low back pain. *Eur Spine J*. 2003;12(2): 166–172.
44. Mirovsky Y, Grober A, Blankstein A, Stabholz L. The effect of ambulatory lumbar traction combined with treadmill on patients with chronic low back pain. *J Back Musculoskeletal Rehabil*. 2006;19(2)
45. Vanti C, Andreatta S, Borghi S, Guccione AA, Pillastrini P, Bertozzi L. The effectiveness of walking versus exercise on pain and function in chronic low back pain: a systematic review and meta-analysis of randomized trials. *Disabil Rehabil*. 2019;41(6):622-632.
46. Torstensen TA, Ljunggren AE, Meen HD, Odland E, Mowinckel P, Geijerstam SA. Efficiency and costs of medical exercise therapy, conventional physiotherapy, and self-exercise in patients with chronic low back pain: A pragmatic, randomized, single-blinded, controlled trial with 1-year follow-up. *Spine (Phila Pa 1976)*. 1998;23(23):2616-24
47. Callaghan JP, Patla AE, McGill SM. Low back three-dimensional joint forces, kinematics, and kinetics during walking. *Clin Biomech*. 1999;14(3):203-16.
48. Lee HS, Shim JS, Lee ST, Kim MY, Ryu JS. Facilitating effects of fast and slope walking on paraspinal muscles. *Ann Rehabil Med*. 2014;38(4):514-22.
49. Suh JH, Kim H, Jung GP, Ko JY, Ryu JS. The effect of lumbar stabilization and walking exercises on chronic low back pain: A randomized controlled trial. *Medicine (Baltimore)*. 2019;98(26):e16173.
50. Aune D, Sen A, Henriksen T, Saugstad OD, Tonstad S. Physical activity and the risk of gestational diabetes mellitus: a systematic review and dose-response meta-analysis of epidemiological studies. *Eur J Epidemiol*. 2016;31(10):967-997.
51. Aune D, Saugstad OD, Henriksen T, Tonstad S. Physical activity and the risk of preeclampsia: A systematic review and meta-analysis. *Epidemiology*. 2014;25(3):331-43.
52. Kong KL, Campbell CG, Foster RC, Peterson AD, Lanningham-Foster L. A pilot walking program promotes moderate-intensity physical activity during pregnancy. *Med Sci Sports Exerc*. 2014;46(3):462-71.
53. Owe KM, Nystad W, Bø K. Association between regular exercise and excessive newborn birth weight. *Obstet Gynecol*. 2009;114(4):770-6
54. Takito MY, Benício MHDA. Physical activity during pregnancy and fetal outcomes: A case-control study. *Rev Saude Publica*. 2010;44(1):90-101.
55. Sealy-Jefferson S, Hegner K, Misra DP. Linking nontraditional physical activity and preterm delivery in urban african-american women. *Women's Heal Issues*. 2014;24(4):e389-95.

56. Facco FL, Kramer J, Ho KH, Zee PC, Grobman WA. Sleep disturbances in pregnancy. *Obstet Gynecol.* 2010;115(1)
57. Mindell JA, Cook RA, Nikolovski J. Sleep patterns and sleep disturbances across pregnancy. *Sleep Med;* 201516(4):483-8.
58. Amezcua-Prieto C, Naveiro-Fuentes M, Arco-Jiménez N, et al. Walking in pregnancy and prevention of insomnia in third trimester using pedometers: Study protocol of Walking_Preg project (WPP). A randomized controlled trial. *BMC Pregnancy Childbirth.* 2020;20(1):521.
59. Loprinzi PD, Loprinzi KL, Cardinal BJ. The relationship between physical activity and sleep among pregnant women. *Ment Health Phys Act.* 2012;5(1): 22-27
60. Mourady D, Richa S, Karam R, et al. Associations between quality of life, physical activity, worry, depression and insomnia: A cross-sectional designed study in healthy pregnant women. *PLoS One.* 2017;12(5):e0178181.
61. Gutke A, Boissonnaut J, Brook G, Stuge B. The Severity and Impact of Pelvic Girdle Pain and Low-Back Pain in Pregnancy: A Multinational Study. *J Women's Heal.* 2018;27(4):510-517
62. Liu J, Blair SN, Teng Y, Ness AR, Lawlor DA, Riddoch C. Physical activity during pregnancy in a prospective cohort of British women: Results from the Avon longitudinal study of parents and children. *Eur J Epidemiol.* 2011;26(3):237-47.
63. Vøllestad NK, Stuge B. Prognostic factors for recovery from postpartum pelvic girdle pain. *Eur Spine J.* 2009;18(5):718-26.
64. Thorell E, Kristiansson P. Pregnancy related back pain, is it related to aerobic fitness? A longitudinal cohort study. *BMC Pregnancy Childbirth.* 2012;12: 30.
65. Kolár P, Šulc J, Kyncl M, et al. Postural function of the diaphragm in persons with and without chronic low back pain. *J Orthop Sports Phys Ther.* 201242(4):352-62.
66. Stromberg SE, Russell ME, Carlson CR. Diaphragmatic breathing and its effectiveness for the management of motion sickness. *Aerosp Med Hum Perform.* 2015;86(5):452-7.
67. Russo MA, Santarelli DM, O'Rourke D. The physiological effects of slow breathing in the healthy human. *Breathe.* 2017;13(4): 298-309.
68. Lundberg JON, Settergren G, Gelinder S, Lundberg JM, Alving K, Weitzberg E. Inhalation of nasally derived nitric oxide modulates pulmonary function in humans. *Acta Physiol Scand.* 1996;158(4):343-7.
69. Lee SY, Chien DK, Huang CH, Shih SC, Lee WC, Chang WH. Dyspnea in pregnancy. *Taiwan J Obstet Gynecol.* 2017;56(4):432-436
70. O'Sullivan PB, Beales DJ, Beetham JA, et al. Altered motor control strategies in subjects with sacroiliac joint pain during the active straight-leg-raise test. *Spine (Phila Pa 1976).* 2002;27(1):E1-8.
71. Janssens L, Brumagne S, McConnell AK, Hermans G, Troosters T, Gayan-Ramirez G. Greater diaphragm fatigability in individuals with recurrent low back pain. *Respir Physiol Neurobiol.* 2013;188(2):119-23.
72. Hodges PW, Butler JE, McKenzie DK, Gandevia SC. Contraction of the human diaphragm during rapid postural adjustments. *J Physiol.* 1997;505(Pt 2): 539-548
73. Mehling WE, Hamel KA, Acree M, Byl N, Hecht FM. Randomized, controlled trial of breath therapy for patients with chronic low-back pain. *Altern Ther Health Med.* 2005;11(4):44-52.
74. Akmes ZB, Oran NT. Effects of Progressive Muscle Relaxation Exercises Accompanied by Music on Low Back Pain and Quality of Life During Pregnancy. *J Midwifery Women's Heal.* 2014;59(5):503-9.
75. Conrad A, Roth WT. Muscle relaxation therapy for anxiety disorders: It works but how? *J Anxiety Disord.* 2007;21(3):243-64.
76. Yuksel H, Cayir Y, Kosan Z, Tastan K. Effectiveness of breathing exercises during the second stage of labor on labor pain and duration: a randomized controlled trial. *J Integr Med.* 2017;15(6):456-461.
77. Yu WJ, Song JE. Effects of abdominal breathing on state anxiety, stress, and tocolytic dosage for pregnant women in preterm labor. *J Korean Acad Nurs.* 2010;40(3):442-52.
78. Amola M, Pawara S, Kalra S. Effect of Inspiratory Muscle Training and Diaphragmatic Breathing Exercises on Dyspnea, Pulmonary Functions, Fatigue and Functional Capacity in Pregnancy during Third Trimester. *J Clin Diagnostic Res.* 201913(8): YC01-YC04
79. Wang SZ, Li S, Xu XY, et al. Effect of slow abdominal breathing combined with biofeedback on blood pressure and heart rate variability in prehypertension. *J Altern Complement Med.* 2010;16(10):1039-45.
80. Pierce H, Homer CSE, Dahlen HG, King J. Pregnancy-Related Lumbopelvic Pain: Listening to Australian Women. *Nurs Res Pract.* 2012.(6):387428
81. Henderson JW, Wang S, Egger MJ, Masters M, Nygaard I. Can women correctly contract their pelvic floor muscles without formal instruction? *Female Pelvic Med Reconstr Surg.* 2013;19(1): 8-12.
82. Hagen S, Elders A, Stratton S, et al. Effectiveness of pelvic floor muscle training with and without electromyographic biofeedback for urinary incontinence in women: Multicentre randomised controlled trial. *BMJ.* 2020;371:m3719
83. Ben Ami N, Dar G. What is the most effective verbal instruction for correctly contracting the pelvic floor muscles? *NeuroUrol Urodyn.* 2018;37(8):2904-2910.
84. Smith MD, Russell A, Hodges PW. Is there a relationship between parity, pregnancy, back pain and incontinence? *Int Urogynecol J.* 2008;19(2):205-11.

85. Pool-Goudzwaard A, Hoek Van Dijke G, Van Gurp M, Mulder P, Snijders C, Stoeckart R. Contribution of pelvic floor muscles to stiffness of the pelvic ring. *Clin Biomech.* 2004.;19(6):564-71.
86. Theofrastous JP, Wyman JF, Bump RC, et al. Relationship between urethral and vaginal pressures during pelvic muscle contraction. The Continence Program for Women Research Group. *NeuroUrol Urodyn.* 1997;16(6):553-558.
87. Smith MD, Coppieters MW, Hodges PW. Postural response of the pelvic floor and abdominal muscles in women with and without incontinence. *NeuroUrol Urodyn.* 2007;26(3):377-85.
88. Smith MD, Coppieters MW, Hodges PW. Postural activity of the pelvic floor muscles is delayed during rapid arm movements in women with stress urinary incontinence. *Int Urogynecol J.* 2007;18(8):901-11.
89. Rechberger T, Ulbjerg N, Oxlund H. Connective tissue changes in the cervix during normal pregnancy and pregnancy complicated by cervical incompetence. *Obstet Gynecol.* 1988;71(4):563-7.
90. Petros P. The Female Pelvic Floor: Function, Dysfunction and Management. According to the Integral Theory. *BJU International.* 2012;109(11):1742-1742
91. Snijders CJ, Vleeming A, Stoeckart R. Transfer of lumbosacral load to iliac bones and legs. Part 1: Biomechanics of self-bracing of the sacroiliac joints and its significance for treatment and exercise. *Clin Biomech.* 1993;8(6):285-294.
92. Snijders CJ, Vleeming A, Stoeckart R. Transfer of lumbosacral load to iliac bones and legs. Part 2: Loading of the sacroiliac joints when lifting in a stooped posture. *Clin Biomech.* 1993;8(6):295-301.
93. Gutke A, Sjødahl J, Öberg B. Specific muscle stabilizing as home exercises for persistent pelvic girdle pain after pregnancy: A randomized, controlled clinical trial. *J Rehabil Med.* 2010;42(10):929-35.
94. Woodley SJ, Boyle R, Cody JD, Mørkved S, Hay-Smith EJC. Pelvic floor muscle training for prevention and treatment of urinary and faecal incontinence in antenatal and postnatal women. *Cochrane Database Syst Rev.* 2017;(5):1465-1858
95. Stuge B, Sætre K, Brækken IH. The association between pelvic floor muscle function and pelvic girdle pain - A matched case control 3D ultrasound study. *Man Ther.* 2012;17(2):150-6.
96. Rejano-Campo M, Desvergée A, Pizzoferrato AC. Relationship between perineal characteristics and symptoms and pelvic girdle pain: A literature review. *Prog Urol.* 2018;28(4):193-208.
97. Wu WH, Meijer OG, Uegaki K, et al. Pregnancy-related pelvic girdle pain (PPP), I: Terminology, clinical presentation, and prevalence. *Eur Spine J.* 2004;13(7):575-589.
98. Bergström C, Persson M, Nergård KA, Mogren I. Prevalence and predictors of persistent pelvic girdle pain 12 years postpartum. *BMC Musculoskelet Disord.* 2017;18(1).
99. Mogren IM, Pohjanen AI. Low back pain and pelvic pain during pregnancy: Prevalence and risk factors. *Spine (Phila Pa 1976).* 2005;30(8):983-991.
100. Skaggs CD, Prather H, Gross G, George JW, Thompson PA, Nelson DM. Back and Pelvic Pain in an Underserved United States Pregnant Population: A Preliminary Descriptive Survey. *J Manipulative Physiol Ther.* 2007;30(2):130-134.
101. Sjødahl J, Gutke A, Öberg B. Predictors for long-term disability in women with persistent postpartum pelvic girdle pain. *Eur Spine J.* 2013;22(7): 1665–1673.
102. Critchley D. Instructing pelvic floor contraction facilitates transversus abdominis thickness increase during low-abdominal hollowing. *Physiother Res Int.* 2002;7(2):65-75.
103. Selkow NM, Eck MR, Rivas S. Transversus abdominis activation and timing improves following core stability training: A randomized trial. *Int J Sports Phys Ther.* 2017;12(7): 1048–1056.
104. Lynders C. The Critical Role of Development of the Transversus Abdominis in the Prevention and Treatment of Low Back Pain. *HSS J.* 2019;15(3):214-220.
105. Koppenhaver SL, Hebert JJ, Parent EC, Fritz JM. Rehabilitative ultrasound imaging is a valid measure of trunk muscle size and activation during most isometric sub-maximal contractions: A systematic review. *Aust J Physiother.* 2009;55(3):153-169.
106. Beazell JR, Grindstaff TL, Hart JM, Magrum EM, Cullaty M, Shen FH. Changes in lateral abdominal muscle thickness during an abdominal drawing-in maneuver in individuals with and without low back pain. *Res Sport Med.* 2011;39(11):791-8.
107. Himes ME, Selkow NM, Gore MA, Hart JM, Saliba SA. Transversus abdominis activation during a side-bridge exercise progression is similar in people with recurrent low back pain and healthy controls. *J Strength Cond Res.* 2012;26(11):3106-3112.
108. Pinto RZ, Ferreira PH, Franco MR, et al. Effect of 2 lumbar spine postures on transversus abdominis muscle thickness during a voluntary contraction in people with and without low back pain. *J Manipulative Physiol Ther.* 2011;34(3):164-172.
109. Senthil Kumar NS, Rajalakshmi D. Strengthening Transversus Abdominis in Pregnancy Related Pelvic Pain: The Pressure Biofeedback Stabilization Training. *Glob J Health Sci.* 2012;4(4): 55–61.
110. Elden H, Ladfors L, Olsen MF, Ostgaard HC, Hagberg H. Effects of acupuncture and stabilising exercises as adjunct to standard treatment in pregnant women with pelvic girdle pain: Randomised single blind controlled trial. *Br Med J.* 2005;330(7494):761.

111. Mens JMA, Pool-Goudzwaard A. The transverse abdominal muscle is excessively active during active straight leg raising in pregnancy-related posterior pelvic girdle pain: An observational study. *BMC Musculoskelet Disord*. 2017;25;18(1):372.
112. Hodges P, Richardson C, Jull G. Evaluation of the relationship between laboratory and clinical tests of transversus abdominis function. *Physiother Res Int*. 1996;1(1):30-40.
113. Cowan SM, Schache AG, Brukner P, et al. Delayed onset of transversus abdominis in long-standing groin pain. *Med Sci Sports Exerc*. 2004;36(12):2040-5.
114. Sjødahl J, Gutke A, Ghaffari G, Strömberg T, Öberg B. Response of the muscles in the pelvic floor and the lower lateral abdominal wall during the Active Straight Leg Raise in women with and without pelvic girdle pain: An experimental study. *Clin Biomech*. 2016;35:49-55.
115. Urquhart DM, Hodges PW, Allen TJ, Story IH. Abdominal muscle recruitment during a range of voluntary exercises. *Man Ther*. 2005;10(2):144-153.
116. de Groot M, Pool-Goudzwaard AL, Spoor CW, Snijders CJ. The active straight leg raising test (ASLR) in pregnant women: Differences in muscle activity and force between patients and healthy subjects. *Man Ther*. 2008;13(1):68-74.
117. Richardson CA, Snijders CJ, Hides JA, Damen L, Pas MS, Storm J. The relation between the transversus abdominis muscles, sacroiliac joint mechanics, and low back pain. *Spine (Phila Pa 1976)*. 2002;27(4):399-405.
118. LaBan MM, Perrin JC, Latimer FR. Pregnancy and the herniated lumbar disc. *Arch Phys Med Rehabil*. 1983;64(7):319-321.
119. Gill KP, Callaghan MJ. The Measurement of Lumbar Proprioception in Individuals with and without Low Back Pain. *Spine (Phila Pa 1976)*. 1998;23(3):371-7.
120. Crombez G, Vlaeyen JWS, Heuts PHTG, Lysens R. Pain-related fear is more disabling than pain itself: Evidence on the role of pain-related fear in chronic back pain disability. *Pain*. 1999;80:329-339.
121. Damen L, Buyruk HM, Güler-Uysal F, Lotgering FK, Snijders CJ, Stam HJ. Pelvic pain during pregnancy is associated with asymmetric laxity of the sacroiliac joints. *Acta Obstet Gynecol Scand*. 2001;80(11):1019-1024.
122. Vleeming A, Albert HB, Östgaard HC, Stuessen B, Stuge B. European guidelines for the diagnosis and treatment of pelvic girdle pain. *Eur Spine J*. 2008;17(6):794-819.
123. Ostgaard HC, Andersson GB. Postpartum low-back pain. *Spine (Phila Pa 1976)*. 1992;17(1):53-55.
124. Stuessen B, Selvik G, Udén A. Movements of the sacroiliac joints: A roentgen stereophotogrammetric analysis. *Spine (Phila Pa 1976)*. 1989;14(2):162-165.
125. Walde J. Obstetrical and Gynecological Back and Pelvic Pains, Especially Those Contracted During Pregnancy. *Acta Obstet Gynecol Scand*. 1962;41(2 S):11-53.
126. Mens JMA, Pool-Goudzwaard A, Stam HJ. Mobility of the pelvic joints in pregnancy-related lumbopelvic pain: A systematic review. *Obstet Gynecol Surv*. 2009;64(3):200-208.
127. Buyruk HM, Stam HJ, Snijders CJ, Laméris JS, Holland WPJ, Stijnen TH. Measurement of sacroiliac joint stiffness in peripartum pelvic pain patients with Doppler imaging of vibrations (DIV). *Eur J Obstet Gynecol Reprod Biol*. 1999;83(2):159-63.
128. Damen L, Buyruk HM, Güler-Uysal F, Lotgering FK, Snijders CJ, Stam HJ. The prognostic value of asymmetric laxity of the sacroiliac joints in pregnancy-related pelvic pain. *Spine (Phila Pa 1976)*. 2002;27(24):2820-4.
129. Abramson D, Roberts S, Wilson P. Relaxation of the pelvic joints in pregnancy. *Surg Gynecol Obstet*. 1934;58:595-613.
130. Vleeming A, Schuenke MD, Masi AT, Carreiro JE, Danneels L, Willard FH. The sacroiliac joint: an overview of its anatomy, function and potential clinical implications. *J Anat*. 2012;221(6):537-567.
131. Björklund K, Nordström ML, Bergström S. Sonographic assessment of symphyseal joint distention during pregnancy and post partum with special reference to pelvic pain. *Acta Obstet Gynecol Scand*. 1999;78(2):125-30.
132. Hagen R. Pelvic girdle relaxation from an orthopaedic point of view. *Acta Orthop*. 1974;45(4):550-63
133. Kanakaris NK, Roberts CS, Giannoudis P V. Pregnancy-related pelvic girdle pain: An update. *BMC Med*. 2011;9:15.
134. Björklund K, Bergström S, Nordström ML, Ulmsten U. Symphyseal distention in relation to serum relaxin levels and pelvic pain in pregnancy. *Acta Obstet Gynecol Scand*. 2000;79(4):269-275.
135. Maclennan AH, Green RC, Nicolson R, Bath M. Serum relaxin and pelvic pain of pregnancy. *Lancet*. 1986;328(8501):243-245.
136. Kristiansson P, Svardsudd K, Von Schoultz B. Serum relaxin, symphyseal pain, and back pain during pregnancy. *Am J Obstet Gynecol*. 1996;175(5):1342-1347.
137. Albert H, Godskesen M, Westergaard JG, Chard T, Gunn L. Circulating levels of relaxin are normal in pregnant women with pelvic pain. *Eur J Obstet Gynecol Reprod Biol*. 1997;74(1):19-22.
138. Petersen. Normal Serum Relaxin in Women with Disabling Pelvic Pain during Pregnancy. *Gynecol Obs Invest*. 1994;38:21-23.
139. Hansen A, Jensen DV, Larsen E, Wilken-Jensen C, Petersen LK. Relaxin is not related to symptom-giving pelvic girdle relaxation in pregnant women. *Acta Obstet Gynecol Scand*. 1996;75(3):245-249.
140. Aldabe D, Ribeiro DC, Milosavljevic S, Dawn Bussey M. Pregnancy-related pelvic girdle pain and its relationship with relaxin levels during pregnancy: a systematic review. *Eur Spine J*. 2012;21(9):1769-1776.

141. Verstraete EH, Vanderstraeten G, Parewijck W. Pelvic Girdle Pain during or after Pregnancy: a review of recent evidence and a clinical care path proposal. *Facts, views Vis ObGyn.* 2013;5(1):33-43.
142. Katonis P, Kampouroglou A, Aggelopoulos A, et al. Pregnancy-related low back pain. *Hippokratia.* 2011;15(3):205-210.
143. Dehghan F, Haerian BS, Muniandy S, Yusof A, Dragoo JL, Salleh N. The effect of relaxin on the musculoskeletal system. *Scand J Med Sci Sport.* 2014; 24(4): e220–e229.
144. Roby KF. Relaxin. In: Reference Module in Biomedical Sciences. *Elsevier Reference Collection.* 2019
145. Bathgate RAD, Hsueh AJW, Sherwood DD. Physiology and molecular biology of the relaxin peptide family. In: *Knobil and Neill's Physiology of Reproduction.* 2006;1:679-768
146. Aldabe D, Milosavljevic S, Bussey MD. Is pregnancy related pelvic girdle pain associated with altered kinematic, kinetic and motor control of the pelvis? A systematic review. *Eur Spine J.* 2012;21(9):1777-1787.
147. Verstraete EH, Vanderstraeten G, Parewijck W. Pelvic Girdle Pain during or after Pregnancy: a review of recent evidence and a clinical care path proposal. *Facts, views Vis ObGyn.* 2013;5(1): 33–43.
148. O'Sullivan P. Diagnosis and classification of chronic low back pain disorders: Maladaptive movement and motor control impairments as underlying mechanism. *Man Ther.* 2005;10(4):242-55.
149. Bjelland EK, Eskild A, Johansen R, Eberhard-Gran M. Pelvic girdle pain in pregnancy: The impact of parity. *Am J Obstet Gynecol.* 2010;203(2).
150. Morino S, Ishihara M, Umezaki F, Hatanaka H, Yamashita M, Aoyama T. Pelvic alignment changes during the perinatal period. *PLoS One.* 2019;14(10): e0223776.
151. Franklin ME, Conner-Kerr T. An Analysis of Posture and Back Pain in the First and Third Trimesters of Pregnancy. *J Orthop Sport Phys Ther.* 1998;28(3):133-138.
152. Betsch M, Wehrle R, Dor L, et al. Spinal posture and pelvic position during pregnancy: a prospective rasterstereographic pilot study. *Eur Spine J.* 2015;24(6):1282-1288.
153. Dumas GA, Reid JG, Wolfe LA, Griffin MP, McGrath MJ. Exercise, posture, and back pain during pregnancy. *Clin Biomech.* 1995;10(2):104-109.
154. Okanishi N, Kito N, Akiyama M, Yamamoto M. Spinal curvature and characteristics of postural change in pregnant women. *Acta Obstet Gynecol Scand.* 2012;91(7):856-861.
155. Moore K, Dumas GA, Reid JG. Postural changes associated with pregnancy and their relationship with low-back pain. *Clin Biomech.* 1990;5(3):169-174.
156. Biviá-Roig G, Lisón JF, Sánchez-Zuriaga D. Changes in trunk posture and muscle responses in standing during pregnancy and postpartum. *PLoS One.* 2018; 13(3): e0194853.
157. Bullock JE, Jull GA, Bullock MI. The relationship of low back pain to postural changes during pregnancy. *Aust J Physiother.* 1987;33(1):10-17.
158. Clinton SC, Newell A, Downey PA, Ferreira K. Pelvic Girdle Pain in the Antepartum Population. *J Women's Heal Phys Ther.* 2017;41(2):102-125.
159. McCrory JL, Chambers AJ, Daftary A, Redfern MS. The pregnant “waddle”: An evaluation of torso kinematics in pregnancy. *J Biomech.* 2014;47(12):2964-8
160. Biering K, NØhr EA, Olsen Jø, Andersen AMN, HjØllund NH, Juhl M. Pregnancy-related pelvic pain is more frequent in women with increased body mass index. *Acta Obstet Gynecol Scand.* 2011;90(10):1132-9.
161. Ostgaard HC, Zetherstrom G, Roos-Hansson E, Svanberg B. Reduction of back and posterior pelvic pain in pregnancy. *Spine (Phila Pa 1976).* 1994;19(8):894-900.
162. Kristiansson P, Svärdsudd K, von Schoultz B. Back pain during pregnancy: a prospective study. *Spine (Phila Pa 1976).* 1996;21(6):702-709.
163. Gutke A, Östgaard HC, Öberg B. Predicting persistent pregnancy-related low back pain. *Spine (Phila Pa 1976).* 2008;33(12).
164. Norén L, Östgaard S, Johansson G, Östgaard HC. Lumbar back and posterior pelvic pain during pregnancy: A 3-year follow-up. *Eur Spine J.* 2002;11(3):267-271.
165. Biering-Sorensen F. Physical measurement as risk indicators for low-back trouble over a one year period. *Spine (Phila Pa 1976).* 1984;9(2):106-119.
166. Van Wingerden JP, Vleeming A, Buyruk HM, Raissadat K. Stabilization of the sacroiliac joint in vivo: Verification of muscular contribution to force closure of the pelvis. *Eur Spine J.* 2004;13(3): 199–205.
167. Paterson LQP, Davis SNP, Khalifé S, Amsel R, Binik YM. Persistent genital and pelvic pain after childbirth. *J Sex Med.* 2009;6(1):215-221.
168. Dunn G, Egger MJ, Shaw JM, et al. Trajectories of lower back, upper back, and pelvic girdle pain during pregnancy and early postpartum in primiparous women. *Women's Heal.* 2019;15:1745506519842757.
169. Albert HB, Godskesen† M, Korsholm L, Westergaard JG. Risk factors in developing pregnancy-related pelvic girdle pain. *Acta Obstet Gynecol Scand.* 2006;85(5):539-544.
170. Van Dongen PWJ, De Boer M, Lemmens WAJG, Theron GB. Hypermobility and peripartum pelvic pain syndrome in pregnant South African women. *Eur J Obstet Gynecol Reprod Biol.* 1999;84(1):77-82.
171. Mota PGF da, Pascoal AGBA, Carita AIAD, Bø K. Prevalence and risk factors of diastasis recti abdominis from late pregnancy to 6 months postpartum, and relationship with lumbo-pelvic pain. *Man Ther.* 2015;20(1):200-205.

172. Sperstad JB, Tennfjord MK, Hilde G, Ellström-Engh M, Bø K. Diastasis recti abdominis during pregnancy and 12 months after childbirth: Prevalence, risk factors and report of lumbopelvic pain. *Br J Sports Med.* 2016;50(17):1092-6.
173. Benjamin DR, Frawley HC, Shields N, van de Water ATM, Taylor NF. Relationship between diastasis of the rectus abdominis muscle (DRAM) and musculoskeletal dysfunctions, pain and quality of life: a systematic review. *Physiother (United Kingdom).* 2019;105(1):24-34.
174. Dalal K, Kaur A, Mitra M. Correlation between Diastasis Rectus Abdominis and Lumbopelvic Pain and Dysfunction. *Indian J Physiother Occup Ther - An Int J.* 2014;8(1):210-214.
175. Parker MA, Millar LA, Dugan SA. Diastasis Rectus Abdominis and Lumbo-Pelvic Pain and Dysfunction- Are They Related? *J Womens Health Phys Therap.* 2009;33(2):15-22
176. Shnaekel KL, Magann EF, Ahmadi S. Pubic symphysis rupture and separation during pregnancy. *Obstet Gynecol Surv.* 2015;70(11):713-718.
177. Lee DK, Bae SW, Moon H, Kim YK. Round ligament varicosities mimicking inguinal hernia in pregnancy. *J Korean Surg Soc.* 2011;36: 122-125.
178. Östgaard HC, Roos-Hansson E, Zetherström G. Regression of back and posterior pelvic pain after pregnancy. *Spine (Phila Pa 1976).* 1996;21(23):2777-2780.
179. Kanakaris NK, Roberts CS, Giannoudis P V. Pregnancy-related pelvic girdle pain: an update. *BMC Med.* 2011;9(1):15. d
180. Berg G, Hammar M, Möller-Nielsen J, Lindén U, Thorblad J. Low back pain during pregnancy. *Obstet Gynecol.* 1988;71(1):71-75.
181. Saugstad LF. Is persistent pelvic pain and pelvic joint instability associated with early menarche and with oral contraceptives? *Eur J Obstet Gynecol Reprod Biol.* 1991;41(3):203-206.
182. Bjelland EK, Eberhard-Gran M, Nielsen CS, Eskild A. Age at menarche and pelvic girdle syndrome in pregnancy: A Population study of 74 973 women. *BJOG An Int J Obstet Gynaecol.* 2011;118(13):1646-1652.
183. Eberhard-Gran M, Eskild A. Diabetes mellitus and pelvic girdle syndrome in pregnancy--is there an association? *Acta Obstet Gynecol Scand.* 2008;87(10):1015-1019.
184. Bjelland EK, Stuge B, Engdahl B, Eberhard-Gran M. The effect of emotional distress on persistent pelvic girdle pain after delivery: A longitudinal population study. *BJOG An Int J Obstet Gynaecol.* 2013;120(1):32-40.
185. Brynhildsen J, Hansson A, Persson A, Hammar M. Follow-up of patients with low back pain during pregnancy. *Obstet Gynecol.* 1998;91(2):182-186.
186. Bahlmann F, Merz E, Macchiella D, Weber G. The sonographical sign of the widening of the symphysis during pregnancy and post partum. *Z Geburtshilfe Perinatol.* 1993;197(1): 27-30.
187. Pirouzi S, Emami F, Taghizadeh S, Ghanbari A. Is abdominal muscle activity different from lumbar muscle activity during four-point kneeling? *Iran J Med Sci.* 2013;38:327-333.
188. Stevens VK, Vleeming A, Bouche KG, Mahieu NN, Vanderstraeten GG, Danneels LA. Electromyographic activity of trunk and hip muscles during stabilization exercises in four-point kneeling in healthy volunteers. *Eur Spine J.* 2007;16:711-718.
189. Hubley-Kozey CL, Vezina MJ. Muscle activation during exercises to improve trunk stability in men with low back pain. *Arch Phys Med Rehabil.* 2002;83:1100-1108.
190. Ojukwu CP, Anyanwu GE, Anekwu EM, Chukwu SC, Fab-Agbo C. Infant carrying methods: Correlates and associated musculoskeletal disorders among nursing mothers in Nigeria. *J Obstet Gynaecol (Lahore).* 2017;37(7):855-860.
191. Griffin SD, Price VJ. Living with lifting: Mothers' perceptions of lifting and back strain in childcare. *Occup Ther Int.* 2000;7(1):1 - 20
192. McKay R. Observing mothers lifting their children in their own home to identify factors which might give rise to musculoskeletal disorders. 2008. *Thesis.* Auckland University of Technology
193. Vincent R, Hocking C. Factors that might give rise to musculoskeletal disorders when mothers lift children in the home. *Physiother Res Int.* 2013;18(2):81-90.
194. Suputtitada A, Wacharapreechanont T, Chaisayan P. Effect of the "sitting pelvic tilt exercise" during the third trimester in primigravidas on back pain. *J Med Assoc Thai.* 2002;85 Suppl 1:S170-9
195. Norén L, Östgaard S, Nielsen TF, Östgaard HC. Reduction of sick leave for lumbar back and posterior pelvic pain in pregnancy. *Spine (Phila Pa 1976).* 1997.;22(18):2157-60.
196. Takaki S, Kaneoka K, Okubo Y, et al. Analysis of muscle activity during active pelvic tilting in sagittal plane. *Phys Ther Res.* 2016;19(1): 50-57.
197. Urquhart DM, Hodges PW, Allen TJ, Story IH. Abdominal muscle recruitment during a range of voluntary exercises. *Man Ther.* 2005;10(2):144-53.
198. Comerford M. Techniques for active lumbar stabilisation for spinal protection: A pilot study. *Aust J Physiother.* 1992;38(2):105-12
199. Fortin JD, Kissling RO, O'Connor BL, Vilensky JA. Sacroiliac joint innervation and pain. *Am J Orthop (Belle Mead NJ).* 1999;28(12):687-90
200. Vleeming A, Stoeckart R, Volkers AC, Snijders CJ. Relation between form and function in the sacroiliac joint part i: Clinical anatomical aspects. *Spine (Phila Pa 1976).* 1990;15(2):130-132.
201. Vleeming A, Volkers AC, Snijders CJ, Stoeckart R. Relation between form and function in the sacroiliac joint part ii: Biomechanical aspects. *Spine (Phila Pa 1976).* 1990;15(2):133-136.

202. Pool-Goudzwaard AL, Kleinrensink GJ, Snijders CJ, Entius C, Stoeckart R. The sacroiliac part of the iliolumbar ligament. *J Anat.* 2001;199(Pt 4):457-63.
203. Hammer N, Höch A, Klima S, Le Joncour JB, Rouquette C, Ramezani M. Effects of Cutting the Sacrospinous and Sacrotuberous Ligaments. *Clin Anat.* 2019;32(2):231-237.
204. Sims JA, Moorman SJ. The role of the iliolumbar ligament in low back pain. *Med Hypotheses.* 1996;46(6):511-5.
205. Bagwell JJ, Reynolds N, Walaszek M, et al. Lower extremity kinetics and muscle activation during gait are significantly different during and after pregnancy compared to nulliparous females. *Gait Posture.* 2020;81:33-40
206. Shadmehr A, Jafarian Z, Talebian S. Changes in recruitment of pelvic stabilizer muscles in people with and without sacroiliac joint pain during the active straight-leg-raise test. *J Back Musculoskelet Rehabil.* 2012;25(1):27-32
207. Boren K, Conrey C, Le Coguic J, Paprocki L, Voight M, Robinson TK. Electromyographic analysis of gluteus medius and gluteus maximus during rehabilitation exercises. *Int J Sports Phys Ther.* 2011;6(3):206-223.
208. Contreras B, Vigotsky AD, Schoenfeld BJ, Beardsley C, Cronin J. A comparison of two gluteus maximus EMG maximum voluntary isometric contraction positions. *PeerJ.* 2015;22;3:e1261.
209. Kim D, Unger J, Lanovaz JL, Oates AR. The Relationship of Anticipatory Gluteus Medius Activity to Pelvic and Knee Stability in the Transition to Single-Leg Stance. *PMR.* 2016. doi:10.1016/j.pmrj.2015.06.005
210. Jeong UC, Sim JH, Kim CY, Hwang-Bo G, Nam CW. The effects of gluteus muscle strengthening exercise and lumbar stabilization exercise on lumbar muscle strength and balance in chronic low back pain patients. *J Phys Ther Sci.* 2015;27(12): 3813–3816.
211. Bewyer KJ, Bewyer DC, Messenger D, Kennedy CM. Pilot data: association between gluteus medius weakness and low back pain during pregnancy. *Iowa Orthop J.* 2009;29:97-99.
212. Mueller MJ, Maluf KS. Tissue adaptation to physical stress: A proposed “Physical Stress Theory” to guide physical therapist practice, education, and research. *Phys Ther.* 2002;82(4):383-403.
213. Foti T, Davids JR, Bagley A. A biomechanical analysis of gait during pregnancy. *J Bone Jt Surg - Ser A.* 2000.;82(5):625-32.
214. Hebert JJ, Koppenhaver SL, Teyhen DS, Walker BF, Fritz JM. The evaluation of lumbar multifidus muscle function via palpation: Reliability and validity of a new clinical test. *Spine J.* 2015;15(6):1196–1202.
215. Van K, Hides JA, Richardson CA. The use of real-time ultrasound imaging for biofeedback of lumbar multifidus muscle contraction in healthy subjects. *J Orthop Sports Phys Ther.* 2006;36(12):920-5.
216. Kader DF, Wardlaw D, Smith FW. Correlation between the MRI changes in the lumbar multifidus muscles and leg pain. *Clin Radiol.* 2000;55(2):145-9
217. Hides J, Gilmore C, Stanton W, Bohlscheid E. Multifidus size and symmetry among chronic LBP and healthy asymptomatic subjects. *Man Ther.* 2008;13(1):43-9.
218. Kim WH, Lee SH, Lee DY. Changes in the cross-sectional area of multifidus and psoas in unilateral sciatica caused by lumbar disc herniation. *J Korean Neurosurg Soc.* 2011;50(3): 201–204.
219. Zhang S, Xu Y, Han X, Wu W, Tang Y, Wang C. Functional and Morphological Changes in the Deep Lumbar Multifidus Using Electromyography and Ultrasound. *Sci Rep.* 2018;8(1)
220. Sweeney N, O’Sullivan C, Kelly G. Multifidus muscle size and percentage thickness changes among patients with unilateral chronic low back pain (CLBP) and healthy controls in prone and standing. *Man Ther.* 2014;19(5):433-9
221. Kelly M, Jacobs D, Wooten ME, Edeer AO. Comparison of electromyographic activities of lumbar iliocostalis and lumbar multifidus muscles during stabilization exercises in prone, quadruped, and sitting positions. *J Phys Ther Sci.* 2016;28(10):2950-2954.
222. Ekstrom RA, Osborn RW, Hauer PL. Surface electromyographic analysis of the low back muscles during rehabilitation exercises. *J Orthop Sports Phys Ther.* 2008;38(12):736-45.
223. Shirado O, Ito T, Kaneda K, Strax TE. Flexion-relaxation phenomenon in the back muscles: A comparative study between healthy subjects and patients with chronic low back pain. *Am J Phys Med Rehabil.* 1995;74(2):139-44.
224. Öztürk PE, Aylanç N. Which is the most affected muscle in lumbar back pain – multifidus or erector spinae? *Polish J Radiol.* 2020; 85: e278–e286.
225. Franca FR, Burke TN, Hanada ES, Marques AP. Segmental stabilization and muscular strengthening in chronic low back pain - a comparative study. *Clinics.* 2010;65(10): 1013–1017.
226. Sung PS. Multifidus muscles median frequency before and after spinal stabilization exercises. *Arch Phys Med Rehabil.* 2003;84(9):1313-8.
227. Sipaviciene S, Kliziene I, Pozeriene J, Zaicenkoviene K. Effects of a Twelve-Week Program of Lumbar-Stabilization Exercises on Multifidus Muscles, Isokinetic Peak Torque and Pain for Women with Chronic Low Back Pain. *J Pain Reli.* 2017;7(1): 309
228. Danneels LA, Vanderstraeten GG, Cambier DC, et al. Effects of three different training modalities on the cross sectional area of the lumbar multifidus muscle in patients with chronic low back pain. *Br J Sports Med.* 2001;35(3): 186–191.
229. Jemmett RS. Rehabilitation of lumbar multifidus dysfunction in low back pain: strengthening versus a motor re-education model. *Br J Sports Med.* 2003;37(1):91-91.

230. O'Sullivan PB, Twomey LT, Allison GT. Evaluation of specific stabilizing exercise in the treatment of chronic low back pain with radiologic diagnosis of spondylolysis of spondylolisthesis. *Spine (Phila Pa 1976)*. 1997;22(24):2959-67.
231. Hides JA, Richardson CA, Jull GA. Multifidus muscle recovery is not automatic after resolution of acute, first-episode low back pain. *Spine (Phila Pa 1976)*. 1996;21(23):2763-9.
232. Wattananon P, Silfies SP, Tretriluxana J, Jalayondeja W. Lumbar Multifidus and Erector Spinae Muscle Synergies in Patients with Nonspecific Low Back Pain During Prone Hip Extension: A Cross-sectional Study. *PM R*. 2019;11(7):694-702.
233. Pierce MN, Lee WA. Muscle firing order during active prone hip extension. *J Orthop Sports Phys Ther*. 1990;12(1):2-9.
234. Bergström C, Persson M, Mogren I. Psychosocial and behavioural characteristics in women with pregnancy-related lumbopelvic pain 12 years postpartum. *Chiropr Man Ther*. 2019;27(1)
235. Gutke A, Josefsson A, Öberg B. Pelvic girdle pain and lumbar pain in relation to postpartum depressive symptoms. *Spine (Phila Pa 1976)*. 2007;32(13):1430-6
236. Lorenzetti S, Dayer R, Plüss M, List R. Pulling exercises for strength training and rehabilitation: Movements and loading conditions. *J Funct Morphol Kinesiol*. 2017;2(3):33
237. Handa T, Kato H, Hasegawa S, Okada J, Kato K. Comparative electromyographical investigation of the biceps brachii, latissimus dorsi, and trapezius muscles during five pull exercises. *Japanese J Phys Fit Sport Med*. 2005;54(2):159-168
238. Mata Diz JB, de Souza JRLM, Leopoldino AAO, Oliveira VC. Exercise, especially combined stretching and strengthening exercise, reduces myofascial pain: a systematic review. *J Physiother*. 2017;63(1):17-22
239. Sherman KJ, Wellman RD, Cook AJ, Cherkin DC, Ceballos RM. Mediators of yoga and stretching for chronic low back pain. Evidence-based Complement *Altern Med*. 2013:130818.
240. Yeo SA. Prenatal stretching exercise and autonomic responses: Preliminary data and a model for reducing preeclampsia. *J Nurs Scholarsh*. 2010;42(2): 113-121.
241. Gerritsen RJS, Band GPH. Breath of Life: The Respiratory Vagal Stimulation Model of Contemplative Activity. *Front Hum Neurosci*. 2018;12: 397.
242. Stuge B, Jenssen HK, Grotle M. The Pelvic Girdle Questionnaire: Responsiveness and minimal important change in women with pregnancy-related Pelvic girdle pain, low back pain, or both. *Phys Ther*. 2017;97(11):1103-1113.
243. Mens JMA, Vleeming A, Snijders CJ, Ronchetti I, Stam HJ. Reliability and validity of hip adduction strength to measure disease severity in posterior pelvic pain since pregnancy. *Spine (Phila Pa 1976)*. 2002;27(15):1674-1679.
244. Mens JMA, Vleeming A, Snijders CJ, Stam HJ, Ginai AZ. The active straight leg raising test and mobility of the pelvic joints. *Eur Spine J*. 1999;8(6):468-73
245. Kuciel N, Sutkowska E, Cienska A, Markowska D, Wrzosek Z. Myoelectrical activity of muscles stabilizing the sacroiliac joints before and after the use of elastic tapes in women suffering from pregnancy-related pelvic girdle pain. *Ginekol Pol*. 2020;91(4):223-230.
246. Parreira P do CS, Costa L da CM, Takahashi R, et al. Kinesio Taping to generate skin convolutions is not better than sham taping for people with chronic non-specific low back pain: A randomised trial. *J Physiother*. 2014;60(2):90-6.
247. Evenson KR, Barakat R, Brown WJ, et al. Guidelines for Physical Activity During Pregnancy: Comparisons From Around the World. *Am J Lifestyle Med*. 2014;8(2): 102-121.
248. Marques A, Stothers L, Macnab A. The status of pelvic floor muscle training for women. *Can Urol Assoc J*. 2010 Dec;4(6):419-24.
- Bø K, Talseth T, Holme I. Single blind, randomised controlled trial of pelvic floor exercises, electrical stimulation, vaginal cones, and no treatment in management of genuine stress incontinence in women. *BMJ*. 1999 Feb 20;318(7182):487-93.

1. Yu W, Cha S, Seo S. The effect of ball exercise on the balance ability of young adults. *Journal of Physical Therapy Science*. 2017;29(12). doi:10.1589/jpts.29.2087
2. Ward-Ritacco C, Poudevigne MS, Oconnor PJ. Muscle strengthening exercises during pregnancy are associated with increased energy and reduced fatigue. *Journal of Psychosomatic Obstetrics and Gynecology*. Published online 2016. doi:10.3109/0167482X.2016.1155552
3. Kim MK. The effects of trunk stabilization exercise using a Swiss ball in the absence of visual stimulus on balance in the elderly. *Journal of Physical Therapy Science*. 2016;28(7). doi:10.1589/jpts.28.2144
4. Yan CF, Hung YC, Gau ML, Lin KC. Effects of a stability ball exercise programme on low back pain and daily life interference during pregnancy. *Midwifery*. Published online 2014. doi:10.1016/j.midw.2013.04.011
5. Henrique AJ, Gabrielloni MC, Rodney P, Barbieri M. Non-pharmacological interventions during childbirth for pain relief, anxiety, and neuroendocrine stress parameters: A randomized controlled trial. *International Journal of Nursing Practice*. 2018;24(3). doi:10.1111/ijn.12642
6. Hassan Zaky N. Effect of pelvic rocking exercise using sitting position on birth ball during the first stage of labor on its progress. *IOSR Journal of Nursing and Health Science*. 2016;05(04). doi:10.9790/1959-0504031927
7. de Souza MC, Jennings F, Morimoto H, Natour J. Swiss ball exercises improve muscle strength and walking performance in ankylosing spondylitis: A randomized controlled trial. *Revista Brasileira de Reumatologia*. 2017;57(1). doi:10.1016/j.rbre.2016.09.009
8. Stafne SN, Salvesen KÅ, Romundstad PR, Stuge B, Mørkved S. Does regular exercise during pregnancy influence lumbopelvic pain? A randomized controlled trial. *Acta Obstetrica et Gynecologica Scandinavica*. Published online 2012. doi:10.1111/j.1600-0412.2012.01382.x
9. Iverson GL, Koehle MS. Normative data for the modified balance error scoring system in adults. *Brain Injury*. 2013;27(5). doi:10.3109/02699052.2013.772237
10. Rossiter-Fornoff JE, Wolf SL, Wolfson LI, et al. A cross-sectional validation study of the FICSIT common data base static balance measures. *Journals of Gerontology - Series A Biological Sciences and Medical Sciences*. 1995;50A(6):M291-M297. doi:10.1093/gerona/50A.6.M291
11. Franchignoni F, Tesio L, Martino MT, Ricupero C. Reliability of four simple, quantitative tests of balance and mobility in healthy elderly females. *Aging Clinical and Experimental Research*. 1998;10(1). doi:10.1007/bf03339630
12. Duncan PW, Weiner DK, Chandler J, Studenski S. Functional reach: A new clinical measure of balance. *Journals of Gerontology*. 1990;45(6). doi:10.1093/geronj/45.6.M192
13. Podsiadlo D, Richardson S. The timed "Up & Go": a test of basic functional mobility for frail elderly persons. *Journal of the American Geriatrics Society*. 1991;39(2):142-148. doi:http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=1991946
14. Kim SG, Yong MS, Na SS. The effect of trunk stabilization exercises with a Swiss ball on core muscle activation in the elderly. *Journal of Physical Therapy Science*. 2014;26(9). doi:10.1589/jpts.26.1473
15. Kour M, Koley S. Effectiveness of Core Stability Exercises on Firm Surface (Mat) and Labile Surface (Swiss ball) in Managing Pain and Disability in Patients with Mechanical Low Back Pain. *International Journal of Health Sciences and Research*. 2019;9(5):98-101.
16. Lehman GJ, Hoda W, Oliver S. Trunk muscle activity during bridging exercises on and off a Swiss ball. *Chiropractic and Osteopathy*. 2005;13. doi:10.1186/1746-1340-13-14
17. Marshall PW, Murphy B a. Core stability exercises on and off a Swiss ball. *Archives of Physical Medicine and Rehabilitation*. 2005;86(2):242-249. doi:10.1016/j.apmr.2004.05.004
18. Lawrence A, Lewis L, Hofmeyr GJ, Styles C. Maternal positions and mobility during first stage labour. *Cochrane Database of Systematic Reviews*. 2013;2013(10). doi:10.1002/14651858.CD003934.pub4
19. Taavoni S, Sheikhan F, Abdollahian S, Ghavi F. Birth ball or heat therapy? A randomized controlled trial to compare the effectiveness of birth ball usage with sacrum-perineal heat therapy in labor pain management. *Complementary Therapies in Clinical Practice*. 2016;24. doi:10.1016/j.ctcp.2016.04.001
20. Makvandi S, Latifnejad Roudsari R, Sadeghi R, Karimi L. Effect of birth ball on labor pain relief: A systematic review and meta-analysis. *Journal of Obstetrics and Gynaecology Research*. 2015;41(11). doi:10.1111/jog.12802
21. Kim HG, Cheon EJ, Bai DS, Lee YH, Koo BH. Stress and heart rate variability: A meta-analysis and review of the literature. *Psychiatry Investigation*. 2018;15(3). doi:10.30773/pi.2017.08.17
22. Kordi M, Vahed A, Rezaee Talab F, Mazloun S, Lotfalizadeh M. Anxiety during pregnancy and preeclampsia: a case - control study. *Journal of Midwifery and Reproductive Health*. 2017;5(1). doi:10.22038/jmrh.2016.7881
23. Burden RJ, Janke EL, Brighthouse D. Hyperventilation-induced unconsciousness during labour. *British Journal of Anaesthesia*. 1994;73(6). doi:10.1093/bja/73.6.838
24. Hassanzadeh R, Abbas-Alizadeh F, Meedya S, Mohammad-Alizadeh-Charandabi S, Mirghafourvand M. Fear of childbirth, anxiety and depression in three groups of primiparous pregnant women not attending, irregularly attending and regularly attending childbirth preparation classes. *BMC Women's Health*. 2020;20(1). doi:10.1186/s12905-020-01048-9

25. Stamler LL. The participants' views of childbirth education: Is there congruency with an enablement framework for patient education? *Journal of Advanced Nursing*. 1998;28(5). doi:10.1046/j.1365-2648.1998.00812.x
26. Cavalcanti ACV, Henrique AJ, Brasil CM, Gabrielloni MC, Barbieri M. Complementary therapies in labor: randomized clinical trial. *Revista gaucha de enfermagem*. 2019;40. doi:10.1590/1983-1447.2019.20190026
27. Supriatiningsih, Herlina, Wulandari LA, Retno SN, Kanedi M. Effect of pelvic rocking exercise using the birth ball on fetal lie, attitude, and presentation. *International Journal of Women's Health and Reproduction Sciences*. 2019;7(4). doi:10.15296/ijwhr.2019.76
28. Dunning K, Lemasters G, Bhattacharya A. A major public health issue: The high incidence of falls during pregnancy. *Maternal and Child Health Journal*. Published online 2010. doi:10.1007/s10995-009-0511-0
29. Butler EE, Colón I, Druzin ML, Rose J. Postural equilibrium during pregnancy: Decreased stability with an increased reliance on visual cues. *American Journal of Obstetrics and Gynecology*. Published online 2006. doi:10.1016/j.ajog.2006.06.015
30. Jang J, Hsiao KT, Hsiao-Wecksler ET. Balance (perceived and actual) and preferred stance width during pregnancy. *Clinical Biomechanics*. 2008;23(4). doi:10.1016/j.clinbiomech.2007.11.011
31. Cho HY, Heijnen MJH, Craig BA, Rietdyk S. Falls in young adults: The effect of sex, physical activity, and prescription medications. *PLoS ONE*. 2021;16(4 April 2021). doi:10.1371/journal.pone.0250360
32. Yagil D. Beliefs, motives and situational factors related to pedestrians' self-reported behavior at signal-controlled crossings. *Transportation Research Part F: Traffic Psychology and Behaviour*. 2000;3(1). doi:10.1016/S1369-8478(00)00004-8
33. Tom A, Granié MA. Gender differences in pedestrian rule compliance and visual search at signalized and unsignalized crossroads. *Accident Analysis and Prevention*. 2011;43(5). doi:10.1016/j.aap.2011.04.012
34. Neder JA, Nery LE, Silva AC, Andreoni S, Whipp BJ. Maximal aerobic power and leg muscle mass and strength related to age in non-athletic males and females. *European Journal of Applied Physiology and Occupational Physiology*. 1999;79(6). doi:10.1007/s004210050547
35. Der G, Deary IJ. "Age and sex differences in reaction time in adulthood: Results from the United Kingdom Health and Lifestyle Survey": Correction. *Psychology and Aging*. 2009;24(1). doi:10.1037/a0015515
36. Nieves JW, Formica C, Ruffing J, et al. Males have larger skeletal size and bone mass than females, despite comparable body size. *Journal of Bone and Mineral Research*. 2005;20(3). doi:10.1359/JBMR.041005
37. Dufour AB, Broe KE, Nguyen USDT, et al. Foot pain: Is current or past footwear a factor? The Framingham Foot Study. *Arthritis Care and Research*. 2009;61(10):1352-1358. doi:10.1002/art.24733
38. Raab DM, Agre JC, McAdam M, Smith EL. Light resistance and stretching exercise in elderly women: Effect upon flexibility. *Archives of Physical Medicine and Rehabilitation*. 1988;69(4).
39. Swank AM, Funk DC, Durham MP, Roberts S. Adding weights to stretching exercise increases passive range of motion for healthy elderly. *Journal of strength and conditioning research / National Strength & Conditioning Association*. 2003;17(2):374-378. doi:10.1519/1533-4287(2003)017<0374:AWTSEI>2.0.CO;2
40. Takeda K, Yoshikata H, Imura M. Changes in posture control of women that fall during pregnancy. *International Journal of Women's Health and Reproduction Sciences*. 2018;6(3). doi:10.15296/ijwhr.2018.43
41. Marras WS, Davis KG, Granata KP. Trunk muscle activities during asymmetric twisting motions. *Journal of Electromyography and Kinesiology*. 1998;8(4). doi:10.1016/S1050-6411(98)00011-X
42. Preetha R, Solomon MJ. Comparison of ankle proprioception between pregnant and non pregnant women. *Online Journal of Health and Allied Sciences*. 2011;10(2).
43. Ramachandra P, Maiya AG, Kumar P, Kamath A. Ankle proprioception pattern in women across various trimesters of pregnancy and postpartum. *Online Journal of Health and Allied Sciences*. 2015;14(4).
44. Behm D, Colado JC. The effectiveness of resistance training using unstable surfaces and devices for rehabilitation. *International journal of sports physical therapy*. 2012;7(2):226-241.
45. Takeda K, Yoshikata H, Imura M. Do squat exercises with weight shift during pregnancy improve postural control? *International Journal of Women's Health and Reproduction Sciences*. 2019;7(1). doi:10.15296/ijwhr.2019.02
46. T T, Maeda Y. Dynamic standing balance ability accompanying sensory disturbance of the elderly. *Journal of the Society of Biomechanisms*. 2015;39(4):205-210.
47. Ikezoe T, Ichihashi N, Moriga T. Electromyographic Analysis of the Lower Extremities During Squatting : Effects of Changes in Sagittal Plane Center of Foot Pressure on Muscle Activity. *The Journal of Japanese Physical Therapy Association*. 2003;30(1). doi:10.15063/riagaku. KJ00001019687
48. Preszner-Domjan A, Nagy E, Sziver E, Feher-Kiss A, Horvath G, Kranicz J. When does mechanical plantar stimulation promote sensory re-weighting: Standing on a firm or compliant surface? *European Journal of Applied Physiology*. 2012;112(8). doi:10.1007/s00421-011-2277-5
49. Ohsugi H, Motozuka T, Sakuma T, Yokoyama S, MURATA S. Effect of the mechanical plantar stimulation for plantar cutaneous sensitivity and the toe gripping strength. *Japanese Journal of Health Promotion and Physical Therapy*. 2013;3(3). doi:10.9759/hppt.3.129
50. S K, T K, Iwatani M. Effects of foot sole stimulation on body sway. *Bulletin of Aino Gakuin*. 2006;20:37-40.

51. Adami R, Pagano J, Colombo M, et al. Reduction of movement in neurological diseases: Effects on neural stem cells characteristics. *Frontiers in Neuroscience*. 2018;12(MAY). doi:10.3389/fnins.2018.00336
52. Frontiers. Leg exercise is critical to brain and nervous system health. *Frontiers*. Published online May 23, 2018.
53. Juhl M, Strandberg-Larsen K, Larsen PS, et al. Occupational lifting during pregnancy and risk of fetal death in a large national cohort study. *Scandinavian Journal of Work, Environment and Health*. 2013;39(4). doi:10.5271/sjweh.3335
54. O'Connor PJ, Poudevigne MS, Cress ME, Motl RW, Clapp JF. Safety and efficacy of supervised strength training adopted in pregnancy. *Journal of physical activity & health*. 2011;8(3):309-320. doi:10.1016/j.biotechadv.2011.08.021. Secreted
55. Cobreros C. ICS | Abdominal Leak Point Pressure / Valsalva Leak Point Pressure. Published 2018. Accessed July 7, 2021. <https://www.ics.org/committees/standardisation/terminologydiscussions/abdominalvalsavaleakpointpressure>
56. K B, M M, B J. Valsalva versus straining: There is a distinct difference in resulting bladder neck and puborectalis muscle position. *Neurourology and urodynamics*. 2017;36(7):1860-1866. doi:10.1002/NAU.23197
57. H T, C K, M K, E K, M L, A R. Proof of concept: differential effects of Valsalva and straining maneuvers on the pelvic floor. *European journal of obstetrics, gynecology, and reproductive biology*. 2012;164(2):227-233. doi:10.1016/J.EJOGRB.2012.06.019
58. Dabral A, Pawar P, Bharti R, Kumari A, Batra A, Arora R. Upright kneeling position during second stage of labor: a pilot study. *International Journal of Reproduction, Contraception, Obstetrics and Gynecology*. 2018;7(2). doi:10.18203/2320-1770.ijrcog20175930
59. Berta M, Lindgren H, Christensson K, Mekonnen S, Adefris M. Effect of maternal birth positions on duration of second stage of labor: Systematic review and meta-analysis. *BMC Pregnancy and Childbirth*. 2019;19(1). doi:10.1186/s12884-019-2620-0
60. Walusinski O. Yawning: Unsuspected avenue for a better understanding of arousal and interoception. *Medical Hypotheses*. 2006;67(1). doi:10.1016/j.mehy.2006.01.020
61. Bertolucci LF. Pandiculation: Nature's way of maintaining the functional integrity of the myofascial system? *Journal of Bodywork and Movement Therapies*. 2011;15(3). doi:10.1016/j.jbmt.2010.12.006
62. de Vries JIP, Visser GHA, Prechtl HFR. The emergence of fetal behaviour. I. Qualitative aspects. *Early Human Development*. 1982;7(4). doi:10.1016/0378-3782(82)90033-0
63. Lewis E. RACGP - Exercise in pregnancy. *Australian family physician*. 2014;43(8).
64. Czaprowski D, Afeltowicz A, Gebicka A, et al. Abdominal muscle EMG-activity during bridge exercises on stable and unstable surfaces. *Physical Therapy in Sport*. 2014;15(3). doi:10.1016/j.ptsp.2013.09.003
65. Lehman GJ, Hoda W, Oliver S. Trunk muscle activity during bridging exercises on and off a Swiss ball. *Chiropractic and Osteopathy*. 2005;13. doi:10.1186/1746-1340-13-14
66. Lehman GJ, Gordon T, Langley J, Pemrose P, Tregaskis S. Replacing a Swiss ball for an exercise bench causes variable changes in trunk muscle activity during upper limb strength exercises. *Dynamic Medicine*. 2005;4. doi:10.1186/1476-5918-4-6
67. Kerr MG, Scott DB, Samuei E. Studies of the Inferior Vena Cava in Late Pregnancy. *British Medical Journal*. 1964;1(5382). doi:10.1136/bmj.1.5382.522
68. Humphries A, Stone P, Mirjalili SA. The collateral venous system in late pregnancy: A systematic review of the literature. *Clinical Anatomy*. 2017;30(8). doi:10.1002/ca.22959
69. Dunsky A. The Effect of Balance and Coordination Exercises on Quality of Life in Older Adults: A Mini-Review. *Frontiers in Aging Neuroscience*. 2019;11. doi:10.3389/fnagi.2019.00318
70. Dunsky A, Yahalom T, Arnon M, Lidor R. The use of step aerobics and the stability ball to improve balance and quality of life in community-dwelling older adults – a randomized exploratory study. *Archives of Gerontology and Geriatrics*. 2017;71. doi:10.1016/j.archger.2017.03.003
71. Bae Y. Saccadic eye movement improves plantar sensation and postural balance in elderly women. *Tohoku Journal of Experimental Medicine*. 2016;239(2). doi:10.1620/tjem.239.159
72. Romero-Gallardo, Roldan-Reoyo, J. Castro-Piñero, O. Ocón, V.A Aparicio, A Soriano-Maldonado Assessing physical fitness during pregnancy: validity and reliability of fitness tests, and relationship with maternal and neonatal health-related outcomes. A systematic review. *medRxiv* 2021.06.26.21259584; doi: <https://doi.org/10.1101/2021.06.26.21259584>

REFERENCES

1. Clapp JF, Little KD. Effect of recreational exercise on pregnancy weight gain and subcutaneous fat deposition. *Medicine and Science in Sports and Exercise*. 1995;27(2). doi:10.1249/00005768-199502000-00004
2. Barakat R, Lucia A, Ruiz JR. Resistance exercise training during pregnancy and newborn's birth size: A randomised controlled trial. *International Journal of Obesity*. 2009;33(9). doi:10.1038/ijo.2009.150
3. Brankston GN, Mitchell BF, Ryan EA, Okun NB. Resistance exercise decreases the need for insulin in overweight women with gestational diabetes mellitus. *American Journal of Obstetrics and Gynecology*. Published online 2004. doi:10.1016/S0002-9378(03)00951-7
4. Boscaglia N, Skouteris H, Wertheim EH. Changes in body image satisfaction during pregnancy: A comparison of high exercising and low exercising women. *Australian and New Zealand Journal of Obstetrics and Gynaecology*. 2003;43(1). doi:10.1046/j.0004-8666.2003.00016.x
5. Marquez-Sterling S, Perry AC, Kaplan TA, Halberstein RA, Signorile JF. Physical and psychological changes with vigorous exercise in sedentary primigravidae. *Medicine and Science in Sports and Exercise*. 2000;32(1). doi:10.1097/00005768-200001000-00010
6. Wallace AM, Boyer DB, Dan A, Holm K. Aerobic exercise, maternal self-esteem, and physical discomforts during pregnancy. *Journal of Nurse-Midwifery*. 1986;31(6). doi:10.1016/0091-2182(86)90034-0
7. Paluska SA, Schwenk TL. Physical activity and mental health: Current concepts. *Sports Medicine*. 2000;29(3). doi:10.2165/00007256-200029030-00003
8. Da Costa D, Rippen N, Dritsa M, Ring A. Self-reported leisure-time physical activity during pregnancy and relationship to psychological well-being. *Journal of Psychosomatic Obstetrics and Gynecology*. 2003;24(2). doi:10.3109/01674820309042808
9. Kocic IS, Ivanisevic M, Uremovic M, Kocic T, Pisot R, Simunic B. Effect of therapeutic exercises on pregnancy-related low back pain and pelvic girdle pain: Secondary analysis of a randomized controlled trial. *Journal of Rehabilitation Medicine*. Published online 2017. doi:10.2340/16501977-2196
10. Saeterbakken AH, Fimland MS. Effects of body position and loading modality on muscle activity and strength in shoulder presses. *Journal of Strength and Conditioning Research*. 2013;27(7). doi:10.1519/JSC.0b013e318276b873
11. O'Connor PJ, Poudevigne MS, Cress ME, Motl RW, Clapp JF. Safety and efficacy of supervised strength training adopted in pregnancy. *Journal of physical activity & health*. 2011;8(3):309-320. doi:10.1016/j.biotechadv.2011.08.021. Secreted
12. Bgeginski R, Almada BP, Martins Krueh LF. Cardiorespiratory responses of pregnant and nonpregnant women during resistance exercise. *Journal of Strength and Conditioning Research*. 2015;29(3). doi:10.1519/JSC.0000000000000671
13. Zemet R, Orvieto R, Watad H, et al. The association between physical activity level and pregnancy rate following embryo transfer: A prospective study. *Reproductive BioMedicine Online*. Published online January 2021. doi:10.1016/J.RBMO.2021.01.013
14. Kuo C, Jamieson DJ, McPheeters ML, Meikle SF, Posner SF. Injury hospitalizations of pregnant women in the United States, 2002. *American Journal of Obstetrics and Gynecology*. Published online 2007. doi:10.1016/j.ajog.2006.09.015
15. Fierl KP, Olsén MF, Glantz A, Larsson M. Experiences of exercise during pregnancy among women who perform regular resistance training: A qualitative study. *Physical Therapy*. Published online 2014. doi:10.2522/ptj.20120432
16. Ward-Ritacco C, Poudevigne MS, Oconnor PJ. Muscle strengthening exercises during pregnancy are associated with increased energy and reduced fatigue. *Journal of Psychosomatic Obstetrics and Gynecology*. Published online 2016. doi:10.3109/0167482X.2016.1155552
17. Kinnunen TI, Pasanen M, Aittasalo M, et al. Preventing excessive weight gain during pregnancy - A controlled trial in primary health care. *European Journal of Clinical Nutrition*. 2007;61(7). doi:10.1038/sj.ejcn.1602602
18. Schoenfeld B. Resistance training during pregnancy: Safe and effective program design. *Strength and Conditioning Journal*. 2011;33(5). doi:10.1519/SSC.0b013e31822ec2d8
19. Bergquist R, Iversen VM, Mork PJ, Fimland MS. Muscle Activity in Upper-Body Single-Joint Resistance Exercises with Elastic Resistance Bands vs. Free Weights. *Journal of Human Kinetics*. 2018;61(1). doi:10.1515/hukin-2017-0137
20. Yoo WG. Effects of pulling direction on upper trapezius and rhomboid muscle activity. *Journal of Physical Therapy Science*. 2017;29(6). doi:10.1589/jpts.29.1043
21. Paine RM, Voight M. The role of the scapula. *The Journal of orthopaedic and sports physical therapy*. 1993;18:386-391.
22. Ramos EMC, de Toledo-Arruda AC, Fosco LC, et al. The effects of elastic tubing-based resistance training compared with conventional resistance training in patients with moderate chronic obstructive pulmonary disease: A randomized clinical trial. *Clinical Rehabilitation*. 2014;28(11). doi:10.1177/0269215514527842
23. Kim TW, An DI, Lee HY, Jeong HY, Kim DH, Sung YH. Effects of elastic band exercise on subjects with rounded shoulder posture and forward head posture. *Journal of Physical Therapy Science*. 2016;28(6). doi:10.1589/jpts.28.1733

24. McKay Denise Renee. Observing Mothers Lifting Their Children in Their Own Home to Identify Factors Which Might Give Rise to Musculoskeletal Disorders. Published online 2008.
25. Amaral LQ. Mechanical analysis of infant carrying in hominoids. *Naturwissenschaften*. 2008;95(4):281-292. doi:10.1007/s00114-007-0325-0
26. do Amaral LQ. Early hominid physical evolution. *Human Evolution*. 1989;4(1):33-44. doi:10.1007/BF02436417
27. Kalliokoski P, Rodhe N, Bergqvist Y, Löfvander M. Long-term adherence and effects on grip strength and upper leg performance of prescribed supplemental vitamin D in pregnant and recently pregnant women of Somali and Swedish birth with 25-hydroxyvitamin D deficiency: a before-and-after treatment study. *BMC pregnancy and childbirth*. 2016;16(1):353. doi:10.1186/s12884-016-1117-3
28. Iversen VM, Mork PJ, Vasseljen O, Bergquist R, Fimland MS. Multiple-joint exercises using elastic resistance bands vs. conventional resistance-training equipment: A cross-over study. *European Journal of Sport Science*. 2017;17(8). doi:10.1080/17461391.2017.1337229
29. Escamilla RF, Yamashiro K, Paulos L, Andrews JR. Shoulder muscle activity and function in common shoulder rehabilitation exercises. *Sports Medicine*. 2009;39(8). doi:10.2165/00007256-200939080-00004
30. Myers JB, Pasquale MR, Laudner KG, Sell TC, Bradley JP, Lephart SM. On-the-field resistance-tubing exercises for throwers: An electromyographic analysis. *Journal of Athletic Training*. 2005;40(1). doi:10.1016/s0162-0908(08)70347-7
31. Andersen LL, Andersen CH, Mortensen OS, Poulsen OM, Bjørnlund IBT, Zebis MK. Muscle activation and perceived loading during rehabilitation exercises: Comparison of dumbbells and elastic resistance. *Physical Therapy*. 2010;90(4). doi:10.2522/ptj.20090167
32. Ylinen J, Takala EP, Nykänen M, et al. Active Neck Muscle Training in the Treatment of Chronic Neck Pain in Women: A Randomized Controlled Trial. *Journal of the American Medical Association*. 2003;289(19). doi:10.1001/jama.289.19.2509
33. Kesikburun S, Güzelkücüük Ü, Fidan U, Demir Y, Ergün A, Tan AK. Musculoskeletal pain and symptoms in pregnancy: a descriptive study. *Therapeutic Advances in Musculoskeletal Disease*. 2018;10(12). doi:10.1177/1759720X18812449
34. Oliveira LF, Matta TT, Alves DS, Garcia MAC, Vieira TMM. Effect of the shoulder position on the biceps brachii EMG in different dumbbell curls. *Journal of Sports Science and Medicine*. 2009;8(1).
35. Kleiber T, Kunz L, Disselhorst-Klug C. Muscular coordination of biceps brachii and brachioradialis in elbow flexion with respect to hand position. *Frontiers in Physiology*. 2015;6(Aug). doi:10.3389/fphys.2015.00215
36. Chalmers PN, Cip J, Trombley R, et al. Glenohumeral function of the long head of the biceps muscle: An electromyographic analysis. *Orthopaedic Journal of Sports Medicine*. 2014;2(2). doi:10.1177/2325967114523902
37. Oliveira LF, Matta TT, Alves DS, Garcia MAC, Vieira TMM. Effect of the shoulder position on the biceps brachii EMG in different dumbbell curls. *Journal of Sports Science and Medicine*. 2009;8(1).
38. Ghigiarelli JJ, Nagle EF, Gross FL, Robertson RJ, Irrgang JJ, Myslinski T. The effects of a 7-week heavy elastic band and weight chain program on upper-body strength and upper-body power in a sample of division 1-AA football players. *Journal of Strength and Conditioning Research*. 2009;23(3). doi:10.1519/JSC.0b013e3181a2b8a2
39. Waller M, Piper T, Miller J. Overhead pressing power/strength movements. *Strength and Conditioning Journal*. 2009;31(5). doi:10.1519/SSC.0b013e3181b95a49
40. Kroell J, Mike J. Exploring the standing barbell overhead press. *Strength and Conditioning Journal*. 2017;39(6). doi:10.1519/SSC.0000000000000324
41. McKean MR, Burkett BJ. Overhead shoulder press - In front of the head or behind the head? *Journal of Sport and Health Science*. 2015;4(3). doi:10.1016/j.jshs.2013.11.007
42. Dicus JR, Holmstrup ME, Shuler KT, Rice TT, Raybuck SD, Siddons CA. Stability of Resistance Training Implement alters EMG Activity during the Overhead Press. *International journal of exercise science*. 2018;11(1).
43. Whitehead PN, Schilling BK, Stone MH, Kilgore JL, Chiu LZF. Snatch technique of United States national level weightlifters. *Journal of Strength and Conditioning Research*. 2014;28(3). doi:10.1519/JSC.0b013e3182a73e5a
44. Moseley JB, Jobe FW, Pink M, Perry J, Tibone J. EMG analysis of the scapular muscles during a shoulder rehabilitation program. *The American journal of sports medicine*. 20(2):128-134. Accessed February 17, 2015. <http://www.ncbi.nlm.nih.gov/pubmed/1558238>
45. Handa T, Kato H, Hasegawa S, Okada J, Kato K. Comparative electromyographical investigation of the biceps brachii, latissimus dorsi, and trapezius muscles during five pull exercises. *Japanese Journal of Physical Fitness and Sports Medicine*. 2005;54(2). doi:10.7600/jspfsm.54.159
46. Lehman GJ, Buchan DD, Lundy A, Myers N, Nalborczyk A. Variations in muscle activation levels during traditional latissimus dorsi weight training exercises: An experimental study. *Dynamic Medicine*. 2004;3. doi:10.1186/1476-5918-3-4
47. Treuth MS, Butte NF, Puyau M. Pregnancy-related changes in physical activity, fitness, and strength. *Medicine and Science in Sports and Exercise*. 2005;37(5). doi:10.1249/01.MSS.0000161749.38453.02
48. Evenson KR, Barakat R, Brown WJ, et al. Guidelines for Physical Activity During Pregnancy: Comparisons From Around the World. *American Journal of Lifestyle Medicine*. Published online 2014. doi:10.1177/1559827613498204