

REFERENCES

1. Sinaki M, Mikkelsen BA. Postmenopausal spinal osteoporosis: flexion versus extension exercises. *Arch. Phys. Med. Rehabil.* 1984;65(10):593-6.
2. Wirth B, Amstalden M, Perk M, Boutellier U, Humphreys BK. Respiratory dysfunction in patients with chronic neck pain - influence of thoracic spine and chest mobility. *Man. Ther.* 2014;19(5):440-4.
3. Sung PS, Lammers AR, Danial P. Different parts of erector spinae muscle fatigability in subjects with and without low back pain. *Spine J.* 2009;9:115-120.
4. Theisen C, van Wagensveld A, Timmesfeld N, et al. Co-occurrence of outlet impingement syndrome of the shoulder and restricted range of motion in the thoracic spine--a prospective study with ultrasound-based motion analysis. *BMC Musculoskelet. Disord.* 2010;11:135.
5. Katzman WB, Wanek L, Shepherd JA, Sellmeyer DE. Age-related hyperkyphosis: its causes, consequences, and management. *J. Orthop. Sports Phys. Ther.* 2010;40:352-360.
6. Ball JM, Cagle P, Johnson BE, Lucasey C, Lukert BP. Spinal extension exercises prevent natural progression of kyphosis. *Osteoporos. Int.* 2009;20(3):481-9.
7. Quek J, Pua YH, Clark RA, Bryant AL. Effects of thoracic kyphosis and forward head posture on cervical range of motion in older adults. *Man. Ther.* 2013;18:65-71.
8. Pawlowsky SB, Hamel KA, Katzman WB. Stability of kyphosis, strength, and physical performance gains 1 year after a group exercise program in community-dwelling hyperkyphotic older women. *Arch. Phys. Med. Rehabil.* 2009;90(2):358-61.
9. Katzman WB, Sellmeyer DE, Stewart AL, Wanek L, Hamel KA. Changes in flexed posture, musculoskeletal impairments, and physical performance after group exercise in community-dwelling older women. *Arch. Phys. Med. Rehabil.* 2007;88(2):192-9.
10. Miyakoshi N, Hongo M, Maekawa S, Ishikawa Y, Shimada Y, Itoi E. Back extensor strength and lumbar spinal mobility are predictors of quality of life in patients with postmenopausal osteoporosis. *Osteoporos. Int.* 2007;18(10):1397-403.
11. Sinaki M. Exercise for patients with osteoporosis: management of vertebral compression fractures and trunk strengthening for fall prevention. *PM R* 2012;4(11):882-8.
12. Park K-N, Oh J-S. Influence of thoracic flexion syndrome on proprioception in the thoracic spine. *J. Phys. Ther. Sci.* 2014;26(10):1549-50.
13. Tovin BJ. Prevention and Treatment of Swimmer's Shoulder. *N. Am. J. Sports Phys. Ther.* 2006;1:166-175.
14. Tripp BL, Yochem EM, Uhl TL. Recovery of upper extremity sensorimotor system acuity in baseball athletes after a throwing-fatigue protocol. *J. Athl. Train.* 2007;42:452-457.
15. Itoi E, Sinaki M. Effect of back-strengthening exercise on posture in healthy women 49 to 65 years of age. *Mayo Clin. Proc.* 1994;69(11):1054-9.
16. Sinaki M, Itoi E, Wahner HW, et al. Stronger back muscles reduce the incidence of vertebral fractures: a prospective 10 year follow-up of postmenopausal women. *Bone* 2002;30(6):836-41.
17. Sinaki M. Yoga spinal flexion positions and vertebral compression fracture in osteopenia or osteoporosis of spine: case series. *Pain Pract.* 2013;13(1):68-75.
18. Cools AM, Dewitte V, Lanszweert F, et al. Rehabilitation of scapular muscle balance: which exercises to prescribe? *Am. J. Sports Med.* 2007;35:1744-1751.
19. Kavanagh JJ, Morrison S, Barrett RS. Lumbar and cervical erector spinae fatigue elicit compensatory postural responses to assist in maintaining head stability during walking. *J. Appl. Physiol.* 2006;101:1118-1126.
20. De Groot MH, van der Jagt-Willems HC, van Campen JPCM, Lems WF, Beijnen JH, Lamoth CJC. A flexed posture in elderly patients is associated with impairments in postural control during walking. *Gait Posture* 2014;39:767-772.
21. Iveson BD, McLaughlin SL, Todd RH, Gerber JP. Reliability and exploration of the side-lying thoraco-lumbar rotation measurement (strm). *N. Am. J. Sports Phys. Ther.* 2010;5(4):201-7.
22. Bagg SD, Forrest WJ. Electromyographic study of the scapular rotators during arm abduction in the scapular plane. *Am. J. Phys. Med.* 1986;65:111-124.
23. Ludewig PM, Cook TM. Alterations in shoulder kinematics and associated muscle activity in people with symptoms of shoulder impingement. *Phys. Ther.* 2000;80:276-291.
24. McCabe RA, Orishimo KF, McHugh MP, Nicholas SJ. Surface electromyographic analysis of the lower trapezius muscle during exercises performed below ninety degrees of shoulder elevation in healthy subjects. *N. Am. J. Sports Phys. Ther.* 2007;2:34-43.
25. Otis JC, Jiang CC, Wickiewicz TL, Peterson MG, Warren RF, Santner TJ. Changes in the moment arms of the rotator cuff and deltoid muscles with abduction and rotation. *J. Bone Joint Surg. Am.* 1994;76(5):667-76.
26. Cain PR, Mutschler TA, Fu FH, Lee SK. Anterior stability of the glenohumeral joint. A dynamic model. *Am. J. Sports Med.* 15(2):144-8.
27. Kronberg M, Németh G, Broström LA. Muscle activity and coordination in the normal shoulder. An electromyographic study. *Clin. Orthop. Relat. Res.* 1990;(257):76-85.
28. Thompson WO, Debski RE, Boardman ND, et al. A biomechanical analysis of rotator cuff deficiency in a cadaveric model. *Am. J. Sports Med.* 24(3):286-92.

29. Tsai NT, McClure PW, Karduna AR. Effects of muscle fatigue on 3-dimensional scapular kinematics. *Arch. Phys. Med. Rehabil.* 2003;84:1000-1005.
30. Meurer A, Grober J, Betz U, Decking J, Rompe J-D. [BWS-mobility in patients with an impingement syndrome compared to healthy subjects--an inclinometric study. *Z. Orthop. Ihre Grenzgeb.* 142(4):415-20.
31. Tarnanen SP, Siekkinen KM, Häkkinen AH, Mälikä EA, Kautiainen HJ, Ylinen JJ. Core muscle activation during dynamic upper limb exercises in women. *J. Strength Cond. Res.* 2012;1.
32. Andersen CH, Zebis MK, Saervoll C, et al. Scapular Muscle Activity from Selected Strengthening Exercises Performed at Low and High Intensities. *J. Strength Cond. Res.* 2012;26:2408-2416.

REFERENCES

1. Yoo W-G. Effect of thoracic stretching, thoracic extension exercise and exercises for cervical and scapular posture on thoracic kyphosis angle and upper thoracic pain. *J Phys Ther Sci*. 2013;25(11):1509-1510.
2. Sinaki M, Mikkelsen BA. Postmenopausal spinal osteoporosis: flexion versus extension exercises. *Arch Phys Med Rehabil*. 1984;65(10):593-596.
3. Wirth B, Amstalden M, Perk M, Boutellier U, Humphreys BK. Respiratory dysfunction in patients with chronic neck pain - influence of thoracic spine and chest mobility. *Man Ther*. 2014;19(5):440-444.
4. Lau KT, Cheung KY, Chan kwok B, Chan MH, Lo KY, Wing Chiu TT. Relationships between sagittal postures of thoracic and cervical spine, presence of neck pain, neck pain severity and disability. *Man Ther*. 2010;15(5):457-462.
5. Sung PS, Lammers AR, Danial P. Different parts of erector spinae muscle fatigability in subjects with and without low back pain. *Spine J*. 2009;9:115-120.
6. Harrison DE, Cailliet R, Harrison DD, Janik TJ. How do anterior/posterior translations of the thoracic cage affect the sagittal lumbar spine, pelvic tilt, and thoracic kyphosis? *Eur Spine J*. 2002;11(3):287-293.
7. Theisen C, van Wagensveld A, Timmesfeld N, et al. Co-occurrence of outlet impingement syndrome of the shoulder and restricted range of motion in the thoracic spine--a prospective study with ultrasound-based motion analysis. *BMC Musculoskelet Disord*. 2010;11:135.
8. Kuhn JE, Plancher KD, Hawkins RJ. Symptomatic scapulothoracic crepitus and bursitis. *J Am Acad Orthop Surg*. 6(5):267-273.
9. Griegel-Morris P, Larson K, Mueller-Klaus K, Oatis CA. Incidence of common postural abnormalities in the cervical, shoulder, and thoracic regions and their association with pain in two age groups of healthy subjects. *Phys Ther*. 1992;72(6):425-431.
10. Quek J, Pua YH, Clark RA, Bryant AL. Effects of thoracic kyphosis and forward head posture on cervical range of motion in older adults. *Man Ther*. 2013;18(1):65-71.
11. Nimbarte AD, Zreiqat M, Ning X. Impact of shoulder position and fatigue on the flexion-relaxation response in cervical spine. *Clin Biomech*. 2014;29(3):277-282.
12. Maroufi N, Ahmadi A, Mousavi Khatir SR. A comparative investigation of flexion relaxation phenomenon in healthy and chronic neck pain subjects. *Eur Spine J*. 2013;22(1):162-168.
13. Pialasse JP, Dubois JD, Pilon Choquette MH, Lafond D, Descarreaux M. Kinematic and electromyographic parameters of the cervical flexion-relaxation phenomenon: The effect of trunk positioning. *Ann Phys Rehabil Med*. 2009;52(1):49-58.
14. Neer CS. Anterior acromioplasty for the chronic impingement syndrome in the shoulder. 1972. *J Bone Joint Surg Am*. 2005;87(6):1399.
15. Lazaro R. Shoulder impingement syndromes: implications on physical therapy examination and intervention. *J Japanese Phys Ther Assoc* 2005;8(1):1-7.
16. Lewis JS, Wright C, Green A. Subacromial Impingement Syndrome: The Effect of Changing Posture on Shoulder Range of Movement. *J Orthop Sports Phys Ther*. 2005; 35(2):72-87
17. Edmondston SJ, Waller R, Vallin P, Holthe A, Noebauer A, King E. Thoracic spine extension mobility in young adults: influence of subject position and spinal curvature. *J Orthop Sports Phys Ther*. 2011;41(4):266-273.
18. Fernandez-de-las-Pen As, J F-C, Ap F, R L-V, Jc M-P. Dorsal manipulation in whiplash injury treatment: A randomized controlled trial. In: *Journal of Whiplash Related Disorders. Vol 3.*; 2004:55-72.
19. Cleland JA, Childs JD, McRae M, Palmer JA, Stowell T. Immediate Effects of Thoracic Manipulation in Patients with Neck Pain: A Randomized Clinical Trial. *Man Ther*. 2005;10(2):127-135
20. Cleland JA, Glynn P, Whitman JM, Eberhart SL, MacDonald C, Childs JD. Short-term effects of thrust versus nonthrust mobilization/manipulation directed at the thoracic spine in patients with neck pain: a randomized clinical trial. *Phys Ther*. 2007;87(4):431-440.
21. Krauss J, Creighton D, Ely JD, Podlowska-Ely J. The immediate effects of upper thoracic translational spinal manipulation on cervical pain and range of motion: a randomized clinical trial. *J Man Manip Ther*. 2008;16(2):93-99.
22. González-Iglesias J, Fernández-de-las-Peñas C, Cleland JA, Gutiérrez-Vega M del R. Thoracic Spine Manipulation for the Management of Patients with Neck Pain: A Randomized Clinical Trial. *J Orthop Sports Phys Ther*. 2009;39(1):20-27
23. Horton SJ. Acute Locked Thoracic Spine: Treatment with a Modified SNAG. *Manual therapy* 7,103-107 (2002).
24. Lee DG. Rotational instability of the mid-thoracic spine: assessment and management. *Man Ther*. 1996;1(5):234-241.
25. Schiller L. Effectiveness of spinal manipulative therapy in the treatment of mechanical thoracic spine pain: a pilot randomized clinical trial. *J Manipulative Physiol Ther*. 2001;24(6):394-401.
26. Itoi E, Sinaki M. Effect of back-strengthening exercise on posture in healthy women 49 to 65 years of age. *Mayo Clin Proc*. 1994;69(11):1054-1059.
27. Ball JM, Cagle P, Johnson BE, Lucasey C, Lukert BP. Spinal extension exercises prevent natural progression of kyphosis. *Osteoporos Int*. 2009;20(3):481-489.
28. Benedetti MG, Berti L, Presti C, Frizziero A, Giannini S. Effects of an adapted physical activity program in a group of elderly subjects with flexed posture: clinical and instrumental assessment. *J Neuroeng Rehabil*. 2008;5:32.

29. Katzman WB, Sellmeyer DE, Stewart AL, Wanek L, Hamel KA. Changes in flexed posture, musculoskeletal impairments, and physical performance after group exercise in community-dwelling older women. *Arch Phys Med Rehabil.* 2007;88(2):192-199.
30. Pawlowsky SB, Hamel KA, Katzman WB. Stability of kyphosis, strength, and physical performance gains 1 year after a group exercise program in community-dwelling hyperkyphotic older women. *Arch Phys Med Rehabil.* 2009;90(2):358-361.
31. Sinaki M, Brey RH, Hughes CA, Larson DR, Kaufman KR. Significant reduction in risk of falls and back pain in osteoporotic-kyphotic women through a Spinal Proprioceptive Extension Exercise Dynamic (SPEED) program. *Mayo Clin Proc.* 2005;80(7):849-855.
32. Pfeifer M, Begerow B, Minne HW. Effects of a new spinal orthosis on posture, trunk strength, and quality of life in women with postmenopausal osteoporosis: a randomized trial. *Am J Phys Med Rehabil.* 2004;83(3):177-186.
33. Greig AM, Bennell KL, Briggs AM, Hodges PW. Postural taping decreases thoracic kyphosis but does not influence trunk muscle electromyographic activity or balance in women with osteoporosis. *Man Ther.* 2008;13(3):249-257.
34. Balzini L, Vannucchi L, Benvenuti F, et al. Clinical characteristics of flexed posture in elderly women. *J Am Geriatr Soc.* 2003;51(10):1419-1426.
35. Greendale G a., Huang MH, Karlamangla AS, Seeger L, Crawford S. Yoga decreases kyphosis in senior women and men with adult-onset hyperkyphosis: Results of a randomized controlled trial. *J Am Geriatr Soc.* 2009;57(9):1569-1579.
36. Katzman WB, Wanek L, Shepherd JA, Sellmeyer DE. Age-Related Hyperkyphosis: Its Causes, Consequences, and Management. *J Orthop Sport Phys Ther.* 2010;40(6):352-360.
37. Ferrucci L, Bandinelli S, Cavazzini C, et al. Neurological examination findings to predict limitations in mobility and falls in older persons without a history of neurological disease. *Am J Med.* 2004;116(12):807-815.
38. Horak FB, Shupert CL, Mirka a. Components of postural dyscontrol in the elderly: a review. *Neurobiol Aging.* 1989;10(6):727-738.
39. Horak FB, Diener HC, Nashner LM. Influence of central set on human postural responses. *J Neurophysiol.* 1989;62(4):841-853.
40. Sinaki M, Itoi E, Rogers JW, Bergstralh EJ, Wahner HW. Correlation of back extensor strength with thoracic kyphosis and lumbar lordosis in estrogen-deficient women. *Am J Phys Med Rehabil.* 1996;75(5):370-374.
41. Katzman WB, Wanek L, Shepherd JA, Sellmeyer DE. Age-related hyperkyphosis: its causes, consequences, and management. *J Orthop Sports Phys Ther.* 2010;40:352-360.
42. Schneider DL, Von Mühlen DG, Barrett-Connor E, Sartoris DJ. Kyphosis does not equal vertebral fractures: The Rancho Bernardo Study. *J Rheumatol.* 2004;31:747-752.
43. Goh S, Price RI, Leedman PJ, Singer KP. The relative influence of vertebral body and intervertebral disc shape on thoracic kyphosis. *Clin Biomech.* 1999;14(7):439-448.
44. Manns RA, Haddaway MJ, McCall IW, Cassar Pullicino V, and Davie MWJ. The relative contribution of disc and vertebral morphometry to the angle of kyphosis in asymptomatic subjects. *Clin Radiol.* 1996;(51):258-262.
45. Sinaki M, Itoi E, Wahner HW, et al. Stronger back muscles reduce the incidence of vertebral fractures: a prospective 10 year follow-up of postmenopausal women. *Bone.* 2002;30(6):836-841.
46. Brocklehurst JC, Robertson D, James-Groom P. Skeletal deformities in the elderly and their effect on postural sway. *J Am Geriatr Soc.* 1982;30(8):534-538.
47. Chow RK, Harrison JE. Relationship of kyphosis to physical fitness and bone mass on post-menopausal women. *Am J Phys Med.* 1987;66(5):219-227.
48. Wang CH, McClure P, Pratt NE, Nobiletti R. Stretching and strengthening exercises: Their effect on three-dimensional scapular kinematics. *Arch Phys Med Rehabil.* 1999;80(8):923-929.
49. Gold DT, Shipp KM, Pieper CF, Duncan PW, Martinez S, Lyles KW. Group treatment improves trunk strength and psychological status in older women with vertebral fractures: Results of a randomized, clinical trial. *J Am Geriatr Soc.* 2004;52(9):1471-1478.
50. Dolan KJ, Green A. Lumbar spine reposition sense: The effect of a "slouched" posture. *Man Ther.* 2006;11(3):202-207.
51. Edwards IJ, Dallas ML, Poole SL, et al. The neurochemically diverse intermedius nucleus of the medulla as a source of excitatory and inhibitory synaptic input to the nucleus tractus solitarius. *J Neurosci.* 2007;27(31):8324-8333.
52. Potts JT, Paton JFR, Mitchell JH, et al. Contraction-sensitive skeletal muscle afferents inhibit arterial baroreceptor signalling in the nucleus of the solitary tract: Role of intrinsic GABA interneurons. *Neuroscience.* 2003;119(1):201-214.
53. Bolton PS, Kerman IA, Woodring SF, Yates BJ. Influences of neck afferents on sympathetic and respiratory nerve activity. *Brain Res Bull.* 1998;47(5):413-419.
54. Bolton PS, Ray CA. Neck afferent involvement in cardiovascular control during movement. *Brain Res Bull.* 2000;53(1):45-49.
55. Edwards IJ, Lall VK, Paton JF, et al. Neck muscle afferents influence oromotor and cardiorespiratory brainstem neural circuits. *Brain Struct Funct.* 2014:1-16.
56. Helgadottir H, Kristjansson E, Einarsson E, Karduna A, Jonsson H. Altered activity of the serratus anterior during unilateral arm elevation in patients with cervical disorders. *J Electromyogr Kinesiol.* 2011;21(6):947-953.
57. Wegner S, Jull G, O'Leary S, Johnston V. The effect of a scapular postural correction strategy on trapezius activity in patients with neck pain. *Man Ther.* 2010;15:562-566.

58. Moezy A, Sepehrifar S, Solaymani Dodaran M. The effects of scapular stabilization based exercise therapy on pain, posture, flexibility and shoulder mobility in patients with shoulder impingement syndrome: a controlled randomized clinical trial. *Med J Islam Repub Iran*. 2014;28:87.
59. Kibler W Ben, Sciascia AD, Uhl TL, Tambay N, Cunningham T. Electromyographic Analysis of Specific Exercises for Scapular Control in Early Phases of Shoulder Rehabilitation. *Am J Sports Med*. 2008;36(9):1789-1798
60. Nuzzo JL, McCauley GO, Cormie P, Cavill MJ, McBride JM. Trunk muscle activity during stability ball and free weight exercises. *J Strength Cond Res*. 2008;22(1):95-102.
61. Drake JDM, Fischer SL, Brown SHM, Callaghan JP. Do Exercise Balls Provide a Training Advantage for Trunk Extensor Exercises? A Biomechanical Evaluation. *J Manipulative Physiol Ther*. 2006;29(5):354-362.
62. Borghuis J, Hof AL, Lemmink K a PM. The importance of sensory-motor control in providing core stability: Implications for measurement and training. *Sport Med*. 2008;38(11):893-916.
63. Anderson K, Behm DG. The impact of instability resistance training on balance and stability. *Sport Med*. 2005;35(1):43-53.
64. Behm D, Colado JC. The effectiveness of resistance training using unstable surfaces and devices for rehabilitation. *Int J Sports Phys Ther*. 2012;7(2):226-241.
65. Jang H-J, Kim M-J, Kim S-Y. Effect of thorax correction exercises on flexed posture and chest function in older women with age-related hyperkyphosis. *J Phys Ther Sci*. 2015;27(4):1161-1164.
66. O'Sullivan P, Twomey L, Allison G, Sinclair J, Miller K. Altered patterns of abdominal muscle activation in patients with chronic low back pain. *Aust J Physiother*. 1997;43(2):91-98.
67. Kweon M, Hong S, Jang GU, Ko YM, Park JW. The Neural Control of Spinal Stability Muscles during Different Respiratory Patterns. *J Phys Ther Sci*. 2013;25(11):1421-1424.
68. Hodges PW, Heijnen I, Gandevia SC. Postural activity of the diaphragm is reduced in humans when respiratory demand increases. *J Physiol*. 2001;537(Pt 3):999-1008.
69. Gandevia SC, Butler JE, Hodges PW, Taylor JL. Balancing acts: Respiratory sensations, motor control and human posture. *Clin Exp Pharmacol Physiol*. 2002;29(September 2001):118-121.
70. Hodges PW, Gandevia SC. Changes in intra-abdominal pressure during postural and respiratory activation of the human diaphragm. *J Appl Physiol*. 2000;89(3):967-976.
71. Hodges PW, Gandevia SC. Activation of the human diaphragm during a repetitive postural task. *J Physiol*. 2000;522 Pt 1:165-175.
72. Marshall PW, Murphy B a. Core stability exercises on and off a Swiss ball. *Arch Phys Med Rehabil*. 2005;86(2):242-249.