

## REFERENCES

1. Peterson M, Butler S, Eriksson M, Svärdsudd K. A randomized controlled trial of exercise versus wait-list in chronic tennis elbow (lateral epicondylitis). *Ups J Med Sci.* 2011;116(4):269-279. .
2. Ranney D, Wells R, Moore a. Upper limb musculoskeletal disorders in highly repetitive industries: precise anatomical physical findings. *Ergonomics.* 1995;38 (January 2015):1408-1423.
3. Kurppa K, Viikari-Juntura E, Kuomas E, Huuskonen M, Kivi P. Incidence of tenosynovitis or peritendinitis and epicondylitis in a meta-processing factory. *Scand J Work Environ Heal.* 1991;17(1):32-37.
4. Walker-Bone K, Palmer KT, Reading I, Coggon D, Cooper C. Occupation and epicondylitis: A population-based study. *Rheumatology.* 2012;51(2):305-310.
5. Ahmad Z, Siddiqui N, Malik SS, Abdus-Samee M, Tytherleigh-Strong G, Rushton N. Lateral epicondylitis: A review of pathology and management. *Bone Jt J.* 2013;95 B(9):1158-1164.
6. Menta R, Randhawa K, Côté P, et al. The effectiveness of exercise for the management of musculoskeletal disorders and injuries of the elbow, forearm, wrist, and hand: a systematic review by the Ontario Protocol for Traffic Injury Management (OPTIMa) collaboration. *J Manipulative Physiol Ther.* 2015;38(7):507-520.
7. Lee S, Ko Y, Lee W. Changes in Pain, Dysfunction, and Grip Strength of Patients with Acute Lateral Epicondylitis Caused by Frequency of Physical Therapy: A Randomized Controlled Trial. *J Phys Ther Sci.* 2014;26(7):1037-1040.
8. Pienimäki TT, Tarvainen TK, Siira PT, Vanharanta H. Progressive Strengthening and Stretching Exercises and Ultrasound for Chronic Lateral Epicondylitis. *Physiotherapy.* 1996;82(9):522-530.
9. Bisset LM, Vicenzino B. Physiotherapy management of lateral epicondylalgia. *J Physiother.* 2015;61(4):174-181.
10. Kountouris A, Cook J. Rehabilitation of Achilles and patellar tendinopathies. *Best Pract Res Clin Rheumatol.* 2007;21(2):295-316.
11. Wang T, Lin Z, Day RE, et al. Programmable mechanical stimulation influences tendon homeostasis in a bioreactor system. *Biotechnol Bioeng.* 2013;110(5):1495-1507.
12. Newcomer KL, Martinez-Silvestrini JA, Schaefer MP, Gay RE, Arendt KW. Sensitivity of the patient-rated forearm evaluation questionnaire in lateral epicondylitis. *J Hand Ther.* 2005;18(4):400-406.
13. Overend TJ, Wuori-Fearn JL, Kramer JF, MacDerid JC. Reliability of a patient-rated forearm evaluation questionnaire for patients with lateral epicondylitis. *J Hand Ther.* 1999;12(1):31-37.
14. Rompe JD, Overend TJ, MacDerid JC. Validation of the Patient-rated Tennis Elbow Evaluation Questionnaire. *J Hand Ther.* 2007;20(1):3-11.
15. Mathiowitz V, Rennells C, Donahoe L. Effect of elbow position on grip and key pinch strength. *J Hand Surg Am.* 1985;10(5):694-697.
16. Dorf ER, Chhabra AB, Golish SR, McGinty JL, Pannunzio ME. Effect of Elbow Position on Grip Strength in the Evaluation of Lateral Epicondylitis. *J Hand Surg Am.* 2007;32(6):882-886.
17. Blanchette M-A, Normand MC. Impairment assessment of lateral epicondylitis through electromyography and dynamometry. *J Can Chiropr Assoc.* 2011;55(2):96-106.
18. Trudel D, Duley J, Zastrow I, Kerr EW, Davidson R, MacDerid JC. Rehabilitation for patients with lateral epicondylitis: a systematic review. *J Hand Ther.* 2004;17(2):243-266.
19. Cullinane FL, Boocock MG, Trevelyan FC. Is eccentric exercise an effective treatment for lateral epicondylitis? A systematic review. *Clin Rehabil.* 2013;28(1):3-19
20. Dimitrios S, Malliaras P. It is time to abandon the myth that eccentric training is best practice. *Biol Exerc.* 2016;12(1):15-21.
21. Khan KM, Cook JL, Kannus P, Maffulli N, Bonar SF. Time to abandon the “tendinitis” myth. *BMJ.* 2002;324(7338):626-627.
22. Haahr JP, Andersen JH. Prognostic factors in lateral epicondylitis: a randomized trial with one-year follow-up in 266 new cases treated with minimal occupational intervention or the usual approach in general practice. *Rheumatology.* 2003;42(10):1216-1225.
23. Bisset L, Beller E, Jull G, Brooks P, Darnell R, Vicenzino B. Mobilisation with movement and exercise, corticosteroid injection, or wait and see for tennis elbow: randomised trial. *BMJ.* 2006;333(7575):939-0.
24. Bot SD, van der Waal JM, Terwee CB, van der Windt DA, Bouter LM, Dekker J. Course and prognosis of elbow complaints: a cohort study in general practice. *Ann Rheum Dis.* 2005;64(9):1331-1336.
25. Coombes BK, Bisset L, Brooks P, Khan A, Vicenzino B. Effect of Corticosteroid Injection, Physiotherapy, or Both on Clinical Outcomes in Patients With Unilateral Lateral Epicondylalgia. *JAMA.* 2013;309(5):461.
26. Lewis M, Hay EM, Paterson SM, Croft P. Effects of manual work on recovery from lateral epicondylitis. *Scand J Work Environ Heal.* 2002;28(2):109-116.
27. Waugh EJ. Computer Use Associated With Poor Long-Term Prognosis of Conservatively Managed Lateral Epicondylalgia. *J Orthop Sports Phys Ther.* 2004;34(12):770-80.
28. Green S, Buchbinder R, Barnsley L, et al. Acupuncture for lateral elbow pain. In: *Cochrane Database of Systematic Reviews.* 2002. (1):CD003527.

29. Hing W, Bigelow R, Bremner T. Mulligan's Mobilization with Movement: A Systematic Review. *J Man Manip Ther.* 2009;17(2):39E-66E.
30. Herd CR, Meserve BB. A Systematic Review of the Effectiveness of Manipulative Therapy in Treating Lateral Epicondylalgia. *J Man Manip Ther.* 2008;16(4):225-237.
31. Struijs PAA, Damen P-J, Bakker EWP, Blankevoort L, Assendelft WJJ, van Dijk CN. Manipulation of the wrist for management of lateral epicondylitis: a randomized pilot study. *Phys Ther.* 2003;83(7):608-616.
32. Goyal M, Kumar A, Monga M, Moitra M. Effect of wrist manipulation and cyriax physiotherapy training on pain and grip strength in lateral epicondylitis patients. *J Exerc Sci Physiother.* 2013;9(1):17.
33. Smidt N, Assendelft WJJ, Arola H, et al. Effectiveness of physiotherapy for lateral epicondylitis: a systematic review. *Ann Med.* 2003;35(1):51-62.
34. Jafarian FS, Demneh ES, Tyson SF. The Immediate Effect of Orthotic Management on Grip Strength of Patients With Lateral Epicondylitis. *J Orthop Sport Phys Ther.* 2009;39(6):484-489.
35. Shamsoddini A, Hollisaz MT, Hafezi R, Amanollahi A. Immediate effects of counterforce forearm brace on grip strength and wrist extension force in patients with lateral epicondylitis. *Hong Kong J Occup Ther.* 2010;20(1):8-12.
36. Barr S, Cerisola FL, Blanchard V. Effectiveness of corticosteroid injections compared with physiotherapeutic interventions for lateral epicondylitis: A systematic review. *Physiotherapy.* 2009;95(4):251-265.
37. Smidt N, Assendelft WJJ, Van der Windt DAWM, Hay EM, Buchbinder R, Bouter LM. Corticosteroid injections for lateral epicondylitis: A systematic review. *Pain.* 2002;96(1-2):23-40.
38. Dong W, Goost H, Lin X-B, et al. Injection therapies for lateral epicondylalgia: a systematic review and Bayesian network meta-analysis. *Br J Sports Med.* 2016;50(15):900-908.
39. Krogh TP, Bartels EM, Ellingsen T, et al. Comparative effectiveness of injection therapies in lateral epicondylitis: a systematic review and network meta-analysis of randomized controlled trials. *Am J Sports Med.* 2013;41(6):1435-1446.
40. Arirachakaran A, Sukthuayat A, Sisayanarane T, Laoratanavaphong S, Kanchanatawan W, Kongtharvonskul J. Platelet-rich plasma versus autologous blood versus steroid injection in lateral epicondylitis: systematic review and network meta-analysis. *J Orthop Traumatol.* 2016;17(2):101-112.
41. Viswas R, Ramachandran R, Korde Anantkumar P. Comparison of effectiveness of supervised exercise program and Cyriax physiotherapy in patients with tennis elbow (lateral epicondylitis): a randomized clinical trial. *ScientificWorldJournal.* 2012;2012:939645.
42. Nagrale A V, Herd CR, Ganvir S, Ramteke G. Cyriax physiotherapy versus phonophoresis with supervised exercise in subjects with lateral epicondylalgia: a randomized clinical trial. *J Man Manip Ther.* 2009;17(3):171-178.
43. Bisset L, Paungmali A, Vicenzino B, Beller E. A systematic review and meta-analysis of clinical trials on physical interventions for lateral epicondylalgia. *Br J Sports Med.* 2005;39(7):411-422.
44. Bisset L, Paungmali A, Vicenzino B, Beller E. A systematic review and meta-analysis of clinical trials on physical interventions for lateral epicondylalgia... including commentary by Herbert RD. *Br J Sports Med.* 2005;39(7):411-422.
45. Clarke AW, Ahmad M, Curtis M, Connell D a. Lateral elbow tendinopathy: correlation of ultrasound findings with pain and functional disability. *Am J Sports Med.* 2010;38(6):1209-1214.
46. Moradi A, Ebrahimzadeh MH, Jupiter JB. Radial Tunnel Syndrome, Diagnostic and Treatment Dilemma. *Arch Bone Jt Surg.* 2015;3(3):156-162.
47. Bolster MAJ, Bakker XR. Radial tunnel syndrome: emphasis on the superficial branch of the radial nerve. *J Hand Surg Br.* 2009;34(3):343-347.
48. Lister GD, Belsome RB, Kleinert HE. The radial tunnel syndrome. *J Hand Surg Am.* 1979;4(1):52-59.
49. Roles NC, Maudsley RH. Radial tunnel syndrome: resistant tennis elbow as a nerve entrapment. *J Bone Joint Surg Br.* 1972;54(3):499-508.
50. Hagert CG, Lundborg G, Hansen T. Entrapment of the posterior interosseous nerve. *Scand J Plast Reconstr Surg.* 1977;11(3):205-212.
51. van Rossum J, Buruma OJ, Kamphuisen H a, Onvlee GJ. Tennis elbow--a radial tunnel syndrome? *J Bone Joint Surg Br.* 1978;60-B(2):197-198.
52. Verhaar J, Spaans F. Radial tunnel syndrome. An investigation of compression neuropathy as a possible cause. *J Bone Joint Surg Am.* 1991;73(4):539-544.
53. Nayak SR, Ramanathan L, Krishnamurthy A, et al. Extensor carpi radialis brevis origin, nerve supply and its role in lateral epicondylitis. *Surg Radiol Anat.* 2010;32(3):207-211.
54. Cha J, York B, Tawfik J. Posterior interosseous nerve compression. *Eplasty.* 2014;14:ic4.
55. Zwerus EL, Somford MP, Maissan F, Heisen J, Eggenraad D, van den Bekerom MP. Physical examination of the elbow, what is the evidence? A systematic literature review. *Br J Sports Med.* 2017;bjspor-2016-096712.
56. Berglund KM, Persson BH, Denison E. Prevalence of pain and dysfunction in the cervical and thoracic spine in persons with and without lateral elbow pain. *Man Ther.* 2008;13(4):295-299.

57. Smidt N, Lewis M, Van Der Windt DAWM, Hay EM, Bouter LM, Croft P. Lateral epicondylitis in general practice: course and prognostic indicators of outcome. *J Rheumatol.* 2006;33(10):2053-2059.
58. Fernández-Carnero J, Fernández-de-las-Peñas C, Cleland JA. Immediate Hypoalgesic and Motor Effects After a Single Cervical Spine Manipulation in Subjects With Lateral Epicondylalgia. *J Manipulative Physiol Ther.* 2008;31(9):675-681.
59. Fernández-Carnero J, Cleland JA, Arbizu RLT. Examination of motor and hypoalgesic effects of cervical vs thoracic spine manipulation in patients with lateral epicondylalgia: A clinical trial. *J Manipulative Physiol Ther.* 2011;34(7):432-440.
60. Cleland JA, Flynn TW, Palmer JA. Incorporation of Manual Therapy Directed at the Cervicothoracic Spine in Patients with Lateral Epicondylalgia: A Pilot Clinical Trial. *J Man Manip Ther.* 2005;13(3):143-151.
61. Heales LJ, Vicenzino B, MacDonald DA, Hodges PW. 41 Is There A Change In Forearm Muscle Activity In People With Unilateral Lateral Epicondylalgia? *Br J Sports Med.* 2014;48(Suppl 2):A27.1-A27.
62. Cook JL, Purdam CR. The challenge of managing tendinopathy in competing athletes. *Br J Sports Med.* 2014;48(7):506-509.
63. Rio E, Kidgell D, Purdam C, et al. Isometric exercise induces analgesia and reduces inhibition in patellar tendinopathy. *Br J Sports Med.* 2015;49(19):1277-1283.
64. Rio E, Kidgell D, Cook J. 88 Exercise Reduces Pain Immediately And Affects Cortical Inhibition In Patellar Tendinopathy. *Br J Sports Med.* 2014;48(Suppl\_2):A57-A58.
65. van Ark M, Cook JL, Docking SI, et al. Do isometric and isotonic exercise programs reduce pain in athletes with patellar tendinopathy in-season? A randomised clinical trial. *J Sci Med Sport.* 2016;19(9):702-706.
66. Rio E, van Ark M, Docking S, et al. Isometric Contractions Are More Analgesic Than Isotonic Contractions for Patellar Tendon Pain. *Clin J Sport Med.* 2016;1.
67. Dimitrios S. The Effectiveness of Isometric Contractions Combined with Eccentric Contractions and Stretching Exercises on Pain and Disability in Lateral Elbow Tendinopathy. A Case Report. *J Nov Physiother.* 2014;5(1).
68. Martinez-Silvestrini JA, Newcomer KL, Gay RE, Schaefer MP, Kortebain P, Arendt KW. Chronic lateral epicondylitis: Comparative effectiveness of a home exercise program including stretching alone versus stretching supplemented with eccentric or concentric strengthening. *J Hand Ther.* 2005;18(4):411-420.
69. Snijders CJ, Volkers AC, Mechelse K, Vleeming A. Provocation of epicondylalgia lateralis (tennis elbow) by power grip or pinching. *Med Sci Sports Exerc.* 1987;19(5):518-523.
70. Shimose R, Matsunaga A, Muro M. Effect of submaximal isometric wrist extension training on grip strength. *Eur J Appl Physiol.* 2011;111(3):557-565.
71. Mogk JPM, Keir PJ. The effects of posture on forearm muscle loading during gripping. *Ergonomics.* 2003;46(9):956-975.
72. Halpern CA, Fernandez JE. The effect of wrist and arm postures on peak pinch strength. *J Hum Ergol (Tokyo).* 1996;25(2):115-130.
73. Richards LG, Olson B, Palmeter-Thomas P. How Forearm Position Affects Grip Strength. *Am J Occup Ther.* 1996;50(2):133-138.
74. De Smet L, Tirez B, Stappaerts K. Effect of forearm rotation on grip strength. *Acta Orthop Belg.* 1998;64(4):360-362.
75. Mogk JPM, Keir PJ. Crosstalk in surface electromyography of the proximal forearm during gripping tasks. *J Electromyogr Kinesiol.* 2003;13(1):63-71.
76. Byström SEG, Mathiassen SE, Fransson-Hall C. Physiological effects of micropauses in isometric handgrip exercise. *Eur J Appl Physiol Occup Physiol.* 1991;63(6):405-411.
77. Hägg GM, Öster J, Byström S. Forearm muscular load and wrist angle among automobile assembly line workers in relation to symptoms. *Appl Ergon.* 1997;28(1):41-47.
78. Wilson E. The Mulligan concept: NAGS, SNAGS and mobilizations with movement. *J Bodyw Mov Ther.* 2001;5(2):81-89.
79. Mulligan BR. Journal of Manual & Manipulative Therapy Mobilisations With Movement (MWM'S) manual therapy rounds. *J Man Manip Ther.* 1993;1(4):154-156.
80. Barratt PA, Selfe J. A Service Evaluation and Improvement Project: A Three Year Systematic Audit Cycle of the Physiotherapy Treatment for Lateral Epicondylalgia. *Physiotherapy.* 2017;0(0).
81. Abbott JH, Patla CE, Jensen RH. The initial effects of an elbow mobilization with movement technique on grip strength in subjects with lateral epicondylalgia. *Man Ther.* 2001;6(3):163-169.
82. McLean S, Naish R, Reed L, Urry S, Vicenzino B. A pilot study of the manual force levels required to produce manipulation induced hypoalgesia. *Clin Biomech.* 2002;17(4):304-308.
83. Vicenzino B, Paungmali A, Teys P. Mulligan's mobilization-with-movement, positional faults and pain relief: Current concepts from a critical review of literature. *Man Ther.* 2007;12(2):98-108.
84. Hubbard TJ, Hertel J, Sherbondy P. Fibular Position in Individuals with Self-Reported Chronic Ankle Instability. *J Orthop Sport Phys Ther.* 2006;36(1):3-9.
85. Kavanagh J. Is there a positional fault at the inferior tibiofibular joint in patients with acute or chronic ankle sprains compared to normals? *Man Ther.* 1999;4(1):19-24.
86. A. W, P. T, J. S, Wright A, Thurnwald P, Smith J. An evaluation of mechanical and thermal hyperalgesia in patients with lateral epicondylalgia. *Pain Clin.* 1992;5(4):221-227.

87. Wright A, Thurnwald P, O'Callaghan J, Smith J, Vicenzino B. Hyperalgesia in Tennis Elbow Patients. *J Musculoskelet Pain*. 1994;2(4):83-97.
88. Zusman M. Spinal Manipulative Therapy: Review of Some Proposed Mechanisms, and a New Hypothesis. *Aust J Physiother*. 1986;32(2):89-99.
89. Vicenzino B, Paungmali A, Buratowski S, Wright A. Specific manipulative therapy treatment for chronic lateral epicondylalgia produces uniquely characteristic hypoalgesia. *Man Ther*. 2001;6(4):205-212.
90. Paungmali A, O'Leary S, Souvlis T, Vicenzino B. Hypoalgesic and sympathoexcitatory effects of mobilization with movement for lateral epicondylalgia. *Phys Ther*. 2003;83(4):374-383.
91. Manchanda G, Grover D. Effectiveness of movement with mobilization compared with manipulation of wrist in case of lateral epicondylitis. *Indian J Physiother Occup Ther Int J*. 2008;2(1):16-25.
92. Miller J. Mulligan concept – management of tennis elbow. *Can Physiother Assoc Orthop Div Rev*. 2000;(May-June):45-46.
93. Vicenzino B, Wright A. Effects of a novel manipulative physiotherapy technique on tennis elbow: a single case study. *Man Ther*. 1995;1(1):30-35.
94. Amro A, Diener I, Bdair WO, Hameda IM, Shalabi AI, Illyan DI. The effects of Mulligan mobilisation with movement and taping techniques on pain, grip strength, and function in patients with lateral epicondylitis. *Hong Kong Physiother J*. 2010;28(1):19-23.
95. Kocher M, Dogra A. Effectiveness of a Specific Physiotherapy Regimen on Patients with Tennis Elbow. *Physiotherapy*. 2002;88(6):333-341.
96. Abbott JH. Mobilization with movement applied to the elbow affects shoulder range of movement in subjects with lateral epicondylalgia. *Man Ther*. 2001;6(3):170-177.
97. Wyke B. The neurological basis of thoracic spinal pain. *Rheumatology*. 1970;10(7):356-359.
98. Johansson H, Sojka P. Pathophysiological mechanisms involved in genesis and spread of muscular tension in occupational muscle pain and in chronic musculoskeletal pain syndromes: a hypothesis. *Med Hypotheses*. 1991;35(3):196-203.
99. Indahl A, Kaigle A, Holm S, Reikeras O. Electromyographic response of the porcine multifidus musculature after nerve stimulation. *Spine (Phila Pa 1976)*. 1995;20(24):2652-2658.
100. Indahl A, Kaigle AM, Reikerås O, Holm SH. Interaction between the porcine lumbar intervertebral disc, zygapophysial joints, and paraspinal muscles. *Spine (Phila Pa 1976)*. 1997;22(24):2834-2840.
101. Hall CR, Mack DE, Paivio A, Hausenblas HA. Imagery use by athletes: Development of the sport imagery questionnaire. *Int J Sport Psychol*. 1998;29(1):73-89.
102. Takasaki H, Aoki M, Muraki T, Uchiyama E, Murakami G, Yamashita T. Muscle strain on the radial wrist extensors during motion-simulating stretching exercises for lateral epicondylitis: A cadaveric study. *J Shoulder Elb Surg*. 2007;16(6):854-858.
103. Svernlov B, Adolfsson L. Non-operative treatment regime including eccentric training for lateral humeral epicondylalgia. *Scand J Med Sci Sport*. 2001;11(6):328-334.
104. Murtezani A, Pharm Z, Vilasolli T, Sllamniku S, Krasniqi S, Vokri L. Exercise and Therapeutic Ultrasound Compared with Corticosteroid Injection for Chronic Lateral Epicondylitis: A Randomized Controlled Trial. *Ortop Traumatol Rehabil*. 2015;17(4):351-357.
105. Konrad A, Gad M, Tilp M. Effect of PNF stretching training on the properties of human muscle and tendon structures. *Scand J Med Sci Sport*. 2015;25(3):346-355.
106. Mahieu NN, McNair P, De Muynck M, et al. Effect of static and ballistic stretching on the muscle-tendon tissue properties. *Med Sci Sports Exerc*. 2007;39(3):494-501.
107. Vicenzino B. Lateral epicondylalgia: A musculoskeletal physiotherapy perspective. *Man Ther*. 2003;8(2):66-79.
108. Fairbank S, Corlett R. The role of the extensor digitorum communis muscle in lateral epicondylitis. *J Hand Surg J Br Soc Surg Hand*. 2002;27(5):405-409.
109. Greenbaum B, Itamura J, Vangsness CT, Tibone J, Atkinson R. Extensor carpi radialis brevis. An anatomical analysis of its origin. *J Bone Jt Surg Br Vol*. 1999;81(5):926-929.
110. Cyriax JH. The Pathology and treatment of tennis elbow. *J Bone Jt Surg*. 1936;18(4):921-940.
111. Nirschl RP, Pettrone FA. Tennis elbow. The surgical treatment of lateral epicondylitis. *J Bone Joint Surg Am*. 1979;61(6A):832-839.
112. Stasinopoulos D, Johnson MI. Effectiveness of extracorporeal shock wave therapy for tennis elbow (lateral epicondylitis). *Br J Sports Med*. 2005;39(3):132-136.
113. Bhabra G, Wang A, Ebert JR, Edwards P, Zheng M, Zheng MH. Lateral Elbow Tendinopathy: Development of a Pathophysiology-Based Treatment Algorithm. *Orthop J Sport Med*. 2016;4(11).
114. Goldie I. Epicondylitis Lateralis Humeri (Epicondylalgia or Tennis Elbow). A pathogenetical study. *Dep Surg II, Department Pathol / Dep Orthop*. 1964;57:SUPPL 339:1+
115. Kraushaar BS, Nirschl RP. Tendinosis of the elbow (tennis elbow). Clinical features and findings of histological, immunohistochemical, and electron microscopy studies. *J Bone Joint Surg Am*. 1999;81(2):259-278.
116. Eriksen HA, Pajala A, Leppilahti J, Risteli J. Increased content of type III collagen at the rupture site of human Achilles tendon. *J Orthop Res*. 2002;20(6):1352-1357.
117. Maffulli N, Ewen SWB, Waterston SW, Reaper J, Barrass V. Tenocytes from Ruptured and Tendinopathic Achilles Tendons Produce Greater Quantities of Type III Collagen than Tenocytes from Normal Achilles Tendons. *Am J Sports Med*. 2000;28(4):499-505.

118. Leadbetter WB. Cell-matrix response in tendon injury. *Clin Sport Med.* 1992;11(3):533-578.
119. Fenwick SA, Hazleman BL, Riley GP. The vasculature and its role in the damaged and healing tendon. *Arthritis Res.* 2002;4(4):252-260.
120. Maffulli N, Moller HD, Evans CH. Tendon healing: Can it be optimised? *Br J Sports Med.* 2002;36(5):315-316.
121. Taylor SA, Hannafin JA. Evaluation and Management of Elbow Tendinopathy. *Sports Health.* 2012;4(5):384-393.
122. Matthews TJW, Hand GC, Rees JL, Athanasou N a, Carr AJJ. Pathology of the torn rotator cuff tendon. Reduction in potential for repair as tear size increases. *J Bone Joint Surg Br.* 2006;88(4):489-495.
123. Millar NL, Hueber AJ, Reilly JH, et al. Inflammation is present in early human tendinopathy. *Am J Sports Med.* 2010;38(10):2085-2091.
124. Campbell AL, Smith NC, Reilly JH, et al. IL-21 receptor expression in human tendinopathy. *Mediators Inflamm.* 2014;2014.
125. Millar NL, Reilly JH, Kerr SC, et al. Hypoxia: a critical regulator of early human tendinopathy. *Ann Rheum Dis.* 2012;71(2):302-310.
126. Scott a, Lian Ø, Bahr R, Hart D a, Duronio V, Khan KM. Increased mast cell numbers in human patellar tendinosis: correlation with symptom duration and vascular hyperplasia. *Br J Sports Med.* 2008;42(9):753-757.
127. Molloy TJ, Kemp MW, Wang Y, Murrell G a C. Microarray analysis of the tendinopathic rat supraspinatus tendon: glutamate signaling and its potential role in tendon degeneration. *J Appl Physiol.* 2006;101(6):1702-1709.
128. Barbe MF, Barr AE, Gorzelany I, Amin M, Gaughan JP, Safadi FF. Chronic repetitive reaching and grasping results in decreased motor performance and widespread tissue responses in a rat model of MSD. *J Orthop Res.* 2003;21(1):167-176.
129. Dakin SG, Dudhia J, Smith RKW. Resolving an inflammatory concept: The importance of inflammation and resolution in tendinopathy. *Vet Immunol Immunopathol.* 2014;158(3-4):121-127.
130. Waugh EJ. Lateral Epicondylalgia or Epicondylitis: What's in a Name? *J Orthop Sport Phys Ther.* 2005;35(4):200-202.
131. Bunata RE, Brown DS, Capelo R. Anatomic factors related to the cause of tennis elbow. *J Bone Jt Surg - Ser A.* 2007;89(9):1955-1963.
132. Haahr JP, Andersen JH. Physical and psychosocial risk factors for lateral epicondylitis: a population based case-referent study. *Occup Env Med.* 2003;60:322-329.
133. Heales LJ. Towards an understanding of motor system impairments in individuals with unilateral lateral epicondylalgia. 2015. *Thesis.* The University of Queensland
134. Bisset A. Immediate Effects of 2 Types of Braces on Pain and Grip Strength in People With Lateral Epicondylalgia: A Randomized Controlled Trial. *J Title J Orthop Sport Phys Ther.* 2014. 44(2):120-8
135. Bisset LM, Russell T, Bradley S, Ha B, Vicenzino BT. Bilateral sensorimotor abnormalities in unilateral lateral epicondylalgia. *Arch Phys Med Rehabil.* 2006;87(4):490-495.
136. Kraft GH, Detels PE. Position of function of the wrist. *Arch Phys Med Rehabil.* 1972;53(6):272-275.
137. Pienimäki TT, Kauranen K, Vanharanta H. Bilaterally decreased motor performance of arms in patients with chronic tennis elbow. *Arch Phys Med Rehabil.* 1997;78(10):1092-1095.
138. Juul-Kristensen B, Lund H, Hansen K, Christensen H, Danneskiold-Samsøe B, Bliddal H. Poorer elbow proprioception in patients with lateral epicondylitis than in healthy controls: A cross-sectional study. *J Shoulder Elb Surg.* 2008;17(1 SUPPL.).
139. Andersen LL, Andersen CH, Mortensen OS, Poulsen OM, Bjørnlund IBT, Zebis MK. Muscle activation and perceived loading during rehabilitation exercises: comparison of dumbbells and elastic resistance. *Phys Ther.* 2010;90(4):538-549.
140. Lin MI, Liang HW, Lin KH, Hwang YH. Electromyographical assessment on muscular fatigue - An elaboration upon repetitive typing activity. *J Electromogr Kinesiol.* 2004;14(6):661-669.
141. Alizadehkhayat O, Fisher AC, Kemp GJ, Vishwanathan K, Frostick SP. Upper limb muscle imbalance in tennis elbow: A functional and electromyographic assessment. *J Orthop Res.* 2007;25(12):1651-1657.
142. Hodges PW, Tucker K. Moving differently in pain: A new theory to explain the adaptation to pain. *Pain.* 2011;152(SUPPL.3).
143. Skinner DK, Curwin SL. Assessment of fine motor control in patients with occupation-related lateral epicondylitis. *Man Ther.* 2007;12(3):249-255.
144. Bongers PM, Kremer AM, Laak J ter. Are psychosocial factors, risk factors for symptoms and signs of the shoulder, elbow, or hand/wrist?: A review of the epidemiological literature. *Am J Ind Med.* 2002;41(5):315-342.
145. Peterson M, Butler S, Eriksson M, Svärdsudd K. A randomized controlled trial of eccentric vs. concentric graded exercise in chronic tennis elbow (lateral elbow tendinopathy). *Clin Rehabil.* 2014;28(9):862-872.
146. Lucado AM, Kolber MJ, Cheng MS, Echternach JL. Upper extremity strength characteristics in female recreational tennis players with and without lateral epicondylalgia. *J Orthop Sports Phys Ther.* 2012;42(12):1025-1031.
147. Rio E, Moseley L, Purdam C, et al. The Pain of Tendinopathy: Physiological or Pathophysiological? *Sport Med.* 2014;44(1):9-23.

148. Andersson G, Danielson P, Alfredson H, Forsgren S. Nerve-related characteristics of ventral paratendinous tissue in chronic Achilles tendinosis. *Knee Surgery, Sport Traumatol Arthrosc.* 2007;15(10):1272-1279.
149. Andersson G, Danielson P, Alfredson H, Forsgren S. Presence of substance P and the neurokinin-1 receptor in tenocytes of the human Achilles tendon. *Regul Pept.* 2008;150(1):81-87.
150. Bjur D, Danielson P, Alfredson H, Forsgren S. Presence of a non-neuronal cholinergic system and occurrence of up- and down-regulation in expression of M2 muscarinic acetylcholine receptors: new aspects of importance regarding Achilles tendon tendinosis (tendinopathy). *Cell Tissue Res.* 2008;331(2):385-400.
151. Alfredson H, Pietilä T, Jonsson P, Lorentzon R. Heavy-load eccentric calf muscle training for the treatment of chronic Achilles tendinosis. *Am J Sports Med.* 1998;26(3):360-366.
152. Ortega-Castillo M, Medina-Porqueres I. Effectiveness of the eccentric exercise therapy in physically active adults with symptomatic shoulder impingement or lateral epicondylar tendinopathy: A systematic review. *J Sci Med Sport.* 2016;19(6):438-453.
153. Stanish WD, Rubinovich RM, Curwin S. Eccentric exercise in chronic tendinitis. *Clin Orthop Relat Res.* 1986;(208):65-68.
154. Fyfe I, Stanish WD. The use of eccentric training and stretching in the treatment and prevention of tendon injuries. *Clin Sports Med.* 1992;11(3):601-624.
155. Sevier TL, Wilson JK. Methods Utilized in Treating Lateral Epicondylitis. *Phys Ther Rev.* 2000;5(2):117-124.
156. Stasinopoulos D, Stasinopoulou K, Johnson MI. An exercise programme for the management of lateral elbow tendinopathy. *Br J Sports Med.* 2005;39(12):944-947.
157. Jonsson P, Alfredson H, Sunding K, Fahlstrom M, Cook J. New regimen for eccentric calf-muscle training in patients with chronic insertional Achilles tendinopathy: results of a pilot study. *Br J Sports Med.* 2008;42(9):746-749.
158. Mafi N, Lorentzon R, Alfredson H. Superior short-term results with eccentric calf muscle training compared to concentric training in a randomized prospective multicenter study on patients with chronic Achilles tendinosis. *Knee Surgery, Sport Traumatol Arthrosc.* 2001;9:42-47.
159. Jonsson P, Wahlström P, Öhberg L, Alfredson H. Eccentric training in chronic painful impingement syndrome of the shoulder: Results of a pilot study. *Knee Surgery, Sport Traumatol Arthrosc.* 2006;14(1):76-81.
160. Purdam CR, Jonsson P, Alfredson H, Lorentzon R, Cook JL, Khan KM. A pilot study of the eccentric decline squat in the management of painful chronic patellar tendinopathy. *Br J Sports Med.* 2004;38(4):395-397.
161. Khan KM, Cook JL, Taunton JE, Bonar F. Overuse tendinosis, not tendinitis. Part 1: A new paradigm for a difficult clinical problem. *Phys Sportsmed.* 2000;28(5):38-48.
162. Öhberg L, Lorentzon R, Alfredson H. Eccentric training in patients with chronic Achilles tendinosis: Normalised tendon structure and decreased thickness at follow up. *Br J Sports Med.* 2004;38(1):8-11.
163. El Hawary R, Stanish WD, Curwin SL. Rehabilitation of tendon injuries in sport. *Sport Med.* 1997;24(5):347-358.
164. Vilarta R, De Campos Vidal B. Anisotropic and Biomechanical Properties of Tendons Modified by Exercise and Denervation: Aggregation and Macromolecular Order in Collagen Bundles. *Matrix.* 1989;9(1):55-61.
165. Raman J, MacDermid JC, Grewal R. Effectiveness of different methods of resistance exercises in lateral epicondylitis - A systematic review. *J Hand Ther.* 2012;25(1):5-26.
166. Alfredson H, Pietilä T, Lorentzon R. Chronic Achilles tendinitis and calf muscle strength. *Am J Sports Med.* 1996;24(6):829-833.
167. Alfredson H, Pietilä T, Ohberg L, Lorentzon R. Achilles tendinosis and calf muscle strength. The effect of short-term immobilization after surgical treatment. *Am J Sports Med.* 26(2):166-171.
168. Coombes BK, Bisset L, Vicenzino B. A new integrative model of lateral epicondylalgia. *Br J Sports Med.* 2009;43(4):252-258.
169. Yunus MB. Central Sensitivity Syndromes: An Overview. *J Musculoskelet Pain.* 2009;17(4):400-408.
170. Coronado R, Gay C, Bialosky J, Carnaby G, Bishop M, George S. Changes in pain sensitivity following spinal manipulation: A systematic review and meta-analysis. *J Electromyogr Kinesiol.* 2012;22(5):752-767.
171. Beneciuk JM, Bishop MD, George SZ. Effects of Upper Extremity Neural Mobilization on Thermal Pain Sensitivity: A Sham-Controlled Study in Asymptomatic Participants. *J Orthop Sport Phys Ther.* 2009;39(6):428-438.
172. Nijs J, Kosek E, Vanosterwijck J, et al. Dysfunctional endogenous analgesia during exercise in patients with chronic pain: to exercise or not to exercise? *Pain Physician.* 2012;15(3 Suppl):ES205-13.
173. O'Leary S, Falla D, Hodges PW, Jull G, Vicenzino B. Specific Therapeutic Exercise of the Neck Induces Immediate Local Hypoalgesia. *J Pain.* 2007;8:832-839.
174. Martínez-Cervera FV, Olteanu TE, Gil-Martínez A, Díaz-Pulido B, Ferrer-Peña R. Influence of expectations plus mobilization with movement in patient with lateral epicondylalgia: a pilot randomized controlled trial. *J Exerc Rehabil.* 2017;13(1):101-109.
175. Bialosky JE, Bishop MD, George SZ, Robinson ME. Placebo response to manual therapy: something out of nothing? *J Man Manip Ther.* 2011;19(1):11-19.

176. Dick FD, Graveling R a, Munro W, Walker-Bone K. Workplace management of upper limb disorders: a systematic review. *Occup Med (Lond)*. 2011;61(1):19-25.
177. Kennedy CA, Amick BC, Dennerlein JT, Brewer S, Catlin S, Williams R, Serra C, Gerr F, Irvin E, Mahood Q. Systematic review of the role of occupational health and safety interventions in the prevention of upper extremity musculoskeletal symptoms, signs, disorders, injuries, claims and lost time. *J Occup Rehabil*. 2010 Jun;20(2):127-62. 2010;20(2):127-162.
178. Bernard B, Sauter S, Fine L, Petersen M, Hales T. Job task and psychosocial risk factors for work-related musculoskeletal disorders among newspaper employees. *Scand J Work Environ Heal*. 1994;20(6):417-426.
179. Faucett J, Rempel D. VDT-related musculoskeletal symptoms: Interactions between work posture and psychosocial work factors. *Am J Ind Med*. 1994;26(5):597-612.
180. Matias AC, Salvendy G, Kuczek T. Predictive models of carpal tunnel syndrome causation among VDT operators. *Ergonomics*. 1998;41(2):213-226.
181. Bergqvist U, Wolgast E, Nilsson B, Voss M. Musculoskeletal disorders among visual display terminal workers: individual, ergonomic, and work organizational factors. *Ergonomics*. 1995;38(4):763-776.
182. Karlqvist LK, Bernmark E, Ekenvall L, Hagberg M, Isaksson A, Rostö T. Computer mouse position as a determinant of posture, muscular load and perceived exertion. *Scand J Work Environ Health*. 1998;24(1):62-73.
183. Karlqvist LK, Hagberg M, Koster M, Wenemark M, Anell R. Musculoskeletal symptoms among Computer-Assisted Design (CAD) operators and evaluation of a self-assessment questionnaire. *Int J Occup Environ Health*. 1996;2(3):185-194.
184. Woo EHC, White P, Lai CWK. Ergonomics standards and guidelines for computer workstation design and the impact on users' health – a review. *Ergonomics*. 2016;59(3):464-475. .
185. Lueder R, ed. *The Ergonomics Pay-off: Designing the Electronic Office*. Canada: Holt, Rinehart and Winston of Canada, Limited; 1986.
186. Tijerina L. Video Display Terminals Workstation Ergonomics. Dublin: OCLC Online Computer Library Center. 1984.
187. Herman Miller. Body Support in the Office: Sitting, Seating, and Low Back Pain. 2001. In: *Zeeland*.
188. Erak S, Day R, Wang A. The role of supinator in the pathogenesis of chronic lateral elbow Pain: A biomechanical Study. *J Hand Surg Am*. 2004;29(5):461-464.
189. Stasinopoulos D, Stasinopoulos I. Comparison of effects of eccentric training, eccentric-concentric training, and eccentric-concentric training combined with isometric contraction in the treatment of lateral elbow tendinopathy. *J Hand Ther*. 2017;30(1):13-19.
190. Dimitrios S. Eccentric Training of Wrist Extensors is Not Enough in the Management of Lateral Elbow Tendinopathy. An Expert Opinion. *Ann Orthop Rheumatol*. 2017;5(2).
191. Khan KM, Scott A. Mechanotherapy: How physical therapists' prescription of exercise promotes tissue repair. *Br J Sports Med*. 2009;43(4):247-252.
192. Tyler TF, Thomas GC, Nicholas SJ, McHugh MP. Addition of isolated wrist extensor eccentric exercise to standard treatment for chronic lateral epicondylitis: A prospective randomized trial. *J Shoulder Elb Surg*. 2010;19(6):917-922.
193. Croisier J-L, Foidart-Dessalle M, Tinant F, Crielaard J-M, Forthomme B. An isokinetic eccentric programme for the management of chronic lateral epicondylar tendinopathy. *Br J Sports Med*. 2007;41(4):269-275.
194. Kibler WB. Clinical biomechanics of the elbow in tennis: implications for evaluation and diagnosis. *Med Sci Sports Exerc*. 1994;26(10):1203-1206.
195. Blackwell JR, Cole KJ. Wrist kinematics differ in expert and novice tennis players performing the backhand stroke: Implications for tennis elbow. *J Biomech*. 1994;27(5):509-516.
196. Riek S, Chapman AE, Milner T. A simulation of muscle force and internal kinematics of extensor carpi radialis brevis during backhand tennis stroke: implications for injury. *Clin Biomech (Bristol, Avon)*. 1999;14(7):477-483.
197. Giangarra CE, Conroy B, Jobe FW, Pink M, Perry J. Electromyographic and cinematographic analysis of elbow function in tennis players using single- and double-handed backhand strokes. *Am J Sport Med*. 1993;21(3):394-399.
198. De Smedt T, de Jong A, Van Leemput W, Lieven D, Van Glabbeek F. Lateral epicondylitis in tennis: update on aetiology, biomechanics and treatment. *Br J Sports Med*. 2007;41(11):816-819.
199. Wei S-H, Chiang J-Y, Shiang T-Y, Chang H-Y. Comparison of shock transmission and forearm electromyography between experienced and recreational tennis players during backhand strokes. *Clin J Sport Med*. 2006;16(2):129-135.
200. Strizak AM, Gleim GW, Sapega A, Nicholas JA. Hand and forearm strength and its relation to tennis. *Am J Sports Med*. 1983;11(4):234-239.
201. Hennig EM, Rosenbaum D, Milani TL. Transfer of tennis racket vibrations onto the human forearm. *Med Sci Sports Exerc*. 1992;24:1134-1140.
202. Li F-X, Fewtrell D, Jenkins M. String vibration dampers do not reduce racket frame vibration transfer to the forearm. *J Sports Sci*. 2004;22(11-12):1041-1052.
203. Rossi J, Foissac MJ, Vigouroux L, Berton E. The effect of tennis racket grip size on grip force during a simulated tennis match play. *Comput Methods Biomed Engin*. 2009;12(sup1):219-220.

204. Hatch GF, Pink MM, Mohr KJ, Sethi PM, Jobe FW. The Effect of Tennis Racket Grip Size on Forearm Muscle Firing Patterns. *Am J Sports Med.* 2006;34(12):1977-1983.
205. Rossi J, Vigouroux L, Barla C, Berton E. Potential effects of racket grip size on lateral epicondylalgia risks. *Scand J Med Sci Sport.* 2014;24(6):e462-e470.
206. Hennig EM. Influence of racket properties on injuries and performance in tennis. *Exerc Sport Sci Rev.* 2007;35(2):62-66.
207. Oliveira LF, Matta TT, Alves DS, Garcia MAC, Vieira TMM. Effect of the shoulder position on the biceps brachii EMG in different dumbbell curls. *J Sport Sci Med.* 2009;8(1):24-29.
208. Kleiber T, Kunz L, Disselhorst-Klug C. Muscular coordination of biceps brachii and brachioradialis in elbow flexion with respect to hand position. *Front Physiol.* 2015;6(Aug).
209. Coombes BK, Bisset L, Vicenzino B. Elbow flexor and extensor muscle weakness in lateral epicondylalgia. *Br J Sports Med.* 2012;46(6):449-453.
210. Boehler B, Porcari JP, Kline D, Hendrix CR, Foster C. Terrific triceps. *Am Council Exerc.* 2011;August:1-3.
211. Boehler B. Electromyographic analysis of the triceps brachii muscle during a variety of triceps exercises. 2011. *Thesis.* University of Wisconsin-LA Crosse
212. Bhatt JB, Glaser R, Chavez A, Yung E. Middle and Lower Trapezius Strengthening for the Management of Lateral Epicondylalgia: A Case Report. *J Orthop Sport Phys Ther.* 2013;43(11):841-847.
213. Alizadehkhayat O, Fisher AC, Kemp GJ, Vishwanathan K, Frostick SP. Assessment of functional recovery in tennis elbow. *J Electromyogr Kinesiol.* 2009;19(4):631-638.
214. Mandalidis D, O'Brien M. Relationship between hand-grip isometric strength and isokinetic moment data of the shoulder stabilisers. *J Bodyw Mov Ther.* 2010;14(1):19-26.
215. Myers TW. The "anatomy trains": part 2. *J Bodyw Mov Ther.* 1997;1(3):135-145.
216. Stasinopoulos D. Scapular and rotator cuff strengthening in patients with lateral elbow tendinopathy. *Hong Kong Physiother J.* 2017;37:25-26.

## REFERENCES

1. Upadhyay S, Kumar Patel K, Professor A, Patel R. Effects of Progressive Strengthening Exercises in Chronic Lateral Epicondylitis. *Int J Heal Sci Res Int J Heal Sci Res.* 2017;2447(4).
2. Kraemer WJ, Adams K, Cafarelli E, et al. American College of Sports Medicine position stand. Progression models in resistance training for healthy adults. *Med Sci Sports Exerc.* 2002;34(2):364-380.
3. Taylor NF, Dodd KJ, Damiano DL. Progressive resistance exercise in physical therapy: a summary of systematic reviews. *Phys Ther.* 2005;85(11):1208-1223.
4. Pienimäki TT, Tarvainen TK, Siira PT, Vanharanta H. Progressive Strengthening and Stretching Exercises and Ultrasound for Chronic Lateral Epicondylitis. *Physiotherapy.* 1996;82(9):522-530.
5. Struijs P a. a. Conservative Treatment of Lateral Epicondylitis: Brace Versus Physical Therapy or a Combination of Both--A Randomized Clinical Trial. *Am J Sports Med.* 2004;32(2):462-469.
6. Oken O, Kahraman Y, Ayhan F, Canpolat S, Yorgancioglu ZR, Oken OF. The short-term efficacy of laser, brace, and ultrasound treatment in lateral epicondylitis: a prospective, randomized, controlled trial. *J Hand Ther.* 2008;21(1):63-7; quiz 68.
7. Stasinopoulos D, Manias P. Comparing Two Exercise Programmes for the Management of Lateral Elbow Tendinopathy (Tennis Elbow/Lateral Epicondylitis)—A Controlled Clinical Trial. *Open Access J Sci Technol.* 2013;1:1-8.
8. Alizadehkhaiyat O, Fisher AC, Kemp GJ, Vishwanathan K, Frostick SP. Upper limb muscle imbalance in tennis elbow: A functional and electromyographic assessment. *J Orthop Res.* 2007;25(12):1651-1657.
9. Mandalidis D, O'Brien M. Relationship between hand-grip isometric strength and isokinetic moment data of the shoulder stabilisers. *J Bodyw Mov Ther.* 2010;14(1):19-26.
10. Strizak AM, Gleim GW, Sapega A, Nicholas JA. Hand and forearm strength and its relation to tennis. *Am J Sports Med.* 1983;11(4):234-239.